No. 64571
1920
79-81

Public Document No. 1

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES, AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1922

PREPARED BY
THE SECRETARY OF THE COMMONWEALTH

EDITED BY
EDGAR A. BOWERS
STATE REGISTRAR OF VITAL STATISTICS

Secretary of the Commonwealth
Oct. 1, 1923

CONTENTS.

	PAGE
LETTER OF SUBMITTAL	1

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1922.

PART I.

MORTALITY STATISTICS.

INTRODUCTION	2–10
General mortality	2–5
Death registration	2
Purpose	3
Mortality statistics	3
Source of data	3
Death rates and their comparability	3, 4
Number of deaths and death rates	4
Sex	4
Age	4
Sex and age	4, 5
Marital condition	5
Centenarians	5
Nativity	5
Seasonable distribution of deaths	5
Infant mortality	5–7
Causes of death	7–9
Sources of error in mortality statistics	7
Principal causes of death	7–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	10
Autopsies	10
Cause of death	10
STATISTICAL TABLES	12–141
General mortality	12–106
TABLE 1. — Deaths, by sex and nativity, population, and death rates in each county and city: 1922	12–19
TABLE 2. — Deaths, by sex and age, in each county: 1922	20, 21
TABLE 3. — Deaths, by sex and age, in municipalities having over 10,000 inhabitants in 1920: 1922	22–29
TABLE 4. — Population, deaths, and death rates per 1,000 population: 1900 to 1922	30
TABLE 5. — Mortality of males and females: 1900 to 1922	30
TABLE 6. — Deaths at specified ages: census years 1900 to 1920	31
TABLE 7. — Per cent of deaths at specified ages — both sexes: 1900 to 1922	32
TABLE 8. — Male deaths per 1,000 female deaths at specified ages: 1919 to 1922	32
TABLE 9. — Deaths of males and females at specified ages: 1913 to 1922	33
TABLE 10. — Deaths of persons 100 years of age and over, by age, sex, place of death, place of birth, marital condition, date of death and name of decedent: 1922	34
TABLE 11. — Deaths of persons 100 years of age and over, by sex, nativity, marital condition, and age of oldest decedent: 1900 to 1922	35
TABLE 12. — Deaths by sex, age, and marital condition: 1922	36
TABLE 13. — Deaths in counties, and in cities having over 50,000 inhabitants, by months: 1922	37
TABLE 14. — Deaths from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1922	38–75
TABLE 15. — Deaths from important causes in each municipality: 1922	76–100
TABLE 16. — Deaths from important causes: 1900 to 1922	101
TABLE 17. — Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the abridged International List: 1917 to 1922	102, 103

Statistical tables — *Concluded.* PAGE
General mortality — *Concluded.*
Table 18. — Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1900 to 1920 104
Table 19. — Deaths produced by external causes: 1902 to 1922 . . . 104
Table 20. — Deaths from cancer, by sex, age, and marital condition: 1922 . 105, 106
Infant mortality 107–129
Table 21. — Deaths under 1 month of age also under 1 year of age, by sex, in the State and each municipality: 1922 107–109
Table 22. — Live births, deaths under 1 year, infant mortality rates, and per cent of deaths under 1 year to deaths at all ages: 1900 to 1922 . . . 110
Table 23. — Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1920: 1915 to 1922 111
Table 24. — Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1920: 1922 112
Table 25. — Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1910 to 1922 113
Table 26. — Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1900 to 1922 113
Table 27. — Infant deaths per 1,000 live births, by causes: 1915 to 1922 . 114
Table 28. — Deaths under 2 years of age from diarrhea and enteritis, by months: 1915 to 1922 115
Table 29. — Deaths from important causes for certain subdivisions of the first year of life for the State and for cities having 50,000 inhabitants or more in 1920: 1922 116–129
Maternal mortality 130, 131
Table 30. — Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1901 to 1922 130
Table 31. — Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1901 to 1922 131
Deaths investigated by medical examiners 132–141
Table 32. — Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number and per cent of deaths autopsied in each county: 1922 . . . . . 132, 133
Table 33. — Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1922 134–141
Table 34. — Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1913 to 1922 . . . . . 140, 141

Part II A.

Birth Statistics.

Introduction 142–144
Birth registration 142
Source of data 143
Live births 143
Birth rate 143
Changes in the birth rate 143
Stillbirths 143
Birth rates of the principal cities 143
Sex proportions at birth 144
Nativity of parents 144
Plural births 144
Natural increase 144
Statistical tables 145–156
Table 35. — Live births, by sex and parent nativity; and birth rates in each county and city: 1922 145–151
Table 36. — Live births by month of birth in counties, and in cities having over 50,000 inhabitants in 1920: 1922 152
Table 37. — Plural births, by sex, and stillbirths, by sex and parent nativity, in counties and in cities having over 50,000 inhabitants in 1920: 1922 . . 153
Table 38. — Live births and birth rates for the State and cities having over 100,000 inhabitants in 1920: 1900 to 1922 154
Table 39. — Live births, by sex and parent nativity, and sex proportions at birth: 1900 to 1922 155
Table 40. — Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1900 to 1922 156

Part II B.

Marriage Statistics.

PAGE

Introduction 157, 158
Marriage registration 157
Accuracy 157
Source of data 157, 158
Purpose, marriage requirements 158
Statistical tables 159–172
Table 41. — Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1922 159–165
Table 42. — Marriages by sex, age and marital condition: 1922 165
Table 43. — Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1920: 1922 . . . . . 166, 167
Table 44. — Marriages in each county, by sex and age: 1922 . . . . . 166, 167
Table 45. — Marriages, by sex and age: 1922 168
Table 46. — First marriages, by sex and age: 1922 168
Table 47. — First marriages of grooms and remarriages of brides, by age: 1922 . 169
Table 48. — Remarriages of grooms and first marriages of brides, by age: 1922 . 169
Table 49. — Remarriages of both parties, by age: 1922 170
Table 50. — First marriages and remarriages: 1922 170
Table 51. — Marriages, marriage rates, and nativity of persons married: 1900 to 1922 171
Table 52. — Proportions of first marriages and remarriages per 1,000 marriages: 1900 to 1922 171
Table 53. — Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1920: 1900 to 1922 172

Part II C.

Divorce Statistics.

Introduction 173–175
Causes for divorce 173
Source of data 173, 174
Applications for divorce 174
Contested cases 174
Number of divorces 174
Divorce rates 174
Party to which granted 174
Divorces classified by causes, 1900 to 1922 . . . . . 174, 175
Annulment classified as divorce 175
Duration of marriages 175
Statistical tables 176–195
Table 54. — Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State — 1922 176
A. Barnstable County 177
B. Berkshire County 178
C. Bristol County 179
D. Dukes County 180
E. Essex County 181
F. Franklin County 182
G. Hampden County 183
H. Hampshire County 184
I. Middlesex County 185
J. Nantucket County 186
K. Norfolk County 187
L. Plymouth County 188
M. Suffolk County 189
N. Worcester County 190
Table 55. — Number and per cent of divorces granted to husbands and to wives: 1900 to 1922 191
Table 56. — Divorces granted, number and per cent increase in each five-year period over preceding five-year period, and per cent increase in total population over preceding census: 1900 to 1922 191
Table 57. — Comparison of increase in divorces and divorce rates with increase in population: 1900 to 1920 191
Table 58. — Divorce rates based on total population and on married population: census years, 1900 to 1920 192
Table 59. — Annual average number of divorces in the State and in each county: census years 1900 to 1920 192
Table 60. — Divorces granted for specified causes for 23 years: 1900 to 1922 . 192
Table 61. — Statutory causes of divorce: 1900 to 1922 193

Statistical tables — *Concluded.* PAGE
Table 62. — Applications for divorce: 1900 to 1922 193
Table 63. — Divorces granted, classified by cause and party to which granted: 1922 194
Table 64. — Libels for divorce granted and not granted, contested and not contested, classified by party to which granted: 1922 194
Table 65. — Number of years libellants were married at time of application for divorce: 1900 to 1922 195

Part II D.

Population Statistics.

Introductory 196
Estimated population 196, 197
Statistical table 197
Table 66. — Census population of municipalities having over 15,000 inhabitants in 1920: 1900 to 1920 197

Appendix.

International classification of causes of death 198–202
1. Detailed International List 198–201
2. Abridged International List 202

LETTER OF SUBMITTAL.

The Commonwealth of Massachusetts,
Office of the Secretary,
Division of Vital Statistics, Boston, April 27, 1923.

To the Honorable Senate and House of Representatives.

I have the honor to submit herewith, as required by chapter 46, section 21 and chapter 208, section 47 of the General Laws, the eighty-first annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1922, in two parts: Part I, Mortality Statistics; Part II, Statistics of Births, Marriages, and Divorces. The fact that deaths are reported monthly, while births, marriages, and statistics of divorce are not reportable until the year following that in which the events occur, makes possible the availability of the mortality report earlier than the report of births, marriages, and divorces. Hence the presentation in two parts in one volume.

This is the first report in which returns of divorce statistics appear as returned by the Registers of Probate in conformity with the provisions of chapter 532 of the Acts of 1922.

The editorial review and the method of presentation of the statistical data were prepared by Edgar A. Bowers, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Agnes E. Kimball, chief clerk of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

FREDERIC W. COOK,
Secretary of the Commonwealth.

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS, 1922.

BY EDGAR A. BOWERS, STATE REGISTRAR OF VITAL STATISTICS.

I.
MORTALITY STATISTICS.

	PAGE
Introduction	2–10
General mortality	2–5
Death registration	2
Purpose	3
Mortality statistics	3
Source of data	3
Death rates and their comparability	3, 4
Number of deaths and death rates	4
Sex	4
Age	4
Sex and age	4, 5
Marital condition	5
Centenarians	5
Nativity	5
Seasonal distribution of deaths	5
Infant mortality	5–7
Cause of death	7–9
Sources of error in mortality statistics	7
Principal causes of death	7–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	10
Autopsies	10
Cause of death	10
Statistical tables	12–141

INTRODUCTION.

General Mortality.

Death Registration. — Massachusetts was one of the first American States in which dependable registration was enforced, the earliest legislation in Massachusetts being the requirement for the keeping of records of births, marriages, and deaths adopted by the Massachusetts Bay Colony in 1639. In 1880 the registration area for deaths established by the United States Bureau of the Census, *i.e.*, the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration States.

During the period 1841 to 1922, inclusive, 2,939,156 deaths have been reported, recorded, and tabulated in the Division of Vital Statistics.

These records are not only on file in the cities and towns in which they occurred, and in the city and town given as the residence of the deceased at the time of death, but also at the State House.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for both sentimental and legal reasons.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths, the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the use of a blank or schedule known as the standard death certificate. The registration law of Massachusetts provides that —

> Each town clerk shall receive or obtain and record in separate columns the following facts relative to . . . deaths in his town:
>
> In the record of deaths, date of record, date of death, name of deceased, sex, color, condition (whether single, widowed, married or divorced), supposed age, residence, occupation, place of death, place of birth, names and places of birth of the parents, maiden name of the mother, disease or cause of death, defined so that it can be classified under the international classification of causes of death, place of burial, name of the cemetery, if any, and if the deceased was a married or divorced woman or a widow, her maiden name and the name of her husband. The word "residence", as used in this section, shall be held to include the name of the street and number, if any, of the house.

The standard certificate of death in use in Massachusetts is similar to that used throughout the registration area of the United States.

The responsibility for seeing that a certificate is properly made out and filed with the local board of health rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove the body from the city or town in which the death occurred, or to bury the body. The local board of health is required to transmit the death certificate to the city or town clerk, who in turn records the death and transmits a certified copy to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the death occurred. Hospitals and other institutions are required to obtain, when a person is received, the facts which would be required for record in the event of the death of such person.

Death Rates and their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate, and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic

status of the people; (3) employment; (4) the location of hospitals and institutions; (5) migration; and (6) the birth rate.

The rates given in this report, as well as those in all the preceding registration reports, are based on the inclusion of all deaths, both resident and nonresident, occurring in each city or town. Deaths in the asylums for the insane and in other State institutions are enumerated with those of the town where they are located, and while for certain localities nonresident deaths are given (see footnote, page 12), no plan has yet been devised for charging nonresidents back to the towns from which they come. The growing popularity of our city hospitals also affects local statistics. Many victims of typhoid fever, or similar diseases, who contract the disease in the country, are carried to the city hospitals and some die there. This requires their deaths to be recorded in the city where they die. Obviously, this is an injustice which is especially apparent in some instances.

In addition to the erroneous and unwarranted conclusions sometimes arrived at by attempting to compare data which are not comparable, such as death rates of different communities of varying sex and age composition, another possible source of error in mortality statistics is the original data, which are sometimes given by persons not fully cognizant of the true facts.

Number of Deaths and Death Rates. — There was an increase in the mortality of 1922 as compared with that of 1921, the number of deaths occurring during the calendar year 1922 being 51,115, an increase, as compared with 1921, of 3,335. Based on the estimated population of 1922 of 3,936,056, these deaths correspond to a rate of 13.0 per 1,000 population, as compared with 12.3 in 1921. The rate for 1921 is the lowest ever recorded in Massachusetts.

During the last two ten-year periods the death rate of the Commonwealth has fallen from 18.2 in 1900 and 16.2 in 1910, to 13.9 in 1920.

This remarkable decrease in mortality has been the rule rather than the exception in the experiences of the other States. Since 1900 the average death rate for Massachusetts has been 15.6 per 1,000 living. During the period 1871 to 1875 this rate stood at 20.9, and as recently as the period 1896 to 1900, at 18.1, since which time the decline has been fairly rapid.

Table 4, on page 30, shows the number of deaths and the death rates per 1,000 population for the census years and per 1,000 estimated population for the intercensal years from 1900 to 1922.

Sex. — Of the 51,115 deaths in 1922, 25,679, or 50.2 per cent, were males, as compared with 50.1 per cent in 1921. The proportion of males in the living population, as shown by the United States Census of 1920, was 49.1 per cent. Expressed as a ratio there were 1,010 deaths of males per 1,000 deaths of females in 1922, as compared with 1,005 in 1921, 986 in 1920, 1,018 in 1919, 1,121 in 1918, and 1,097 in 1917.

Table 5, on page 30, shows that the death rate for males has been consistently greater than the death rate for females. In 1922 the rate for males exceeded that for females by only .6 per 1,000. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 51,115 deaths in 1922, 7,129, or 13.9 per cent, were of infants under 1 year of age, as compared with 14.7 per cent in 1921, and an average of 15.9 per cent for the five years from 1915 to 1919 and 19.6 for the five years from 1910 to 1914. A more detailed discussion of infant mortality may be found on pages 5 to 7.

Sex and Age. — The death rate of adult males we should naturally expect would be greater than the rate for adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 7,129 decedents under 1 year of age in 1922, 4,150, or 58 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 60 to 64 years, with the exception of the 4, 20 to 24, and 25 to 29 year age periods, in which the number of female deaths was larger than the number of male deaths.

From the age of 65 years and upward the number of deaths of females exceeded the deaths of males. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1919 to 1922 are shown in Table 8, on page 32.

The excess of females in the population 65 years of age and over is so great that, even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 25,679 male decedents in 1922, 4,150, or 16.2 per cent, were under 1 year of age; among the 25,433 female decedents, 2,976, or 11.7 per cent, were under 1 year; and among the decedents of both sexes 13.9 per cent were under 1 year. (See Table 9, page 33.)

Marital Condition. — Not quite one-half (47.6 per cent) of the decedents 15 years of age and over whose marital condition was reported in 1922 were married, 19.5 per cent were single, 31.6 per cent were widowed, 1 per cent was divorced, and .3 per cent was unknown. Among the male decedents 55.2 per cent were married, 21 per cent were single, 22.1 per cent were widowed, 1 per cent was divorced, and .6 per cent was unknown. Among the female decedents 40.6 per cent were married, 18 per cent were single, 40.4 per cent were widowed, .8 per cent was divorced, and 1 per cent was unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 12, on page 36, shows the number of deaths of males and females 15 years of age and over, by marital condition.

Centenarians. — Among the deaths registered during 1922 there were 25 of reputed centenarians, 20 of whom were females; 13 were native and 12 were foreign born, 23 were widowed, and 2 were single. Table 11, on page 35, presents data concerning the deaths of centenarians by sex, nativity, marital condition, and maximum age at death for the twenty-three years 1900 to 1922.

Nativity. — Over two-thirds (65.8 per cent) of the decedents whose nativity was reported on the death certificates in 1922 were native, and 33.7 per cent were foreign. There were .5 per cent decedents whose nativity was not reported.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in March (5,551), and the next largest number in February (5,020). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1922 was 140. The months showing a higher average than that for the year were February and March (179), December (159), April (151), January (148), and November (141). Table 13, on page 37, shows the number of deaths in each month of 1922 in the State, in counties, and in cities having over 50,000 inhabitants in 1920.

Infant Mortality.

The infant mortality for the State in 1922 was 81.3 per 1,000 live births, as compared with 75.9 in 1921. The rate for 1921 was the lowest ever recorded in this Commonwealth. But a still better statistical proof of the reduction in infant mortality is shown by the fact that while there has been a steady increase in the number of live births, interrupted only by slight decreases in the years 1894, 1898, 1899, 1901, 1902, 1909, 1919, and 1920, the actual number of infant deaths under 1 year of age was lower in 1921 than in any year since 1885, when the number of live births was only 48,790. Reference to Table 22, on page 110, shows in striking manner this remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

The greatest infant mortality occurred in 1896 (11,765 deaths); and the next greatest actual number of infant deaths occurred twelve years later, 1908 (11,606). Since 1908 there has been, with the exception of 1910, when there were 11,499 infant deaths, 1918 (10,820), 1920 (8,382), and 1922 (7,129), a steady decrease in the number of deaths of infants under 1 year of age, the figures being as follows: —

Years.	Number of deaths under one year of age.	Infant mortality rates.
1908	11,606	133.5
1909	10,693	127.2
1910	11,499	132.9
1911	10,543	119.4
1912	10,472	116.5
1913	10,086	110.1
1914	9,894	105.9
1915	9,490	101.9
1916	9,334	99.8
1917	9,325	97.4
1918	10,820	113.2
1919	7,769	88.5
1920	8,382	91.2
1921	7,005	75.9
1922	7,129	81.3

In the ten years from 1913 to 1922 there has been a *decrease of 4.4 per cent in the number of live births registered, and a decrease in the actual number of deaths under 1 year of 29.3 per cent.* In 1922 deaths in Boston under 1 year of age numbered 1,711, or 92.3 per 1,000 live births, as compared with 77.2 in 1921, 100.2 in 1920 and 96.5 in 1919, which was the lowest since 1909. In the ten years from 1913 to 1922 there has been a decrease of 3.0 per cent in the number of live births registered, and a decrease in the actual number of deaths under 1 year of 18.9 per cent. For the remainder of the State the number of births registered decreased 4.7 per cent during this period, while the number of deaths under 1 year decreased 32.1 per cent. The infant mortality rates for the State, exclusive of Boston, decreased from 134.3 in 1910 to 78.4 in 1922, as compared with a decrease in Boston from 127.4 in 1910 to 92.3 in 1922. (See Table 25 on page 113.)

Deaths under one month and also under one year of age in each municipality are shown in Table 21 on pages 107 to 109.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1920 are shown for the years 1915 to 1922 in Table 23 on page 111.

A careful analysis of the returns of cities and towns in which children's hospitals are located would probably show lower infant mortality rates than appear in Table 23.

The highest proportion of deaths occurs in the early period of infancy, and especially is this true of the first few days. In 1922, 2,617 deaths occurred in the first week, constituting 36.7 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (18.6) was higher than on any other day. In the first month of life there were 3,514 deaths, or 49.3 per cent of all infant deaths. In the first three months there were 4,593 deaths, or 64.4 per cent of all infant deaths. Over three-fourths (79 per cent) of the infant deaths occurred in the first half of the year.

Over three-fourths (81.9 per cent) of the 2,617 babies who died less than one week after birth died of prematurity, congenital debility, malformations, or injuries received at birth. Of the 3,017 babies who died from these causes before reaching the age of 1 year, 38.1 per cent died in less than one day, 71 per cent died in less than one week, and 85.7 per cent died in less than one month. The second most important cause of infant deaths — gastric and intestinal diseases — claimed 1,026, or 14.4 per cent of the babies who died before reaching 1 year of age. Nine and eight-tenths per cent of the babies who died from this cause died in less than one month after birth, 13.5 per cent within one but less than two months after birth, and 14 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases,* and the figures indicate a reduction in infant mortality due to these causes, — from 37.6 deaths per 1,000 live births in 1915 to 30.0 in 1922. Respira-

tory diseases also caused a considerable number of deaths. The number of deaths from bronchopneumonia* shows a steady decrease since 1915, except in 1918, 1920, and 1922. In 1915 there were 1,068 infant deaths from this cause; in 1916, 999; in 1917, 809; in 1918, 1,221; in 1919, 917; in 1920, 1,114, in 1921, 790, and in 1922, 1,039. The principal causes of infant deaths for the years 1915 to 1922 are shown in Table 27 on page 114.

Causes of Death.[1]

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness, or who may, at the request of the family of the decedent, deliberately withhold a statement of the true cause of death, as when the condition is either tuberculosis, cancer, syphilis, or some other reportable disease. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. It is also probable that there are many unavoidable errors of mistaken diagnosis.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 205 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death out of the 51,115 received during 1922 at the Division of Vital Statistics of the office of the Secretary of the Commonwealth bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one, and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the office of the Secretary of the Commonwealth. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. As a result it is evident that there may be a margin of error, because in a considerable number of certificates only one of the contributory causes may be shown. Each definite cause of death as compiled, therefore, represents a minimum number, which would be increased if deaths from such causes that were not properly reported, and hence were classified under various ill-defined titles, could be included.

Principal Causes of Death. — Nearly one-third (33.0) of the 51,115 deaths reported in 1922 were caused by organic heart disease* (including pericarditis), pneumonia (including bronchopneumonia), and tuberculosis in all forms. These diseases, together with apoplexy,* cancer, Bright's disease,* and nephritis, external causes, malformations* and the diseases of early infancy, caused 70.4 per cent of the deaths for the year.

Pneumonia (including bronchopneumonia) caused 5,493 deaths in 1922, or 139.6 per 100,000 population. It was responsible for 4,200 deaths, or 108.1 per 100,000 population, in 1921, as compared with 164.8 in 1920, 137.7 in 1919, 374.3 in 1918, and 163.8 in 1917.

The deaths from *heart diseases** (organic diseases of the heart* and endocarditis*) in 1922 numbered 8,233, or 16.1 per cent of all deaths, or 209.2 per 100,000 population, as compared with 7,197, or 15.1 per cent of all deaths, or 185.2 per 100,000 population in 1921. In 1918 deaths from this cause increased 10.5 per cent over 1917, while the death rate per 100,000 population increased to 205.4 for 1917, or 8.5 per cent over the rate of 189.4 in 1916, and 53.6 per cent over the average rate (133.7) for the five years from 1911 to 1915.

---

[1] In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

Tuberculosis in its various forms claimed 3,736 victims in 1922, of whom 3,167 died from tuberculosis of the respiratory system.* Deaths due to the latter cause constituted 6.2 per cent of all deaths during the year, as compared with 8.1 per cent for the five years 1912 to 1916. In the six years from 1910 to 1915 the death rate from tuberculosis of the lungs* fell from 133.2 to 116 per 100,000 population, a drop of 17.2 per cent, the decline being continuous from year to year. In 1917, however, there was an increase in the death rate to 121.1, and 130 in 1918, but in 1919 there was a decline to 108.1, 94.6 in 1920, 84.2 in 1921 and in 1922, to 80.5.

*Apoplexy** was the cause of 4,595 deaths, or 116.7 per 100,000 population. The death rate from this disease has fluctuated somewhat from 94.3 in 1915, 93 in 1916, 103.9 in 1917, 105.7 in 1918, 111 in 1919, 108.4 in 1920, and 109.7 in 1921.

Cancer and other malignant tumors caused 4,650 deaths in 1922, corresponding to a death rate of 118.1, as compared with 119.5 in 1921. Of the deaths from cancer, 32 per cent resulted from cancers of the stomach and liver. The death rate from cancer has risen from 89.9 in 1910 to 118.1 in 1922. The increase has been continuous. It is possible that at least a part of this increase is due to more correct diagnosis and a greater care on the part of physicians in making reports.

Bright's disease and nephritis* were the causes of 3,186 deaths in 1922, corresponding to a rate of 80.9 per 100,000 population, as compared with 81.2 in 1921 and an average rate of 95 for the five years from 1915 to 1919. There were 2,986 deaths caused by Bright's disease,* and 200 by acute nephritis.

Congenital debility and malformations** caused 2,673 deaths in 1922, corresponding to a rate of 67.9 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2).

*Diarrhea and enteritis** caused 1,326 deaths in 1922, or 33.7 per 100,000 population. With the exception of 1918 this rate has shown a marked decline. Eighty-two per cent of the total number of deaths charged to these causes in 1922 were of infants under 2 years of age.* The rates for this cause have declined steadily from 110.9 in 1910 to 68.7 in 1915, 38.9 in 1919, 43.3 in 1920, 34.3 in 1921, and 25.9 in 1922. The decline is due largely to the successful campaigns waged against infant mortality.

The fatal cases of *diphtheria and croup** — which are classed together in the statistics, but practically all of which are of diphtheria — numbered 606, or 15.4 per 100,000 population, in 1922, as compared with 15.6 in 1921, 15.3 in 1920, 15.5 in 1919, 15.6 in 1918, 21.8 in 1917, 16.7 in 1916, and 19.5 in 1915.

The mortality from *typhoid fever** has shown a steady decline since 1910, having dropped from 12.2 in that year to 2.2 in 1922. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid fever in 1922 was 86, as compared with 119 in 1921, 95 in 1920, 107 in 1919, 160 in 1918, 178 in 1917, 172 in 1916, 246 in 1915, and 411 in 1910.

Alcoholism caused 238 deaths in 1922, an increase of 141 over those in 1921, and corresponding to a rate of 6 per 100,000 population. In 1920 there were 59 deaths from this cause; in 1919, 68; in 1918, 111; in 1917, 210; in 1916, 212, and in 1915, 186.

Influenza was responsible for 569 deaths, or 14.5 per 100,000 inhabitants, as compared with 12.9 in 1917, 352.7 in 1918, 74.9 in 1919, 42.1 in 1920, and 3.9 in 1921.

The principal epidemic maladies of childhood — *whooping cough,** *measles,** *and scarlet fever** — were together responsible for 661 deaths of both adults and children, or 16.8 per 100,000 population in 1922, the rates for the three diseases separately being 7.5, 5.5, and 3.8, respectively. The mortality rates for all three of these diseases have changed greatly from year to year.

Death rates from *violence* during the past six years per 100,000 population were 93.3 in 1917, 88.1 in 1918, 84.5 in 1919, 76.3 in 1920, 77.1 in 1921, and 79.8 in 1922.

Deaths due to *railroad accidents and injuries** totaled 103 in 1922, or 2.6 per 100,000 population. The rates for previous years were 2.8 in 1921, 4.2 in 1920, 4.5 in 1919, 6.1 in 1918, 6.7 in 1917, 7.5 in 1916, and 7.1 in 1915.

Deaths resulting from *street car accidents and injuries** numbered 47, or 1.2 per 100,000 population.

*Automobile accidents and injuries** caused 500 deaths in 1922, or 12.7 per 100,000 population. There has been an increase in this rate from year to year until 1920, — 7.2 in 1915, 8.3 in 1916, 10.8 in 1917, 12.7 in 1918, 13.9 in 1919, 11.9 in 1920, and 13.5 in 1921. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Deaths caused by *machinery accidents** in 1922 numbered 69, or 1.7 per 100,000 population. The corresponding figures for previous years were 1.9 in 1915, 2.1 in 1916, 2.4 in 1917, 2.7 in 1918, 1.4 in 1919, and 1.1 in 1920 and 1921.

The number of *suicides** reported for 1922 was 458, or 11.6 per 100,000 population. The rates since 1915 have been: 1915, 13.9; 1916, 12.1; 1917, 12.8; 1918, 12.6; 1919, 11.6; 1920, 10.1; and 1921, 12.1.

Deaths caused by *firearms* numbered 167 in 1922, corresponding to a rate of 4.2 per 100,000 population. Of these deaths, 93 were suicides,* 52 were homicides, and 22 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt).

Deaths from *homicide** numbered 102 in 1922, or 2.6 per 100,000 population. The rates for homicides in recent years are 2.2 in 1910, 3.1 in 1915, 3 in 1916, 2.8 in 1917, 2.4 in 1918, 2.7 in 1919, 2 in 1920, and 3 in 1921.

The causes of death of males and females for each month and at seventeen age periods for the Commonwealth for the full International List of Causes of Death with certain subdivisions are shown in Table 14, on pages 38 to 75. The causes denoted by letters, shown separately in indented type, Table 14, are a part of the total cause shown on the International List. In Table 15, on pages 76 to 100, the deaths are shown for 50 causes and groups of causes for each municipality. For the Commonwealth as a whole the deaths and death rates for the six years 1917 to 1922 are shown for the 38 causes and groups of causes in the Abridged International List in Table 17 on pages 102 and 103. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of deaths are presented on pages 104 to 106.

Deaths investigated by Medical Examiners.

Source of Data. — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associate medical examiners to the Secretary of the Commonwealth of abstracts of the records of deaths supposably due to violence, the cause and manner of which have been investigated during the year. Deaths supposably due to violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs or poisons), thermal, or electrical agents, and deaths following abortion, but also deaths from disease resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.), but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Discrepancies will be found in comparing deaths based upon the returns to city and town clerks and those based upon returns of medical examiners. The causes of death shown in the returns of the medical examiners are the more accurate because the question of homicide, suicide, or accident is often not determined until after the certificate of death has been filed with the local official authorized to issue burial permits.

Number of Deaths investigated. — The number of deaths investigated by the medical examiners in 1922 was 6,939, or 13.6 per cent of the total number of deaths which occurred during the year, as compared with 6,368 deaths in 1921, or 13.3 per cent of the total number of deaths. Nearly two-thirds (64.8 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 2,802, or 40.4 per cent, were reported as due to violence, while among the deaths returned to the registrars 3,140 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1922 was in Suffolk County, 2,029, as compared with 1,775 in 1921. Of the deaths investigated in Suffolk County, 891, or 43.9 per cent, were reported as due to violence. (See Table 32, pages 132 and 133.)

Autopsies. — Autopsies were made in 694, or 10 per cent of the cases investigated by the medical examiners in 1922, as compared with 9.7 per cent in 1921 and 9.1 in 1920.

The highest proportion of autopsies was in Suffolk County, where 23.4 per cent of the views were autopsied, as compared with 24.1 per cent in 1921. Table 34, on pages 140 and 141, shows the number of views and the number of autopsies in each county in each year from 1913 to 1922, and the number and per cent of views autopsied for the ten-year period 1913 to 1922.

Cause of Death. — More than one-half (58 per cent) of the deaths viewed by medical examiners in 1922, were from causes not due to violence, 40.4 per cent were due to violence and 1.6 per cent were stillbirths. Six hundred eighty-eight or 9.9 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 4,023, of which 2,901 were from natural causes and 257 were due to alcoholism.

Deaths due to violence numbered 2,802, of which 2,239 were due to accident or negligence, 459 were suicides, and 104 were homicides.

Of the 2,239 deaths due to accident or negligence, 547 were due to falls and blows, 494 were due to automobile accidents, 263 resulted from drowning, and 96 were due to railroad accidents.

The number of deaths due to automobile accidents in the last ten years is shown in the following table: —

Years.	Deaths from automobile accidents.	Years.	Deaths from automobile accidents.
1913	152	1918	475
1914	166	1919	503
1915	260	1920	451
1916	298	1921	506
1917	380	1922	494

Suicides numbered 459, or 16 per cent, of the deaths due to violence. Suicides committed with firearms (86) and by the use of illuminating and other gases (131) constituted almost one-half (47 per cent) of the total number. Other methods were: by poisons (44), by hanging or strangulation (93), and by drowning (43). Almost three-fourths (73 per cent) of the suicides were males.

Of the 459 persons committing suicide, 97 were 50 to 59 years of age, 83 were 40 to 49 years of age, 84 were 30 to 39 years of age, 64 were 20 to 29 years of age, 125 were over 60 years of age, 6 were under 20 years of age. Among the male suicides the largest numbers were from 50 to 59 years of age (69) and from 30 to 39 years (62), while among the female suicides the largest numbers were from 50 to 59 years of age (28) and from 40 to 49 years (25). The most common method of committing suicide was by illuminating or other gases.

Homicides numbered 104, of which 54 were by firearms, 17 were by cutting or piercing instruments, 25 by other means, and 9 were cases of infanticide. Of the 104 homicides, 73, or 70 per cent, were males.

STATISTICAL TABLES.

General Mortality.

Table 1

Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1922.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign-born.	Nativity. Unknown.	Death rate[3] per 1,000 population. Estimated July 1, 1922.	Death rate[3] per 1,000 population. Including non-residents.	Death rate[3] per 1,000 population. Excluding non-residents.
The State.	**51,115**	**25,679**	**25,433**	**3**	**33,659**	**17,221**	**235**	**3,936,056**	**13.0**	–
Counties.										
Barnstable	450	231	219	–	374	74	2	26,670	16.9	–
Berkshire	1,405	668	737	–	1,026	377	2	113,033	12.4	–
Bristol	5,120	2,608	2,512	–	3,215	1,890	15	365,335	14.0	–
Dukes	77	38	39	–	56	17	4	4,372	17.6	–
Essex	6,220	3,117	3,103	–	4,175	2,025	20	491,876	12.6	–
Franklin	603	295	308	–	491	108	4	49,931	12.1	–
Hampden	3,704	1,861	1,843	–	2,524	1,157	23	319,955	11.6	–
Hampshire	930	453	476	1	657	272	1	69,629	13.4	–
Middlesex	9,728	4,719	5,007	2	6,296	3,405	27	801,902	12.1	–
Nantucket	56	21	35	–	51	5	–	2,797	20.0	–
Norfolk	2,481	1,163	1,318	–	1,692	774	15	228,111	10.9	–
Plymouth	2,100	1,128	972	–	1,529	565	6	156,968	13.4	–
Suffolk	12,325	6,395	5,930	–	7,638	4,594	93	840,112	14.7	–
Worcester	5,916	2,982	2,934	–	3,935	1,958	23	468,005	12.6	–
Municipalities.[1]										
Abington	47	22	25	–	41	6	–	–	–	–
Acton	33	14	19	–	28	4	1	–	–	–
Acushnet	58	28	30	–	42	16	–	–	–	–
Adams	128	55	73	–	75	53	–	12,967	9.9	–
Agawam	43	25	18	–	28	15	–	–	–	–
Alford	2	1	1	–	2	–	–	–	–	–
Amesbury	115	63	52	–	81	34	–	10,816	10.6	–
Amherst	66	34	32	–	59	7	–	–	–	–
Andover	109	54	55	–	83	26	–	–	–	–
Arlington	235	108	127	–	167	67	1	20,645	11.4	–
Ashburnham	25	15	10	–	20	5	–	–	–	–
Ashby	11	7	4	–	10	1	–	–	–	–
Ashfield	11	5	6	–	10	1	–	–	–	–
Ashland	21	6	15	–	16	5	–	–	–	–
Athol	95	46	49	–	82	13	–	–	–	–
Attleboro	220[4]	114	106	–	146	73	1	20,391	10.8	8.5
Auburn	23	15	8	–	14	9	–	–	–	–
Avon	17	10	7	–	13	4	–	–	–	–
Ayer	53	22	31	–	38	14	1	–	–	–
Barnstable	88	47	41	–	76	12	–	–	–	–

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.
[3] The rates shown in this column are based on the total population, and make no allowance for differences in the sex and age distribution of the population. The rates for certain localities are materially affected by deaths of nonresidents who may be attracted to those localities by their superior hospital facilities, or who may resort to certain localities for treatment of tuberculosis, mental defects, or other diseases. The death rate, both including and excluding nonresidents, is shown.
[4] 46 nonresidents.

Table 1

Municipalities.[1]	Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1922.									
	Total number.	Sex.			Nativity.			Death rate[3] per 1,000 population.		
		Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Estimated July 1, 1922.	Including non-residents.	Excluding non-residents.
Barre	33	15	18	–	25	8	–	–	–	–
Becket	10	6	4	–	6	4	–	–	–	–
Bedford	17	7	10	–	15	2	–	–	–	–
Belchertown	22	9	12	1	16	6	–	–	–	–
Bellingham	30	16	14	–	21	9	–	–	–	–
Belmont	129	45	84	–	86	43	–	12,159	10.6	–
Berkley	16	8	8	–	13	3	–	–	–	–
Berlin	16	6	10	–	14	2	–	–	–	–
Bernardston	11	6	5	–	11	–	–	–	–	–
Beverly	230[4]	111	119	–	163	65	2	22,561	10.2	8.8
Billerica	64	34	30	–	39	24	1	–	–	–
Blackstone	48	27	21	–	31	16	1	–	–	–
Blandford	5	3	2	–	4	1	–	–	–	–
Bolton	7	5	2	–	6	1	–	–	–	–
Boston	11,415[5]	5,864	5,551	–	7,077	4,249	89	749,440	15.2	12.7
Bourne	41	26	15	–	30	11	–	–	–	–
Boxborough	7	3	4	–	6	1	–	–	–	–
Boxford	11	5	6	–	9	2	–	–	–	–
Boylston	7	6	1	–	4	3	–	–	–	–
Braintree	126	64	62	–	85	41	–	11,240	11.2	–
Brewster	10	4	6	–	9	1	–	–	–	–
Bridgewater	172[6]	139	33	–	108	64	–	–	–	–
Brimfield	11	4	7	–	11	–	–	–	–	–
Brockton	737[7]	359	378	–	507	228	2	68,354	10.8	9.5
Brookfield	21	8	13	–	16	5	–	–	–	–
Brookline	459[8]	188	271	–	338	115	6	39,998	11.5	8.7
Buckland	25	12	13	–	19	6	–	–	–	–
Burlington	11	5	6	–	9	2	–	–	–	–
Cambridge	1,464[9]	736	728	–	901	560	3	110,144	13.3	11.3
Canton	57	31	26	–	35	22	–	–	–	–
Carlisle	8	4	4	–	6	2	–	–	–	–
Carver	19	12	7	–	14	5	–	–	–	–
Charlemont	12	2	10	–	12	–	–	–	–	–
Charlton	24	17	7	–	20	4	–	–	–	–
Chatham	20	8	12	–	19	1	–	–	–	–
Chelmsford	56	24	32	–	37	19	–	–	–	–
Chelsea	582[10]	377	205	–	365	215	2	43,184	13.5	9.0
Cheshire	29	15	14	–	26	3	–	–	–	–
Chester	11	4	7	–	9	2	–	–	–	–
Chesterfield	8	3	5	–	8	–	–	–	–	–
Chicopee	337[11]	156	181	–	222	114	1	39,424	8.5	8.4
Chilmark	1	–	1	–	1	–	–	–	–	–
Clarksburg	13	3	10	–	8	5	–	–	–	–
Clinton	166	88	78	–	95	71	–	12,979	12.8	–
Cohasset	34	17	17	–	27	7	–	–	–	–
Colrain	21	11	10	–	15	5	1	–	–	–
Concord	84	48	36	–	62	22	–	–	–	–
Conway	11	4	7	–	11	–	–	–	–	–
Cummington	9	3	6	–	7	2	–	–	–	–
Dalton	42	13	29	–	33	9	–	–	–	–

See footnotes 1-3, on page 12.

[4] 31 nonresidents.
[5] 1,861 nonresidents.
[6] 96 nonresidents.
[7] 85 nonresidents.
[8] 113 nonresidents.
[9] 215 nonresidents.
[10] 193 nonresidents.
[11] 7 nonresidents.

Table 1

Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1922.

Municipalities.[1]	Total number.	Sex.			Nativity.			Death rate[3] per 1,000 population.		
		Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Estimated July 1, 1922.	Including non-residents.	Excluding non-residents.
Dana	10	4	6	–	8	2	–	–	–	–
Danvers	365[4]	165	200	–	236	123	6	11,108	32.9	10.6
Dartmouth	87	52	35	–	54	33	–	–	–	–
Dedham	94	44	50	–	63	31	–	10,792	8.7	–
Deerfield	16	8	8	–	15	1	–	–	–	–
Dennis	35	17	18	–	34	1	–	–	–	–
Dighton	37	16	21	–	31	6	–	–	–	–
Douglas	23	12	11	–	16	7	–	–	–	–
Dover	9	4	5	–	8	1	–	–	–	–
Dracut	58	22	36	–	34	24	–	–	–	–
Dudley	40	21	19	–	26	14	–	–	–	–
Dunstable	6	3	3	–	4	2	–	–	–	–
Duxbury	35	22	13	–	26	9	–	–	–	–
East Bridgewater	47	20	27	–	39	8	–	–	–	–
East Brookfield	13	6	7	–	8	5	–	–	–	–
East Longmeadow	27	12	15	–	21	6	–	–	–	–
Eastham	9	8	1	–	9	–	–	–	–	–
Easthampton	109	48	61	–	70	39	–	12,011	9.1	–
Easton	48	22	26	–	32	16	–	–	–	–
Edgartown	19	8	11	–	18	1	–	–	–	–
Egremont	6	5	1	–	6	–	–	–	–	–
Enfield	14	7	7	–	12	2	–	–	–	–
Erving	12	8	4	–	9	3	–	–	–	–
Essex	15	6	9	–	15	–	–	–	–	–
Everett	357[5]	164	193	–	207	148	2	41,380	8.6	8.3
Fairhaven	118	60	58	–	77	41	–	–	–	–
Fall River	1,939[6]	985	954	–	1,143	789	7	120,485	16.1	15.6
Falmouth	50	20	30	–	37	12	1	–	–	–
Fitchburg	458[7]	229	229	–	307	151	–	41,749	11.0	10.3
Florida	–	–	–	–	–	–	–	–	–	–
Foxborough	103[8]	56	47	–	61	41	1	–	–	–
Framingham	249[9]	134	115	–	160	88	1	17,663	14.1	10.6
Franklin	69	42	27	–	47	22	–	–	–	–
Freetown	25	9	16	–	19	6	–	–	–	–
Gardner	239[10]	131	108	–	164	73	2	17,271	13.8	9.7
Gay Head	2	1	1	–	2	–	–	–	–	–
Georgetown	31	13	18	–	28	3	–	–	–	–
Gill	14	11	3	–	9	5	–	–	–	–
Gloucester	310[11]	159	151	–	209	99	2	22,947	13.5	12.6
Goshen	3	2	1	–	3	–	–	–	–	–
Gosnold	1	1	–	–	1	–	–	–	–	–
Grafton	108[12]	46	62	–	71	35	2	–	–	–
Granby	3	2	1	–	3	–	–	–	–	–
Granville	6	4	2	–	5	1	–	–	–	–
Great Barrington	89	45	44	–	65	24	–	–	–	–
Greenfield	137	68	69	–	112	23	2	16,962	8.1	–
Greenwich	6	4	2	–	6	–	–	–	–	–
Groton	30	15	15	–	20	10	–	–	–	–
Groveland	35	17	18	–	22	13	–	–	–	–
Hadley	26	12	14	–	20	6	–	–	–	–

See footnotes 1–3, on page 12.

[4] 247 nonresidents.
[5] 13 nonresidents.
[6] 61 nonresidents.
[7] 30 nonresidents.
[8] 51 nonresidents.
[9] 62 nonresidents.
[10] 71 nonresidents.
[11] 22 nonresidents.
[12] 43 nonresidents.

Table 1. DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1922.

MUNICIPALITIES.[1]	Total number.	SEX.			NATIVITY.			DEATH RATE[3] PER 1,000 POPULATION.		
		Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Estimated July 1, 1922.	Including non-residents.	Excluding non-residents.
Halifax	3	3	–	–	3	–	–	–	–	–
Hamilton	14	8	6	–	11	3	–	–	–	–
Hampden	11	6	5	–	7	4	–	–	–	–
Hancock	4	3	1	–	4	–	–	–	–	–
Hanover	29	16	13	–	23	6	–	–	–	–
Hanson	68	36	32	–	45	23	–	–	–	–
Hardwick	28	16	12	–	17	11	–	–	–	–
Harvard	11	8	3	–	9	2	–	–	–	–
Harwich	40	20	20	–	36	4	–	–	–	–
Hatfield	37	18	19	–	30	7	–	–	–	–
HAVERHILL	662[4]	337	325	–	488	172	2	56,224	11.8	10.8
Hawley	6	3	3	–	6	–	–	–	–	–
Heath	4	1	3	–	3	1	–	–	–	–
Hingham	64	31	33	–	48	15	1	–	–	–
Hinsdale	9	5	4	–	5	4	–	–	–	–
Holbrook	31	15	16	–	24	7	–	–	–	–
Holden	46	18	28	–	35	10	1	–	–	–
Holland	2	1	1	–	1	1	–	–	–	–
Holliston	44	21	23	–	34	10	–	–	–	–
HOLYOKE	861[5]	426	435	–	499	358	4	60,203	14.3	12.5
Hopedale	31	13	18	–	27	4	–	–	–	–
Hopkinton	26	14	12	–	17	9	–	–	–	–
Hubbardston	10	7	3	–	7	3	–	–	–	–
Hudson	89	42	47	–	57	32	–	–	–	–
Hull	34	21	13	–	27	7	–	–	–	–
Huntington	9	4	5	–	7	2	–	–	–	–
Ipswich	79	34	45	–	66	13	–	–	–	–
Kingston	29	14	15	–	22	6	1	–	–	–
Lakeville	99[6]	71	28	–	49	50	–	–	–	–
Lancaster	23	6	17	–	20	3	–	–	–	–
Lanesborough	9	4	5	–	6	3	–	–	–	–
LAWRENCE	1,123[7]	581	542	–	583	539	1	96,370	11.7	11.1
Lee	55	26	29	–	39	16	–	–	–	–
Leicester	36	20	16	–	24	12	–	–	–	–
Lenox	27	15	12	–	20	7	–	–	–	–
LEOMINSTER	240[8]	121	119	–	176	64	–	20,854	11.5	11.0
Leverett	16	8	8	–	15	1	–	–	–	–
Lexington	73	30	43	–	52	21	–	–	–	–
Leyden	4	4	–	–	3	1	–	–	–	–
Lincoln	13	3	10	–	9	4	–	–	–	–
Littleton	18	10	8	–	12	6	–	–	–	–
Longmeadow	29	9	20	–	22	7	–	–	–	–
LOWELL	1,535[9]	757	778	–	907	623	5	115,279	13.3	12.7
Ludlow	110	62	48	–	76	34	–	–	–	–
Lunenburg	21	10	11	–	18	3	–	–	–	–
LYNN	1,199[10]	616	583	–	803	393	3	100,918	11.9	11.2
Lynnfield	18	9	9	–	16	2	–	–	–	–
MALDEN	583[11]	272	311	–	392	189	2	49,223	11.8	10.9
Manchester	35	13	22	–	25	10	–	–	–	–
Mansfield	59	23	36	–	43	15	1	–	–	–

See footnotes 1–3, on page 12.

[4] 53 nonresidents.
[5] 107 nonresidents.
[6] 78 nonresidents.
[7] 51 nonresidents.
[8] 11 nonresidents.
[9] 73 nonresidents.
[10] 68 nonresidents.
[11] 47 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: **1922.**

MUNICIPALITIES.[1]	Total number.	SEX.			NATIVITY.			DEATH RATE[3] PER 1,000 POPULATION.		
		Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Estimated July 1, 1922.	Including non-residents.	Excluding non-residents.
Marblehead	103	48	55	–	84	19	–	–	–	–
Marion	17	7	10	–	16	1	–	–	–	–
MARLBOROUGH	209[4]	100	109	–	142	67	–	15,028	13.9	12.4
Marshfield	37	21	16	–	35	2	–	–	–	–
Mashpee	2	1	1	–	2	–	–	–	–	–
Mattapoisett	19	9	10	–	16	3	–	–	–	–
Maynard	49	23	26	–	20	29	–	–	–	–
Medfield	103[5]	46	57	–	55	45	3	–	–	–
MEDFORD	342[6]	159	183	–	226	115	1	43,538	7.9	6.9
Medway	48	25	23	–	36	12	–	–	–	–
MELROSE	232[7]	106	126	–	174	58	–	18,894	12.3	9.9
Mendon	13	8	5	–	13	–	–	–	–	–
Merrimac	24	11	13	–	17	7	–	–	–	–
Methuen	203[8]	83	120	–	131	71	1	15,819	12.8	10.8
Middleborough	108	58	50	–	80	28	–	–	–	–
Middlefield	1	1	–	–	1	–	–	–	–	–
Middleton	73	50	23	–	53	20	–	–	–	–
Milford	194	92	102	–	131	62	1	13,471	14.4	–
Millbury	49	28	21	–	34	15	–	–	–	–
Millis	11	4	7	–	9	2	–	–	–	–
Millville	22	9	13	–	13	9	–	–	–	–
Milton	94	40	54	–	64	30	–	–	–	–
Monroe	2	–	2	–	2	–	–	–	–	–
Monson	131[9]	72	59	–	110	21	–	–	–	–
Montague	138	63	75	–	98	40	–	–	–	–
Monterey	7	–	7	–	7	–	–	–	–	–
Montgomery	3	2	1	–	3	–	–	–	–	–
Mount Washington	1	1	–	–	1	–	–	–	–	–
Nahant	17	6	11	–	14	3	–	–	–	–
Nantucket	56	21	35	–	51	5	–	–	–	–
Natick	156	69	87	–	113	43	–	10,907	14.3	–
Needham	59	27	32	–	39	20	–	–	–	–
New Ashford	1	1	–	–	1	–	–	–	–	–
NEW BEDFORD	1,566[10]	807	759	–	972	592	2	127,337	12.3	11.8
New Braintree	3	–	3	–	2	1	–	–	–	–
New Marlborough	11	7	4	–	9	2	–	–	–	–
New Salem	5	1	4	–	3	2	–	–	–	–
Newbury	21	14	7	–	18	3	–	–	–	–
NEWBURYPORT	206[11]	92	114	–	159	47	–	15,768	13.1	11.2
NEWTON	539[12]	255	284	–	379	160	–	47,614	11.3	10.1
Norfolk	11	2	9	–	8	3	–	–	–	–
NORTH ADAMS	277[13]	145	132	–	187	90	–	22,402	12.4	10.9
North Andover	62	35	27	–	33	29	–	–	–	–
North Attleborough	96	40	56	–	61	35	–	–	–	–
North Brookfield	50	19	31	–	48	2	–	–	–	–
North Reading	56[14]	31	25	–	38	18	–	–	–	–
NORTHAMPTON	428[15]	210	218	–	283	144	1	22,101	19.4	11.2
Northborough	20	11	9	–	10	9	1	–	–	–
Northbridge	97	58	39	–	52	44	1	10,654	9.1	–
Northfield	23	13	10	–	21	2	–	–	–	–

See footnotes 1–3, on page 12.

[4] 22 nonresidents.
[5] 81 nonresidents.
[6] 40 nonresidents.
[7] 45 nonresidents.
[8] 32 nonresidents.
[9] 78 nonresidents.
[10] 68 nonresidents.
[11] 29 nonresidents.
[12] 58 nonresidents.
[13] 33 nonresidents.
[14] 40 nonresidents.
[15] 181 nonresidents.

Table 1

Municipalities.[1]	Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1922.									
	Total number.	Sex.			Nativity.			Death rate[3] per 1,000 population.		
		Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Estimated July 1, 1922.	Including non-residents.	Excluding non-residents.
Norton	26	13	13	–	17	9	–	–	–	–
Norwell	26	12	14	–	24	2	–	–	–	–
Norwood	139	70	69	–	89	47	3	13,497	10.3	–
Oak Bluffs	24	9	15	–	11	11	2	–	–	–
Oakham	10	7	3	–	9	1	–	–	–	–
Orange	69	35	34	–	60	9	–	–	–	–
Orleans	20	11	9	–	18	2	–	–	–	–
Otis	5	2	3	–	3	1	1	–	–	–
Oxford	42	17	25	–	31	11	–	–	–	–
Palmer	90	50	40	–	67	23	–	–	–	–
Paxton	6	3	3	–	5	1	–	–	–	–
Peabody	230[4]	126	104	–	158	72	–	20,032	11.5	10.3
Pelham	7	3	4	–	7	–	–	–	–	–
Pembroke	21	12	9	–	17	4	–	–	–	–
Pepperell	46	19	27	–	35	11	–	–	–	–
Peru	2	2	–	–	2	–	–	–	–	–
Petersham	10	6	4	–	9	1	–	–	–	–
Phillipston	3	1	2	–	3	–	–	–	–	–
Pittsfield	551[5]	254	297	–	420	130	1	42,903	12.8	10.5
Plainfield	6	2	4	–	4	2	–	–	–	–
Plainville	13	7	6	–	7	6	–	–	–	–
Plymouth	171	80	91	–	136	35	–	13,105	13.0	–
Plympton	4	1	3	–	4	–	–	–	–	–
Prescott	4	1	3	–	3	1	–	–	–	–
Princeton	9	4	5	–	5	4	–	–	–	–
Provincetown	47	22	25	–	33	14	–	–	–	–
Quincy	452[6]	224	228	–	284	166	2	51,656	8.8	8.1
Randolph	62	30	32	–	43	19	–	–	–	–
Raynham	18	8	10	–	13	4	1	–	–	–
Reading	82	40	42	–	66	16	–	–	–	–
Rehoboth	31	20	11	–	23	8	–	–	–	–
Revere	199[7]	97	102	–	115	84	–	30,743	6.5	6.1
Richmond	5	2	3	–	2	3	–	–	–	–
Rochester	12	7	5	–	12	–	–	–	–	–
Rockland	78	40	38	–	61	17	–	–	–	–
Rockport	59	32	27	–	43	16	–	–	–	–
Rowe	6	4	2	–	6	–	–	–	–	–
Rowley	21	13	8	–	20	1	–	–	–	–
Royalston	11	7	4	–	9	1	1	–	–	–
Russell	4	2	2	–	2	2	–	–	–	–
Rutland	96[8]	65	31	–	64	31	1	–	–	–
Salem	588[9]	296	292	–	413	172	3	45,319	13.0	11.4
Salisbury	26	10	16	–	18	8	–	–	–	–
Sandisfield	4	4	–	–	3	1	–	–	–	–
Sandwich	34	17	17	–	30	4	–	–	–	–
Saugus	98	48	50	–	68	30	–	11,204	8.7	–
Savoy	3	–	3	–	2	1	–	–	–	–
Scituate	36	21	15	–	28	8	–	–	–	–
Seekonk	41	24	17	–	31	10	–	–	–	–
Sharon	35	16	19	–	25	10	–	–	–	–

See footnotes 1–3, on page 12.

[4] 24 nonresidents.
[5] 100 nonresidents.
[6] 32 nonresidents.
[7] 12 nonresidents.
[8] 80 nonresidents.
[9] 72 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1922.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	NATIVITY. Native.	NATIVITY. Foreign-born.	NATIVITY. Unknown.	DEATH RATE[3] PER 1,000 POPULATION. Estimated July 1, 1922.	DEATH RATE[3] PER 1,000 POPULATION. Including non-residents.	DEATH RATE[3] PER 1,000 POPULATION. Excluding non-residents.
Sheffield	31	12	19	-	26	5	-	-	-	-
Shelburne	20	12	8	-	16	3	1	-	-	-
Sherborn	13	5	8	-	11	2	-	-	-	-
Shirley	18	11	7	-	14	4	-	-	-	-
Shrewsbury	36	16	20	-	27	9	-	-	-	-
Shutesbury	6	3	3	-	6	-	-	-	-	-
Somerset	32	14	18	-	22	10	-	-	-	-
SOMERVILLE	1,021[4]	468	553	2	659	360	2	96,361	10.6	10.1
South Hadley	50	26	24	-	34	16	-	-	-	-
Southampton	10	4	6	-	9	1	-	-	-	-
Southborough	26	8	18	-	18	8	-	-	-	-
Southbridge	147	75	72	-	85	62	-	14,275	10.3	-
Southwick	14	8	6	-	11	2	1	-	-	-
Spencer	79	31	48	-	61	18	-	-	-	-
SPRINGFIELD	1,598[5]	795	803	-	1,123	462	13	143,624	11.1	9.4
Sterling	19	10	9	-	15	4	-	-	-	-
Stockbridge	23	11	12	-	16	7	-	-	-	-
Stoneham	83	39	44	-	53	30	-	-	-	-
Stoughton	74	28	46	-	56	18	-	-	-	-
Stow	14	7	7	-	11	3	-	-	-	-
Sturbridge	27	18	9	-	22	4	1	-	-	-
Sudbury	15	8	7	-	11	4	-	-	-	-
Sunderland	9	3	6	-	8	1	-	-	-	-
Sutton	36	14	22	-	29	7	-	-	-	-
Swampscott	91	38	53	-	65	26	-	-	-	-
Swansea	26	15	11	-	22	4	-	-	-	-
TAUNTON	641[6]	336	305	-	429	209	3	37,647	17.0	12.2
Templeton	49	24	25	-	41	8	-	-	-	-
Tewksbury	21	11	10	-	18	3	-	-	-	-
State Infirmary	428	289	139	-	211	215	2	-	-	-
Tisbury	28	17	11	-	21	5	2	-	-	-
Tolland	2	1	1	-	1	1	-	-	-	-
Topsfield	19	10	9	-	17	2	-	-	-	-
Townsend	34	16	18	-	31	3	-	-	-	-
Truro	15	8	7	-	8	7	-	-	-	-
Tyngsborough	9	6	3	-	5	4	-	-	-	-
Tyringham	3	1	2	-	3	-	-	-	-	-
Upton	32	14	18	-	28	4	-	-	-	-
Uxbridge	59	28	31	-	35	23	1	-	-	-
Wakefield	142	64	78	-	97	45	-	13,145	10.8	-
Wales	4	-	4	-	4	-	-	-	-	-
Walpole	46	18	28	-	30	16	-	-	-	-
WALTHAM	399[7]	194	205	-	269	129	1	31,305	12.7	10.6
Ware	83	45	38	-	56	27	-	-	-	-
Wareham	68	41	27	-	57	11	-	-	-	-
Warren	45	23	22	-	28	16	1	-	-	-
Warwick	8	2	6	-	7	1	-	-	-	-
Washington	2	-	2	-	2	-	-	-	-	-
Watertown	180[8]	70	90	-	104	54	2	24,067	6.6	6.3
Wayland	18	7	11	-	13	5	-	-	-	-
Webster	126	67	59	-	64	62	-	13,618	9.3	-

See footnotes 1–3, on page 12.

[4] 43 nonresidents.
[5] 248 nonresidents.
[6] 181 nonresidents.
[7] 68 nonresidents.
[8] 9 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1922.

MUNICIPALITIES.[1]	Total number.	SEX.			NATIVITY.			DEATH RATE[3] PER 1,000 POPULATION.		
		Male.	Female.	Unknown.	Native.	Foreign-born.	Unknown.	Estimated July 1, 1922.	Including non-residents.	Excluding non-residents.
Wellesley	73	33	40	–	50	23	–	–	–	–
Wellfleet	14	8	6	–	10	3	1	–	–	–
Wendell	2	1	1	–	2	–	–	–	–	–
Wenham	10	4	6	–	9	1	–	–	–	–
West Boylston	19	8	11	–	15	4	–	–	–	–
West Bridgewater	33	11	22	–	22	11	–	–	–	–
West Brookfield	25	12	13	–	21	4	–	–	–	–
West Newbury	18	10	8	–	17	1	–	–	–	–
West Springfield	128	72	56	–	103	24	1	14.553	8.8	–
West Stockbridge	12	9	3	–	9	3	–	–	–	–
West Tisbury	2	2	–	–	2	–	–	–	–	–
Westborough	195[4]	92	103	–	127	66	2	–	–	–
WESTFIELD	250[5]	137	113	–	175	69	3	18,694	13.4	11.9
Westford	37	16	21	–	32	5	–	–	–	–
Westhampton	5	1	4	–	4	1	–	–	–	–
Westminster	19	6	13	–	16	3	–	–	–	–
Weston	20	9	11	–	15	5	–	–	–	–
Westport	36	14	22	–	25	11	–	–	–	–
Westwood	11	5	6	–	8	3	–	–	–	–
Weymouth	182	85	97	–	133	49	–	15,627	11.6	–
Whately	15	7	8	–	12	3	–	–	–	–
Whitman	87	42	45	–	69	16	2	–	–	–
Wilbraham	27	10	17	–	17	10	–	–	–	–
Williamsburg	23	13	10	–	14	9	–	–	–	–
Williamstown	39	19	20	–	33	6	–	–	–	–
Wilmington	27	16	11	–	24	3	–	–	–	–
Winchendon	100	44	56	–	72	27	1	–	–	–
Winchester	107	54	53	–	73	33	1	10,725	10.0	–
Windsor	5	2	3	–	5	–	–	–	–	–
Winthrop	129	57	72	–	81	46	2	16,865	7.6	–
WOBURN	177[6]	79	98	–	127	49	1	16,664	10.6	9.6
WORCESTER	2,440[7]	1,241	1,199	–	1,533	901	6	188,724	12.9	10.5
Worthington	1	1	–	–	1	–	–	–	–	–
Wrentham	39[8]	16	23	–	34	5	–	–	–	–
Yarmouth	25	14	11	–	23	2	–	–	–	–

See footnotes 1-3, on page 12.

[4] 136 nonresidents.
[5] 28 nonresidents.
[6] 17 nonresidents.
[7] 465 nonresidents.
[8] 18 nonresidents.

Line No.	Table 2 — Counties and Sex.	Deaths,[1] by Sex and											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**The State.**	**51,115**	**9,807**	**7,129**	**1,360**	**578**	**396**	**344**	**950**	**629**	**811**	**1,119**	**1,392**
2	Males	25,679	5,604	4,150	736	344	203	171	541	334	421	548	621
3	Females	25,433	4,200	2,976	624	234	193	173	409	295	390	571	771
4	Unknown	3	3	3	–	–	–	–	–	–	–	–	–
5	Barnstable.	450	30	23	3	1	1	3	7	2	5	11	10
6	Males	231	16	12	2	1	–	2	5	1	5	8	5
7	Females	219	14	11	1	–	1	1	2	1	–	3	5
8	Berkshire.	1,405	246	188	31	16	4	8	29	19	25	22	30
9	Males	668	130	102	15	6	2	5	16	9	15	9	15
10	Females	737	116	86	16	10	2	3	13	10	10	13	15
11	Bristol.	5,120	1,445	1,003	227	101	65	49	117	63	97	96	115
12	Males	2,608	824	584	126	59	36	19	73	34	51	48	55
13	Females	2,512	621	419	101	42	29	30	44	29	46	48	60
14	Dukes.	77	5	2	2	–	1	–	–	–	2	1	4
15	Males	38	4	1	2	–	1	–	–	–	2	1	2
16	Females	39	1	1	–	–	–	–	–	–	–	–	2
17	Essex.	6,220	1,074	788	144	58	45	39	111	76	99	132	162
18	Males	3,117	637	469	86	35	24	23	62	47	55	55	72
19	Females	3,103	437	319	58	23	21	16	49	29	44	77	90
20	Franklin.	603	83	65	3	4	4	7	10	7	8	9	9
21	Males	295	49	37	2	4	2	4	3	3	4	2	5
22	Females	308	34	28	1	–	2	3	7	4	4	7	4
23	Hampden.	3,704	889	648	119	46	36	40	90	47	71	92	124
24	Males	1,861	512	377	60	29	23	23	49	25	35	43	41
25	Females	1,843	377	271	59	17	13	17	41	22	36	49	83
26	Hampshire.	930	147	102	27	8	6	4	14	7	12	16	25
27	Males	453	75	51	14	6	3	1	9	2	4	8	7
28	Females	476	71	50	13	2	3	3	5	5	8	8	18
29	Unknown	1	1	1	–	–	–	–	–	–	–	–	–
30	Middlesex.	9,728	1,702	1,255	240	97	60	50	143	118	152	208	249
31	Males	4,719	972	725	130	60	32	25	72	61	78	104	107
32	Females	5,007	728	528	110	37	28	25	71	57	74	104	142
33	Unknown	2	2	2	–	–	–	–	–	–	–	–	–
34	Nantucket.	56	6	3	2	1	–	–	–	–	–	–	1
35	Males	21	3	2	1	–	–	–	–	–	–	–	1
36	Females	35	3	1	1	1	–	–	–	–	–	–	–
37	Norfolk.	2,481	302	218	38	16	15	15	40	25	27	46	69
38	Males	1,163	169	131	19	6	5	8	26	17	13	22	32
39	Females	1,318	133	87	19	10	10	7	14	8	14	24	37
40	Plymouth.	2,100	264	208	21	17	11	7	29	19	24	50	52
41	Males	1,128	163	126	17	11	4	5	20	14	13	27	21
42	Females	972	101	82	4	6	7	2	9	5	11	23	31
43	Suffolk.	12,325	2,540	1,821	387	150	96	86	247	171	213	329	378
44	Males	6,395	1,451	1,069	205	93	45	39	145	80	108	163	184
45	Females	5,930	1,089	752	182	57	51	47	102	91	105	166	194
46	Worcester.	5,916	1,072	805	116	63	52	36	113	75	76	107	164
47	Males	2,982	598	464	57	34	26	17	61	41	38	58	74
48	Females	2,934	474	341	59	29	26	19	52	34	38	49	90

[1] Exclusive of stillbirths.

AGE,[2] IN EACH COUNTY: 1922.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	**1,573**	**1,745**	**2,033**	**2,578**	**3,030**	**3,353**	**4,096**	**4,215**	**4,423**	**3,875**	**2,958**	**1,717**	**631**	**145**	**25**	**10**
2	797	900	1,061	1,344	1,631	1,798	2,081	2,074	2,089	1,691	1,212	648	221	50	5	8
3	776	845	972	1,234	1,399	1,555	2,015	2,141	2,334	2,184	1,746	1,069	410	95	20	2
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	6	11	7	14	20	22	28	46	66	48	65	29	15	5	2	–
6	5	5	5	7	9	7	12	25	37	30	30	9	7	2	–	–
7	1	6	2	7	11	15	16	21	29	18	35	20	8	3	2	–
8	30	40	57	66	78	84	102	126	144	111	109	59	22	4	1	–
9	14	15	35	38	35	43	48	59	77	45	36	23	4	1	1	–
10	16	25	22	28	43	41	54	67	67	66	73	36	18	3	–	–
11	141	138	193	234	250	313	363	408	376	370	216	133	42	7	3	–
12	67	73	98	124	126	160	171	195	184	160	87	56	19	3	–	–
13	74	65	95	110	124	153	192	213	192	210	129	77	23	4	3	–
14	3	1	4	1	7	5	3	5	8	10	8	8	–	–	–	2
15	–	1	2	–	5	3	3	1	3	3	3	3	–	–	–	2
16	3	–	2	1	2	2	–	4	5	7	5	5	–	–	–	–
17	195	222	222	305	362	415	485	525	554	506	429	235	89	18	4	–
18	98	106	118	153	203	223	243	276	241	211	184	91	35	5	2	–
19	97	116	104	152	159	192	242	249	313	295	245	144	54	13	2	–
20	18	14	18	31	33	42	46	56	56	65	50	31	12	5	–	–
21	7	7	6	12	16	24	24	26	31	31	27	12	4	2	–	–
22	11	7	12	19	17	18	22	30	25	34	23	19	8	3	–	–
23	151	128	135	197	213	219	236	265	278	276	162	95	26	9	1	–
24	69	71	71	105	107	113	118	130	133	123	67	32	13	4	–	–
25	82	57	64	92	106	106	118	135	145	153	95	63	13	5	1	–
26	26	33	39	32	53	64	61	76	89	101	67	44	12	10	2	–
27	16	14	19	20	26	30	32	43	47	49	23	19	4	6	–	–
28	10	19	20	12	27	34	29	33	42	52	44	25	8	4	2	–
29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	257	311	323	462	557	621	882	878	890	847	599	340	152	34	3	–
31	126	157	157	228	284	329	427	417	416	359	250	117	48	10	–	–
32	131	154	166	234	273	292	455	461	474	488	349	223	104	24	3	–
33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	1	3	1	1	2	3	2	6	6	10	7	3	3	1	–	–
35	–	2	–	–	1	–	2	1	3	3	4	–	1	–	–	–
36	1	1	1	1	1	3	–	5	3	7	3	3	2	1	–	–
37	71	68	102	99	156	177	207	237	265	220	204	115	38	9	3	1
38	32	32	49	39	83	87	112	117	109	96	80	38	6	3	1	–
39	39	36	53	60	73	90	95	120	156	124	124	77	32	6	2	1
40	69	77	75	104	108	141	178	183	213	196	164	107	40	7	–	–
41	39	50	47	57	58	80	98	98	111	97	67	48	18	2	–	–
42	30	27	28	47	50	61	80	85	102	99	97	59	22	5	–	–
43	433	478	606	722	859	896	1,053	890	906	670	515	299	91	21	3	5
44	231	249	310	409	506	514	543	436	431	284	211	101	28	7	–	4
45	202	229	296	313	353	382	510	454	475	386	304	198	63	14	3	1
46	172	221	251	310	332	351	450	514	572	445	363	219	89	15	3	2
47	93	118	144	152	172	185	248	250	266	200	143	99	34	5	1	2
48	79	103	107	158	160	166	202	264	306	245	220	120	55	10	2	–

[2] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Deaths,[1] by Sex and Age,[2] in Municipalities											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Adams (town).	128	35	26	5	1	1	2	3	1	1	2	1
2	Males	55	14	12	1	–	–	1	1	–	1	–	–
3	Females	73	21	14	4	1	1	1	2	1	–	2	1
4	Amesbury (town).	115	24	19	4	–	–	1	2	–	1	–	1
5	Males	63	17	14	2	–	–	1	–	–	1	–	1
6	Females	52	7	5	2	–	–	–	2	–	–	–	–
7	Arlington (town).	235	29	20	2	4	1	2	3	4	4	2	5
8	Males	108	13	9	–	3	1	–	1	2	3	1	1
9	Females	127	16	11	2	1	–	2	2	2	1	1	4
10	Attleboro.	220	41	28	6	6	1	–	3	2	7	7	4
11	Males	114	25	18	4	3	–	–	3	1	2	2	2
12	Females	106	16	10	2	3	1	–	–	1	5	5	2
13	Belmont (town).	129	16	13	1	2	–	–	1	–	2	6	1
14	Males	45	9	7	1	1	–	–	–	–	1	2	1
15	Females	89	7	6	–	1	–	–	1	–	1	4	–
16	Beverly.	230	18	16	–	–	1	1	6	5	3	4	4
17	Males	111	12	11	–	–	1	–	3	4	1	2	3
18	Females	119	6	5	–	–	–	1	3	1	2	2	1
19	Boston.	11,415	2,384	1,711	366	141	90	77	226	163	197	303	352
20	Males	5,864	1,371	1,010	194	89	44	34	131	77	100	148	166
21	Females	5,551	1,013	701	172	52	46	43	95	86	97	155	186
22	Braintree (town).	126	7	4	–	1	1	1	–	–	5	7	6
23	Males	64	4	1	–	1	1	1	–	–	2	2	1
24	Females	62	3	3	–	–	–	–	–	–	3	5	5
25	Brockton.	737	125	105	5	7	4	4	12	9	9	16	22
26	Males	359	78	65	5	5	1	2	8	8	5	7	9
27	Females	378	47	40	–	2	3	2	4	1	4	9	13
28	Brookline (town).	459	33	23	5	1	2	2	2	2	3	5	15
29	Males	188	25	19	3	1	–	2	1	2	2	2	8
30	Females	271	8	4	2	–	2	–	1	–	1	3	7
31	Cambridge.	1,464	311	227	51	16	10	7	12	17	27	33	51
32	Males	736	175	126	28	10	8	3	9	8	13	12	20
33	Females	728	136	101	23	6	2	4	3	9	14	21	31
34	Chelsea.	582	99	70	16	5	3	5	11	5	7	21	21
35	Males	377	50	39	9	1	–	1	6	2	4	11	17
36	Females	205	49	31	7	4	3	4	5	3	3	10	4
37	Chicopee.	337	130	89	22	9	4	6	6	5	8	4	12
38	Males	156	65	43	15	3	1	3	3	2	4	2	3
39	Females	181	65	46	7	6	3	3	3	3	4	2	9
40	Clinton (town).	166	33	26	3	1	1	2	3	3	1	4	7
41	Males	88	17	13	2	–	1	1	1	2	–	3	4
42	Females	78	16	13	1	1	–	1	2	1	1	1	3
43	Danvers (town).	365	17	14	1	1	1	–	–	2	–	7	12
44	Males	165	10	9	1	–	–	–	–	–	–	2	4
45	Females	200	7	5	–	1	1	–	–	2	–	5	8
46	Dedham (town).	94	11	8	–	1	1	1	2	1	3	5	5
47	Males	44	6	4	–	1	1	–	2	1	1	4	4
48	Females	50	5	4	–	–	–	1	–	–	2	1	1
49	Easthampton (town).	109	37	24	10	2	1	–	1	–	3	1	2
50	Males	48	17	11	5	1	–	–	1	–	1	1	–
51	Females	61	20	13	5	1	1	–	–	–	2	–	2
52	Everett.	357	68	53	9	5	1	–	6	7	3	8	8
53	Males	164	37	27	6	3	1	–	3	3	2	5	5
54	Females	193	31	26	3	2	–	–	3	4	1	3	3

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1922.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	1	3	9	2	7	7	13	9	8	8	10	6	2	–	–	–
2	–	2	6	1	2	2	6	5	5	2	2	5	1	–	–	–
3	1	1	3	1	5	5	7	4	3	6	8	1	1	–	–	–
4	1	2	2	2	10	12	8	12	5	6	13	12	1	–	1	–
5	1	–	1	1	4	5	4	4	3	5	9	6	1	–	–	–
6	–	2	1	1	6	7	4	8	2	1	4	6	–	–	1	–
7	13	9	10	15	9	15	26	24	21	17	17	9	3	–	–	–
8	7	5	4	8	7	12	8	13	7	4	9	2	1	–	–	–
9	6	4	6	7	2	3	18	11	14	13	8	7	2	–	–	–
10	5	3	12	14	11	13	16	29	20	14	7	8	1	2	1	–
11	4	2	6	9	7	9	10	12	6	6	3	4	–	1	–	–
12	1	1	6	5	4	4	6	17	14	8	4	4	1	1	1	–
13	–	4	6	5	3	5	19	15	5	18	13	6	4	–	–	–
14	–	1	2	2	–	3	8	2	2	6	3	1	2	–	–	–
15	–	3	4	3	3	2	11	13	3	12	10	5	2	–	–	–
16	7	11	9	5	14	15	27	21	21	19	22	13	5	1	–	–
17	2	3	–	4	9	8	14	8	10	6	10	8	3	1	–	–
18	5	8	9	1	5	7	13	13	11	13	12	5	2	–	–	–
19	415	444	565	671	801	847	982	826	841	579	445	265	80	20	3	5
20	219	228	290	379	468	487	505	401	394	224	163	82	21	6	–	4
21	196	216	275	292	333	360	477	425	447	355	282	183	59	14	3	1
22	12	8	6	6	8	6	16	5	12	8	11	2	1	–	–	–
23	8	6	4	4	7	5	8	3	4	3	3	–	–	–	–	–
24	4	2	2	2	1	1	8	2	8	5	8	2	1	–	–	–
25	23	30	25	45	39	55	60	63	75	53	38	28	9	1	–	–
26	9	15	14	21	21	28	28	28	34	18	13	13	2	–	–	–
27	14	15	11	24	18	27	32	35	41	35	25	15	7	1	–	–
28	15	10	19	22	29	45	34	36	62	57	35	25	8	1	–	1
29	6	3	8	3	10	22	20	14	25	21	13	2	1	–	–	–
30	9	7	11	19	19	23	14	22	37	36	22	23	7	1	–	1
31	42	65	58	82	93	88	126	129	112	95	69	30	21	3	–	–
32	19	32	30	37	53	45	71	63	61	35	32	12	8	1	–	–
33	23	33	28	45	40	43	55	66	51	60	37	18	13	2	–	–
34	13	24	33	34	33	27	34	30	36	69	51	25	9	–	–	–
35	9	16	19	22	26	16	20	17	23	51	43	18	7	–	–	–
36	4	8	14	12	7	11	14	13	13	18	8	7	2	–	–	–
37	10	16	9	13	12	16	21	21	24	17	8	4	1	–	–	–
38	6	11	4	6	9	7	8	10	6	4	3	2	1	–	–	–
39	4	5	5	7	3	9	13	11	18	13	5	2	–	–	–	–
40	2	9	2	9	15	8	16	13	17	6	10	4	3	–	–	1
41	2	6	–	5	6	4	5	10	12	2	6	2	–	–	–	1
42	–	3	2	4	9	4	11	3	5	4	4	2	3	–	–	–
43	10	21	22	34	18	28	35	37	34	32	33	16	6	1	–	–
44	5	11	14	13	11	16	17	18	14	16	10	2	2	–	–	–
45	5	10	8	21	7	12	18	19	20	16	23	14	4	1	–	–
46	3	–	3	3	4	7	5	8	9	15	5	3	1	–	1	–
47	1	–	1	1	3	4	2	3	2	7	1	1	–	–	–	–
48	2	–	2	2	1	3	3	5	7	8	4	2	1	–	1	–
49	1	1	5	4	6	10	5	10	4	11	1	4	2	1	–	–
50	1	–	1	2	3	3	2	5	2	5	–	3	1	–	–	–
51	–	1	4	2	3	7	3	5	2	6	1	1	1	1	–	–
52	5	5	12	18	25	32	39	31	24	25	21	14	5	1	–	–
53	2	3	4	8	17	20	11	15	10	11	3	4	1	–	–	–
54	3	2	8	10	8	12	28	16	14	14	18	10	4	1	–	–

[2] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Deaths,[1] by Sex and Age,[2] in Municipalities — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Fall River.	1,939	681	450	117	53	35	26	42	26	42	31	45
2	Males	985	374	256	62	28	19	9	31	12	23	16	18
3	Females	954	307	194	55	25	16	17	11	14	19	15	27
4	Fitchburg.	458	121	86	12	8	9	6	11	4	6	7	12
5	Males	229	69	53	5	4	3	4	5	1	1	5	4
6	Females	229	52	33	7	4	6	2	6	3	5	2	8
7	Framingham (town).	249	38	26	5	3	2	2	2	6	2	8	9
8	Males	134	23	16	2	3	–	2	2	3	2	7	6
9	Females	115	15	10	3	–	2	–	–	3	–	1	3
10	Gardner (town).	239	37	30	3	3	–	1	2	6	3	6	5
11	Males	131	19	15	2	1	–	1	2	4	1	4	2
12	Females	108	18	15	1	2	–	–	–	2	2	2	3
13	Gloucester.	310	46	35	5	3	3	–	11	3	5	4	5
14	Males	159	28	23	3	2	–	–	8	2	3	3	–
15	Females	151	18	12	2	1	3	–	3	1	2	1	5
16	Greenfield (town).	137	16	10	3	1	1	1	1	2	1	2	1
17	Males	68	9	6	2	1	–	–	1	2	–	–	1
18	Females	69	7	4	1	–	1	1	–	–	1	2	–
19	Haverhill.	662	118	81	15	12	7	3	12	12	13	19	17
20	Males	337	67	44	10	8	4	1	7	7	7	9	6
21	Females	325	51	37	5	4	3	2	5	5	6	10	11
22	Holyoke.	861	231	168	32	14	8	9	17	12	10	21	27
23	Males	426	137	102	15	9	6	5	11	6	3	12	5
24	Females	435	94	66	17	5	2	4	6	6	7	9	22
25	Lawrence.	1,123	292	207	52	11	14	8	14	17	19	32	39
26	Males	581	173	128	28	5	8	4	9	8	11	11	21
27	Females	542	119	79	24	6	6	4	5	9	8	21	18
28	Leominster.	240	57	43	8	3	4	–	8	2	4	2	2
29	Males	121	38	30	1	3	4	–	5	1	1	1	–
30	Females	119	19	13	7	–	–	–	3	1	3	1	2
31	Lowell.	1,535	382	288	57	19	11	7	22	8	25	36	47
32	Males	757	211	161	30	12	5	3	9	4	15	16	18
33	Females	778	171	127	27	7	6	4	13	4	10	20	29
34	Lynn.	1,199	192	152	20	7	6	8	27	14	17	23	27
35	Males	616	114	89	11	4	4	6	8	10	8	10	7
36	Females	583	78	63	9	3	2	2	19	4	9	13	20
37	Malden.	583	97	60	13	10	8	6	15	10	6	10	21
38	Males	272	57	37	8	5	4	3	6	6	3	2	6
39	Females	311	40	23	5	5	4	3	9	4	3	8	15
40	Marlborough.	209	29	22	4	1	1	1	4	5	1	5	5
41	Males	100	15	9	3	1	1	1	2	3	–	3	1
42	Females	109	14	13	1	–	–	–	2	2	1	2	4
43	Medford.	342	50	38	6	1	3	2	3	6	4	7	9
44	Males	159	25	20	2	–	1	2	–	4	2	4	2
45	Females	183	25	18	4	1	2	–	3	2	2	3	7
46	Melrose.	232	21	16	4	1	–	–	2	7	2	4	6
47	Males	106	12	10	2	–	–	–	1	3	1	3	3
48	Females	126	9	6	2	1	–	–	1	4	1	1	3
49	Methuen (town).	203	45	34	6	3	1	1	2	5	5	3	3
50	Males	83	23	17	2	3	–	1	2	3	3	–	–
51	Females	120	22	17	4	–	1	–	–	2	2	3	3
52	Milford (town).	194	38	27	6	1	2	2	2	3	5	2	9
53	Males	92	20	17	1	1	1	–	–	–	2	2	6
54	Females	102	18	10	5	–	1	2	2	3	3	–	3

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1922 — Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	48	62	70	82	95	126	131	128	132	110	45	32	10	1	–	–
2	21	32	32	37	50	66	63	63	59	44	22	14	7	1	–	–
3	27	30	38	45	45	60	68	65	73	66	23	18	3	–	–	–
4	6	23	15	23	20	27	35	41	42	27	21	8	6	3	–	–
5	3	11	8	6	10	19	19	17	25	11	8	3	3	1	–	–
6	3	12	7	17	10	8	16	24	17	16	13	5	3	2	–	–
7	9	7	8	15	13	15	25	22	25	22	12	7	4	–	–	–
8	4	2	5	10	6	8	11	7	15	12	8	3	–	–	–	–
9	5	5	3	5	7	7	14	15	10	10	4	4	4	–	–	–
10	9	14	12	10	19	13	17	25	17	15	18	6	3	1	1	–
11	6	8	6	4	11	8	11	11	10	10	7	2	3	1	1	–
12	3	6	6	6	8	5	6	14	7	5	11	4	–	–	–	–
13	7	12	11	16	17	22	29	30	24	22	28	12	5	1	–	–
14	4	4	6	6	7	16	13	15	14	10	12	7	1	–	–	–
15	3	8	5	10	10	6	16	15	10	12	16	5	4	1	–	–
16	4	4	8	12	5	7	11	14	17	15	7	7	2	1	–	–
17	2	1	3	5	2	5	6	9	10	5	4	2	1	–	–	–
18	2	3	5	7	3	2	5	5	7	10	3	5	1	1	–	–
19	18	27	27	24	35	44	54	50	60	55	41	29	4	3	–	–
20	9	13	18	11	19	24	30	26	29	22	15	17	–	1	–	–
21	9	14	9	13	16	20	24	24	31	33	26	12	4	2	–	–
22	42	32	33	48	45	48	52	49	64	64	34	28	3	1	–	–
23	15	14	17	24	21	22	26	27	31	30	13	10	1	1	–	–
24	27	18	16	24	24	26	26	22	33	34	21	18	2	–	–	–
25	46	39	46	66	68	79	86	71	81	59	45	18	5	1	–	–
26	26	20	25	31	37	42	38	35	33	32	21	6	2	–	–	–
27	20	19	21	35	31	37	48	36	48	27	24	12	3	1	–	–
28	4	7	9	9	17	16	19	15	20	13	18	12	4	–	1	–
29	–	2	5	5	10	6	13	8	9	6	6	4	1	–	–	–
30	4	5	4	4	7	10	6	7	11	7	12	8	3	–	1	–
31	42	59	46	74	100	102	140	123	123	96	65	27	12	6	–	–
32	21	31	22	30	57	48	71	62	60	44	26	8	2	2	–	–
33	21	28	24	44	43	54	69	61	63	52	39	19	10	4	–	–
34	45	43	43	61	78	88	89	121	105	94	75	32	22	1	1	–
35	21	24	25	32	49	48	51	60	42	43	38	13	11	1	1	–
36	24	19	18	29	29	40	38	61	63	51	37	19	11	–	–	–
37	23	23	17	29	35	37	49	52	41	58	27	25	7	1	–	–
38	15	12	9	17	17	22	19	24	17	25	8	5	1	1	–	–
39	8	11	8	12	18	15	30	28	24	33	19	20	6	–	–	–
40	4	10	10	10	11	17	10	16	19	17	21	11	3	1	–	–
41	–	6	5	3	2	7	5	10	15	9	8	5	1	–	–	–
42	4	4	5	7	9	10	5	6	4	8	13	6	2	1	–	–
43	2	11	11	17	16	17	27	36	33	28	40	19	5	1	–	–
44	2	5	5	9	5	10	13	18	16	14	16	7	2	–	–	–
45	–	6	6	8	11	7	14	18	17	14	24	12	3	1	–	–
46	8	7	7	12	9	16	24	28	21	27	17	7	4	3	–	–
47	3	4	2	7	3	7	15	14	7	6	8	4	2	1	–	–
48	5	3	5	5	6	9	9	14	14	21	9	3	2	2	–	–
49	5	9	2	15	8	20	13	16	20	11	13	7	1	–	–	–
50	–	3	1	6	4	11	5	11	5	3	3	–	–	–	–	–
51	5	6	1	9	4	9	8	5	15	8	10	7	1	–	–	–
52	8	5	10	13	10	10	16	15	24	10	9	4	1	–	–	–
53	4	5	4	6	4	5	9	7	10	2	2	4	–	–	–	–
54	4	–	6	7	6	5	7	8	14	8	7	–	1	–	–	–

[2] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Deaths,[1] by Sex and Age,[2] in Municipalities												
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Natick (town).	156	21	19	1	–	1	–	3	4	1	1	2
2	Males	69	14	13	–	–	1	–	1	2	–	–	1
3	Females	87	7	6	1	–	–	–	2	2	1	1	1
4	New Bedford.	1,566	482	349	75	22	19	17	44	21	29	39	40
5	Males	807	284	208	45	13	11	7	22	14	13	21	21
6	Females	759	198	141	30	9	8	10	22	7	16	18	19
7	Newburyport.	206	24	18	3	–	–	3	2	–	4	5	4
8	Males	92	17	12	2	–	–	3	2	–	1	1	2
9	Females	114	7	6	1	–	–	–	–	–	3	4	2
10	Newton.	539	59	42	8	4	2	3	8	2	8	14	8
11	Males	255	37	27	5	3	–	2	4	2	4	9	4
12	Females	284	22	15	3	1	2	1	4	–	4	5	4
13	North Adams.	277	55	46	8	1	–	–	7	1	6	5	11
14	Males	145	36	31	4	1	–	–	4	1	5	4	5
15	Females	132	19	15	4	–	–	–	3	–	1	1	6
16	Northampton.	428	44	35	6	1	2	–	4	2	5	10	13
17	Males	210	23	20	2	–	1	–	2	1	1	4	2
18	Females	218	21	15	4	1	1	–	2	1	4	6	11
19	Northbridge (town).	97	15	11	3	–	1	–	–	2	1	3	1
20	Males	58	12	9	2	–	1	–	–	–	1	2	1
21	Females	39	3	2	1	–	–	–	–	2	–	1	–
22	Norwood (town).	139	26	15	7	3	1	–	6	1	3	1	7
23	Males	70	15	9	2	3	1	–	3	1	–	–	4
24	Females	69	11	6	5	–	–	–	3	–	3	1	3
25	Peabody.	230	62	51	4	2	4	1	3	1	4	6	5
26	Males	126	40	33	4	1	2	–	3	1	3	5	2
27	Females	104	22	18	–	1	2	1	–	–	1	1	3
28	Pittsfield.	551	95	66	13	11	1	4	14	10	10	10	11
29	Males	254	47	34	6	3	1	3	8	5	6	2	6
30	Females	297	48	32	7	8	–	1	6	5	4	8	5
31	Plymouth (town).	171	24	19	3	–	2	–	1	1	2	3	6
32	Males	80	12	9	2	–	1	–	1	1	2	1	–
33	Females	91	12	10	1	–	1	–	–	–	–	2	6
34	Quincy.	452	97	68	14	5	4	6	10	8	3	7	11
35	Males	224	50	41	6	–	1	2	6	4	2	3	6
36	Females	228	47	27	8	5	3	4	4	4	1	4	5
37	Revere.	199	37	26	4	3	1	3	9	3	7	3	4
38	Males	97	22	15	2	2	–	3	8	1	3	2	1
39	Females	102	15	11	2	1	1	–	1	2	4	1	3
40	Salem.	588	128	85	19	11	5	8	16	8	8	11	11
41	Males	296	72	45	14	6	3	4	8	6	5	2	4
42	Females	292	56	40	5	5	2	4	8	2	3	9	7
43	Saugus (town).	98	11	8	2	1	–	–	3	3	3	–	2
44	Males	48	8	5	2	1	–	–	2	2	1	–	1
45	Females	50	3	3	–	–	–	–	1	1	2	–	1
46	Somerville.	1,021	171	118	28	14	3	8	21	17	16	13	14
47	Males	466	107	74	16	10	2	5	11	9	6	6	5
48	Females	553	62	42	12	4	1	3	10	8	10	7	9
49	Unknown	2	2	2	–	–	–	–	–	–	–	–	–
50	Southbridge (town).	147	38	30	1	5	2	–	1	–	3	–	3
51	Males	75	21	17	1	3	–	–	1	–	2	–	2
52	Females	72	17	13	–	2	2	–	–	–	1	–	1
53	Springfield.	1,598	309	226	44	15	8	16	35	13	28	40	55
54	Males	795	180	133	18	12	6	11	16	8	13	15	18
55	Females	803	129	93	26	3	2	5	19	5	15	25	37

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1922 — Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	3	5	6	4	8	12	23	11	10	19	14	5	3	1	–	–
2	–	2	4	3	3	5	9	6	3	9	5	1	1	–	–	–
3	3	3	2	1	5	7	14	5	7	10	9	4	2	1	–	–
4	55	38	58	72	70	86	104	130	106	95	63	27	5	2	–	–
5	25	21	30	38	32	44	50	56	55	44	26	9	2	–	–	–
6	30	17	28	34	38	42	54	74	51	51	37	18	3	2	–	–
7	11	4	9	6	12	11	10	21	19	22	24	10	6	1	1	–
8	6	2	3	3	5	7	3	12	9	8	7	1	3	–	–	–
9	5	2	6	3	7	4	7	9	10	14	17	9	3	1	1	–
10	17	12	17	33	23	35	44	42	69	57	44	29	15	3	–	–
11	8	7	11	17	12	21	20	19	25	22	17	12	4	–	–	–
12	9	5	6	16	11	14	24	23	44	35	27	17	11	3	–	–
13	8	9	9	18	19	22	17	16	22	18	22	11	1	–	–	–
14	6	3	4	7	5	11	10	7	17	7	9	4	–	–	–	–
15	2	6	5	11	14	11	7	9	5	11	13	7	1	–	–	–
16	18	21	22	17	30	31	37	34	41	45	28	16	5	3	2	–
17	12	11	10	8	16	14	20	20	24	23	11	5	1	2	–	–
18	6	10	12	9	14	17	17	14	17	22	17	11	4	1	2	–
19	2	4	3	7	9	3	6	14	8	8	7	4	–	–	–	–
20	1	2	2	4	6	1	3	8	5	6	3	1	–	–	–	–
21	1	2	1	3	3	2	3	6	3	2	4	3	–	–	–	–
22	6	5	11	10	8	14	6	10	9	7	4	5	–	–	–	–
23	3	1	4	7	2	6	5	4	5	4	4	2	–	–	–	–
24	3	4	7	3	6	8	1	6	4	3	–	3	–	–	–	–
25	6	6	12	10	13	23	14	9	15	20	11	7	2	1	–	–
26	4	3	5	7	8	10	5	5	7	8	4	5	–	1	–	–
27	2	3	7	3	5	13	9	4	8	12	7	2	2	–	–	–
28	17	20	29	28	27	35	45	55	49	39	32	14	11	–	–	–
29	7	6	17	18	13	21	23	23	23	18	6	4	1	–	–	–
30	10	14	12	10	14	14	22	32	26	21	26	10	10	–	–	–
31	1	5	3	10	12	12	14	17	11	17	19	9	3	1	–	–
32	1	4	2	5	8	5	5	13	5	4	7	4	–	–	–	–
33	–	1	1	5	4	7	9	4	6	13	12	5	3	1	–	–
34	11	17	20	19	32	23	33	47	45	21	30	12	3	2	1	–
35	7	6	10	6	19	17	17	25	18	10	10	5	1	1	1	–
36	4	11	10	13	13	6	16	22	27	11	20	7	2	1	–	–
37	4	7	6	11	15	14	18	21	10	14	10	5	–	1	–	–
38	3	4	1	4	5	8	9	13	3	7	2	–	–	1	–	–
39	1	3	5	7	10	6	9	8	7	7	8	5	–	–	–	–
40	13	20	18	30	40	29	49	46	54	49	29	20	8	1	–	–
41	4	12	11	15	23	12	30	26	28	17	11	6	4	–	–	–
42	9	8	7	15	17	17	19	20	26	32	18	14	4	1	–	–
43	1	1	1	5	3	5	11	8	9	15	9	6	2	–	–	–
44	1	–	–	3	2	3	4	4	4	7	3	1	2	–	–	–
45	–	1	1	2	1	2	7	4	5	8	6	5	–	–	–	–
46	24	16	32	39	46	69	106	96	108	108	60	33	25	7	–	–
47	10	3	10	18	16	37	49	48	50	40	21	11	7	2	–	–
48	14	13	22	21	30	32	57	48	58	68	39	22	18	5	–	–
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
50	2	2	7	7	6	9	17	15	12	11	9	5	–	–	–	–
51	2	2	4	4	1	4	11	6	5	5	3	2	–	–	–	–
52	–	–	3	3	5	5	6	9	7	6	6	3	–	–	–	–
53	70	60	66	103	101	105	114	137	118	126	63	39	11	4	1	–
54	36	34	33	54	45	60	62	64	60	51	24	12	7	3	–	–
55	34	26	33	49	56	45	52	73	58	75	39	27	4	1	1	–

[2] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Deaths,[1] by Sex and Age,[2] in Municipalities											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Taunton.	641	100	74	16	6	2	2	8	9	12	6	8
2	Males	336	61	46	8	5	1	1	4	6	7	2	2
3	Females	305	39	28	8	1	1	1	4	3	5	4	6
4	Wakefield (town).	142	18	13	4	–	1	–	–	–	1	3	4
5	Males	64	10	7	2	–	1	–	–	–	1	1	2
6	Females	78	8	6	2	–	–	–	–	–	–	2	2
7	Waltham.	399	67	45	11	6	4	1	14	8	7	8	6
8	Males	194	39	28	7	2	2	–	9	3	7	5	3
9	Females	205	28	17	4	4	2	1	5	5	–	3	3
10	Watertown (town).	160	30	27	2	–	–	1	6	–	3	2	–
11	Males	70	15	14	1	–	–	–	1	–	–	1	–
12	Females	90	15	13	1	–	–	1	5	–	3	1	–
13	Webster (town).	126	26	22	2	1	1	–	2	–	2	–	1
14	Males	67	15	14	1	–	–	–	2	–	2	–	–
15	Females	59	11	8	1	1	1	–	–	–	–	–	1
16	W. Springfield (town).	128	30	25	2	1	2	–	4	–	4	4	3
17	Males	72	17	14	1	–	2	–	2	–	4	2	1
18	Females	56	13	11	1	1	–	–	2	–	–	2	2
19	Westfield.	250	58	40	6	3	5	4	9	10	11	5	7
20	Males	137	34	23	1	3	4	3	7	6	3	2	4
21	Females	113	24	17	5	–	1	1	2	4	8	3	3
22	Weymouth (town).	182	20	15	2	1	2	–	3	2	–	4	3
23	Males	85	8	7	1	–	–	–	3	1	–	3	2
24	Females	97	12	8	1	1	2	–	–	1	–	1	1
25	Winchester (town).	107	23	20	2	–	1	–	2	2	1	4	2
26	Males	54	16	15	1	–	–	–	2	1	–	2	2
27	Females	53	7	5	1	–	1	–	–	1	1	2	–
28	Winthrop (town).	129	19	14	1	1	2	1	1	–	2	2	1
29	Males	57	8	5	–	1	1	1	–	–	1	2	–
30	Females	72	11	9	1	–	1	–	1	–	1	–	1
31	Woburn.	177	33	20	3	4	3	3	–	4	6	6	4
32	Males	79	17	11	2	3	1	–	–	2	2	1	3
33	Females	98	16	9	1	1	2	3	–	2	4	5	1
34	Worcester.	2,440	467	349	52	29	27	22	54	38	32	42	70
35	Males	1,241	253	193	28	18	14	10	31	21	22	20	28
36	Females	1,199	214	156	24	11	13	12	23	17	10	22	42

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1922 — Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	14	19	33	33	38	39	63	64	60	64	36	23	11	–	1	–
2	10	12	19	20	19	16	28	38	34	30	15	11	2	–	–	–
3	4	7	14	13	19	23	35	26	26	34	21	12	9	–	1	–
4	5	2	3	4	8	4	14	13	19	14	14	12	1	3	–	–
5	4	1	–	1	3	1	5	4	10	8	7	4	–	2	–	–
6	1	1	3	3	5	3	9	9	9	6	7	8	1	1	–	–
7	12	12	14	17	21	27	35	34	45	26	24	14	6	2	–	–
8	5	5	8	7	7	12	14	15	24	13	12	3	2	1	–	–
9	7	7	6	10	14	15	21	19	21	13	12	11	4	1	–	–
10	3	2	7	7	9	15	15	14	15	15	11	2	2	1	1	–
11	2	1	3	4	4	7	9	4	7	6	6	–	–	–	–	–
12	1	1	4	3	5	8	6	10	8	9	5	2	2	1	1	–
13	2	3	3	13	6	10	11	15	14	9	2	5	2	–	–	–
14	1	2	3	8	3	7	8	4	6	3	2	1	–	–	–	–
15	1	1	–	5	3	3	3	11	8	6	–	4	2	–	–	–
16	6	6	3	4	8	7	7	7	12	7	11	4	1	–	–	–
17	2	3	3	3	6	2	4	3	9	2	6	3	–	–	–	–
18	4	3	–	1	2	5	3	4	3	5	5	1	1	–	–	–
19	6	4	4	4	20	16	13	21	17	22	13	7	1	2	–	–
20	3	2	2	4	10	8	8	12	5	15	7	4	1	–	–	–
21	3	2	2	–	10	8	5	9	12	7	6	3	–	2	–	–
22	6	4	4	5	13	11	16	21	12	18	19	15	6	–	–	–
23	2	2	4	–	8	2	10	7	7	10	11	5	–	–	–	–
24	4	2	–	5	5	9	6	14	5	8	8	10	6	–	–	–
25	3	2	7	3	5	7	5	9	11	9	4	8	–	–	–	–
26	–	1	1	2	3	3	3	5	5	5	–	3	–	–	–	–
27	3	1	6	1	2	4	2	4	6	4	4	5	–	–	–	–
28	1	3	2	6	10	8	19	13	19	8	9	4	2	–	–	–
29	–	1	–	4	7	3	9	5	11	2	3	1	–	–	–	–
30	1	2	2	2	3	5	10	8	8	6	6	3	2	–	–	–
31	2	1	1	12	11	9	12	25	17	18	7	4	5	–	–	–
32	–	–	–	6	6	4	5	11	7	8	2	3	2	–	–	–
33	2	1	1	6	5	5	7	14	10	10	5	1	3	–	–	–
34	86	99	134	140	142	142	183	192	216	167	123	69	24	7	1	–
35	46	51	78	73	74	76	103	95	93	71	51	34	8	3	–	–
36	40	48	56	67	68	66	80	97	123	96	72	35	16	4	1	–

[2] Age at last birthday.

Table 4 Years.	Population, Deaths,[1] and Death Rates, per 1,000 Population: 1900 to 1922.		
	Population.	Deaths.	Death rates.
1900	2,805,346	51,156	18.2
1901	2,849,047	48,275	16.9
1902	2,889,386	47,491	16.4
1903	2,929,725	49,054	16.7
1904	2,970,064	48,482	16.3
1905	3,015,872	50,486	16.7
1906	3,089,029	50,624	16.4
1907	3,162,186	54,234	17.2
1908	3,235,343	51,788	16.0
1909	3,308,500	51,236	15.5
1910	3,380,151	54,407	16.1
1911	3,446,079	53,062	15.4
1912	3,512,007	52,400	14.9
1913	3,577,935	53,402	14.9
1914	3,643,863	52,978	14.5
1915	3,693,310	53,131	14.4
1916	3,775,720	56,366	14.9
1917	3,841,648	56,628	14.7
1918	3,907,576	78,842	20.2
1919	3,835,614	52,345	13.6
1920	3,852,356	53,632	13.9
1921	3,885,836	47,780	12.3
1922	3,936,056	51,115	13.0

[1] Exclusive of stillbirths.

Table 5 Years.	Mortality[1] of Males and Females: 1900 to 1922.					
	Deaths.		Deaths of males to 1,000 deaths of females.	Death rates[2] per 1,000 population.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1900	*25,934*	*25,222*	*1,028*	*18.9*	*17.5*	*1.4*
1901	24,858	23,417	1,061	–	–	–
1902	24,199	23,292	1,039	–	–	–
1903	25,157	23,897	1,050	–	–	–
1904	24,726	23,756	1,040	–	–	–
1905	*25,996*	*24,490*	*1,061*	*17.8*	*15.9*	*1.9*
1906	26,190	24,434	1,072	–	–	–
1907	28,023	26,211	1,069	–	–	–
1908	26,772	25,016	1,070	–	–	–
1909	26,320	24,916	1,056	–	–	–
1910	*28,259*	*26,148*	*1,081*	*17.1*	*15.3*	*1.8*
1911	27,526	25,536	1,078	–	–	–
1912	27,027	25,373	1,065	–	–	–
1913	28,039	25,363	1,106	–	–	–
1914	27,569	25,409	1,085	–	–	–
1915	*27,335*	*25,792*	*1,060*	*15.1*	*13.7*	*1.4*
1916	29,536	26,823	1,101	–	–	–
1917	29,622	27,005	1,097	–	–	–
1918	41,670	37,163	1,121	–	–	–
1919	26,407	25,930	1,018	–	–	–
1920	*26,625*	*27,004*	*986*	*14.1*	*13.8*	*.3*
1921	23,944	23,836	1,005	12.6	12.0	.6
1922	25,679	25,433	1,010	13.3	12.7	.6

[1] Exclusive of stillbirths.
[2] Rates are calculated on census population except for the years 1921 and 1922, for which the estimated population is used.

Table 6

Age Periods.	Deaths[1] at Specified Ages: Census Years 1900 to 1920.				
	1920.	1915.	1910.	1905.	1900.
All Ages.	**53,632**	**53,131**	**54,407**	**50,486**	**51,156**
Under 5 years	11,739	12,891	15,433	14,055	16,310
Under 1 year	8,382	9,490	11,499	10,519	11,500
5 to 9 years	1,129	1,026	1,091	1,017	1,347
10 to 14 years	689	648	678	734	673
15 to 19 years	957	984	1,002	1,050	1,146
20 to 29 years	3,282	3,234	3,329	3,562	3,904
30 to 39 years	3,916	3,823	4,102	4,149	4,034
40 to 49 years	4,554	4,825	4,615	4,139	3,896
50 to 59 years	6,154	6,058	5,501	5,174	4,692
60 to 69 years	7,784	7,323	7,168	6,346	5,687
70 to 79 years	8,049	7,613	6,977	6,106	5,608
80 years and over	5,370	4,667	4,471	4,101	3,837
Age unknown	9	39	40	53	22
	Death Rates per 1,000 Population at Specified Ages.				
All Ages.	**13.9**	**14.4**	**16.2**	**16.8**	**18.2**
Under 5 years	30.4	35.5	46.9	53.6	57.8
Under 1 year	111.9	126.1	162.6	208.0	190.1
5 to 9 years	3.1	3.1	3.7	3.7	5.3
10 to 14 years	2.1	2.1	2.4	2.8	2.9
15 to 19 years	3.2	3.1	3.4	4.0	4.8
20 to 29 years	4.9	4.6	5.2	6.3	7.0
30 to 39 years	6.4	6.5	7.4	8.2	8.8
40 to 49 years	9.1	10.3	11.0	11.2	12.0
50 to 59 years	17.2	19.1	19.9	21.4	21.3
60 to 69 years	37.5	40.5	43.1	41.1	41.0
70 to 79 years	85.5	87.1	79.2	83.2	85.8
80 years and over	193.0	177.5	191.3	179.6	197.8

[1] Exclusive of stillbirths.

Table 7 — Years.	Per Cent of Deaths[1] at Specified Ages — Both Sexes.			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1900	22.5	31.9	7.6	60.5
1901	20.6	28.9	7.8	63.3
1902	21.2	30.0	7.6	62.3
1903	20.9	29.2	7.1	63.7
1904	20.6	27.4	7.4	65.2
1905	20.8	27.8	7.1	65.1
1906	21.9	29.7	6.5	63.8
1907	20.8	27.5	6.6	66.0
1908	22.4	28.3	6.3	65.4
1909	20.9	27.9	6.1	66.0
1910	21.1	28.4	6.1	65.5
1911	19.9	26.4	6.1	67.5
1912	20.0	26.3	6.0	67.6
1913	18.9	25.8	6.0	68.2
1914	18.7	24.6	6.0	69.4
1915	17.9	24.3	6.1	69.7
1916	16.6	23.2	5.8	71.0
1917	16.5	22.5	5.9	71.6
1918	13.7	21.0	13.7	65.3
1919	14.8	20.7	7.3	72.0
1920	15.6	21.9	6.1	72.0
1921	14.7	19.7	5.3	75.0
1922	13.9	19.2	4.9	75.9

[1] Exclusive of stillbirths.

Table 8 — Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.				Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.			
	1922.	1921.	1920.	1919.		1922.	1921.	1920.	1919.
All Ages.	**1,010**	**1,005**	**986**	**1,018**	40 to 44 years	1,092	1,027	1,054	1,109
Under 1 year	1,394	1,383	1,343	1,303	45 to 49 years	1,089	1,137	1,106	1,149
1 year	1,179	1,070	1,131	1,123	50 to 54 years	1,166	1,175	1,052	1,126
2 years	1,470	1,186	1,111	1,239	55 to 59 years	1,156	1,054	1,032	1,175
3 years	1,052	1,201	1,165	1,265	60 to 64 years	1,033	1,022	1,042	1,017
4 years	988	1,219	1,027	1,039	65 to 69 years	969	951	979	1,005
5 to 9 years	1,323	1,213	1,167	1,227	70 to 74 years	895	922	912	923
10 to 14 years	1,132	1,222	1,167	1,173	75 to 79 years	774	802	812	805
15 to 19 years	1,079	945	937	1,137					
20 to 24 years	960	830	781	794	80 to 84 years	694	770	680	675
25 to 29 years	805	952	866	888	85 to 89 years	606	616	599	643
					90 to 94 years	539	462	514	537
30 to 34 years	1,027	874	867	1,006	95 to 99 years	526	469	614	457
35 to 39 years	1,065	995	1,004	1,122	100 years and over	250	333	231	312

Table 9

Age Periods and Years.	Deaths[1] of Males and Females at Specified Ages: 1913 to 1922.						
	Both sexes.		Males.		Females.		Female deaths per 1,000 male deaths.
	Number.	Per Cent distribution.	Number.	Per Cent distribution.	Number.	Per Cent distribution.	
All Ages.							
1913	53,402	100.0	28,039	100.0	25,363	100.0	905
1914	52,978	100.0	27,569	100.0	25,409	100.0	922
1915	53,131[2]	100.0	27,335	100.0	25,792	100.0	943
1916	56,366[3]	100.0	29,536	100.0	26,823	100.0	908
1917	56,628[4]	100.0	29,622	100.0	27,005	100.0	912
1918	78,842[5]	100.0	41,670	100.0	37,163	100.0	892
1919	52,345[6]	100.0	26,407	100.0	25,930	100.0	982
1920	53,632[7]	100.0	26,625	100.0	27,004	100.0	1,014
1921	47,780	100.0	23,944	100.0	23,836	100.0	995
1922	51,115[7]	100.0	25,679	100.0	25,433	100.0	990
Under 1 Year.							
1913	10,086	18.9	5,786	20.6	4,300	17.0	743
1914	9,894	18.7	5,580	20.2	4,314	16.9	773
1915	9,490[7]	17.9	5,334	19.5	4,153	16.1	779
1916	9,334	16.6	5,303	18.0	4,031	15.0	760
1917	9,325	16.5	5,326	18.0	3,999	14.8	751
1918	10,820[8]	13.7	6,120	14.7	4,698	12.6	768
1919	7,769[9]	14.8	4,395	16.6	3,373	13.0	767
1920	8,382	15.6	4,804	18.0	3,578	13.2	745
1921	7,005	14.7	4,066	17.0	2,939	12.3	723
1922	7,129[7]	13.9	4,150	16.2	2,976	11.7	717
Under 5 Years.							
1913	13,773	25.8	7,720	27.5	6,053	23.9	784
1914	13,025	24.6	7,213	26.2	5,812	22.9	806
1915	12,891[7]	24.3	7,096	26.0	5,792	22.5	816
1916	13,099	23.2	7,300	24.7	5,799	21.6	794
1917	12,728	22.5	7,157	24.2	5,571	20.6	778
1918	16,548[3]	21.0	9,089	21.8	7,457	20.0	820
1919	10,813[9]	20.7	6,031	22.8	4,781	18.4	793
1920	11,739	21.9	6,577	24.7	5,162	19.1	785
1921	9,432	19.7	5,356	22.4	4,076	17.1	761
1922	9,807[7]	19.2	5,604	21.8	4,200	16.5	749
20 to 29 Years.							
1913	3,211	6.0	1,711	6.1	1,500	5.9	876
1914	3,169	6.0	1,660	6.0	1,509	5.9	909
1915	3,234	6.1	1,685	6.2	1,549	6.0	919
1916	3,265	5.8	1,734	5.9	1,531	5.7	883
1917	3,347	5.9	1,760	5.9	1,587	5.9	902
1918	10,816	13.7	5,657	13.6	5,159	13.9	912
1919	3,797	7.3	1,741	6.6	2,056	8.0	1,181
1920	3,282	6.1	1,487	5.6	1,795	6.7	1,207
1921	2,523	5.3	1,192	5.0	1,331	5.6	1,117
1922	2,511	4.9	1,169	4.6	1,342	5.3	1,148
All Other Ages.							
1913	36,418	68.2	18,608	66.4	17,810	70.2	957
1914	36,784	69.4	18,696	67.8	18,088	71.2	967
1915	37,006[9]	69.7	18,554	67.9	18,451	71.6	994
1916	40,002[3]	71.0	20,502	69.4	19,493	72.7	951
1917	40,553[4]	71.6	20,705	69.9	19,847	73.5	959
1918	51,478[3]	65.3	26,924	64.6	24,547	66.1	912
1919	37,735[10]	72.0	18,635	70.6	19,093	73.6	1,024
1920	38,611[11]	72.0	18,561	69.7	20,047	74.2	1,080
1921	35,825	75.0	17,396	72.6	18,429	77.3	1,059
1922	38,800[12]	75.9	18,906	73.6	19,891	78.2	1,052

[1] Exclusive of stillbirths.
[2] Includes 4 deaths, sex not reported.
[3] Includes 7 deaths, sex and age not reported.
[4] Includes 1 death, sex and age not reported.
[5] Includes 9 deaths, sex not reported.
[6] Includes 8 deaths, sex not reported.
[7] Includes 3 deaths, sex not reported.
[8] Includes 2 deaths, sex not reported.
[9] Includes 1 death, sex not reported.
[10] Includes 7 deaths, sex not reported.
[11] Includes 9 deaths, age not reported.
[12] Includes 10 deaths, age not reported.

Table 10

DEATHS OF PERSONS 100 YEARS OF AGE AND OVER: **1922.**

Age at Death. Yrs.	Age at Death. Mos.	Sex.	Place of death.	Place of birth.	Marital condition.	Date of death.	Name (and maiden name of married and widowed women).
108	–	F.	Boston	Russia	Widowed	Oct. 3	Bessie Goldstein, m. n. Cohen.
107	–	F.	Weston	London, England	Widowed	Jan. 30	Ann Lewis Renton, m. n. Lewis.
106	–	F.	Watertown	Ireland	Single	Apr. 29	Catherine McLaughlin.
105	–	M.	Great Barrington.	England	Widowed	June 11	John Dailey.
103	4	F.	Amesbury	Amesbury, Mass.	Widowed	Jan. 11	Susan M. Donnell, m. n. Quimby.
103	–	M.	Gardner	Ireland	Widowed	Apr. 5	Patrick O'Hearn.
103	–	F.	Newburyport	Ireland	Widowed	Dec. 7	Catherine Toomey Buckley, m. n. Toomey.
102	6	M.	Lynn	Marblehead	Widowed	Mar. 1	Samuel Cox.
102	3	F.	Dracut	Potton, Canada	Widowed	Apr. 10	Clarissa P. Smith, m. n. Foster.
102	2	F.	Boston	Ireland	Widowed	Oct. 31	Mary Mulvihill, m. n. Callahan.
101	10	M.	West Newbury.	West Newbury	Widowed	Aug. 28	Alonzo Parker Jacques.
101	–	F.	Attleboro	England	Widowed	Oct. 8	Mary Walker, m. n. Carroll.
101	–	F.	Franklin	Lancaster, N. H.	Widowed	Sept. 7	Harriet Nancy Burnham, m. n. Boutelle.
101	–	F.	Boston	Italy	Widowed	Dec. 2	Anna D'Amato, m. n. Barone.
100	8	F.	Dennis	Sandwich, N. H.	Widowed	Dec. 14	Aphia Marion Tripp, m. n. unknown.
100	5	F.	Swansea	Middletown, Conn.	Widowed	Mar. 10	Harriet Louisa Martin, m. n. unknown.
100	3	F.	Dedham	Providence, Maryland.	Widowed	May 30	Hannah M. Drummond, m. n. Scarborough.
100	3	M.	Quincy	Nova Scotia	Widowed	Apr. 26	Peter Dorley.
100	3	F.	Leominster	Berlin, Mass.	Widowed	Sept. 11	Mary S. Carter, m. n. Barnes.
100	3	F.	Taunton	Taunton	Widowed	Nov. 30	Susan Dean Presbrey, m. n. Williams.
100	2	F.	Northampton	Easthampton	Widowed	Jan. 9	Tirzah Eliza Strong, m. n. Hendrick.
100	1	F.	Sandwich	Provincetown	Widowed	Dec. 20	Abigail F. Cooke, m. n. Conant.
100	1	F.	Springfield	Enfield, Conn.	Widowed	Sept. 17	Matilda M. Washburn, m. n. Allen.
100	1	F.	Northampton	Northampton	Single	Nov. 3	Helen Maria Prentiss.
100	–	F.	Worcester	Turkey	Widowed	Feb. 12	Anna Casparian or Baldasanian, m. n. unknown.

Table 11

Years.	Deaths of Persons 100 Years of Age and Over: 1900 to 1922.									
	Total.	Sex.		Nativity.			Marital condition.				Age of oldest decedent.
		Males.	Females.	Native.	Foreign.	Unknown.	Single.	Married.	Widowed.	Unknown.	
1900 . . .	19	4	15	10	9	–	–	2	17	–	110
1901 . . .	9	2	7	5	4	–	–	–	9	–	106
1902 . . .	20	7	13	10	10	–	1	1	18	–	111
1903 . . .	19	6	13	10	9	–	1	–	18	–	105
1904 . . .	24	6	18	15	9	–	4	1	19	–	105
1905 . . .	16	6	10	5	11	–	1	2	13	–	110
1906 . . .	21	7	14	11	10	–	3	–	18	–	107
1907 . . .	23	6	17	11	12	–	–	1	22	–	112
1908 . . .	22	8	14	10	12	–	2	–	20	–	106
1909 . . .	13	2	11	5	7	1	1	1	11	–	108
1910 . . .	23	9	14	12	11	–	3	2	18	–	106
1911 . . .	17	8	9	8	9	–	1	2	14	–	108
1912 . . .	21	6	15	12	9	–	–	–	21	–	112
1913 . . .	18	4	14	10	8	–	2	–	16	–	104
1914 . . .	20	4	16	7	13	–	–	–	20	–	113
1915 . . .	25	10	15	15	10	–	–	3	22	–	105
1916 . . .	21	9	12	10	11	–	–	1	20	–	111
1917 . . .	29	10	19	15	14	–	4	2	23	–	108
1918 . . .	21	7	14	9	12	–	3	–	18	–	112
1919 . . .	21	5	16	11	10	–	3	3	15	–	113
1920 . . .	16	3	13	8	8	–	–	1	15	–	104
1921 . . .	19	4	15	9	10	–	1	1	17	–	107
1922 . . .	25	5	20	13	12	–	2	–	23	–	108

Table 12 — Deaths by Sex, Age, and Marital Condition: 1922.

Age at Death.	Both Sexes.	Males.						Females.					
		Total.	Single.	Married.	Widowed.	Divorced.	Unknown.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.
The State.													
15 Years and Over.	**39,729**	**19,200**	**4,036**	**10,595**	**4,243**	**213**	**113**	**20,529**	**3,701**	**8,335**	**8,298**	**172**	**23**
15 to 19 years	811	421	420	1	–	–	–	390	331	57	1	1	–
20 to 29 years	2,511	1,169	821	333	8	3	4	1,342	537	780	14	10	1
30 to 39 years	3,318	1,697	617	1,009	47	18	6	1,621	300	1,234	59	26	2
40 to 49 years	4,611	2,405	552	1,636	151	44	22	2,206	422	1,535	212	33	4
50 to 59 years	6,383	3,429	602	2,345	390	59	33	2,954	497	1,733	687	34	3
60 to 69 years	8,311	4,155	544	2,642	890	48	31	4,156	632	1,701	1,786	30	7
70 to 79 years	8,298	3,780	355	1,915	1,467	31	12	4,518	587	1,064	2,837	27	3
80 years and over	5,476	2,136	123	713	1,290	10	–	3,340	395	229	2,702	11	3
Unknown age	10	8	2	1	–	–	5	2	–	2	–	–	–
Boston.													
15 Years and Over.	**8,641**	**4,285**	**1,064**	**2,357**	**772**	**42**	**50**	**4,356**	**910**	**1,784**	**1,609**	**40**	**13**
15 to 19 years	197	100	100	–	–	–	–	97	83	13	1	–	–
20 to 29 years	655	314	226	86	–	–	2	341	135	198	5	2	1
30 to 39 years	859	447	179	244	16	3	5	412	66	312	23	10	1
40 to 49 years	1,236	669	149	457	42	10	11	567	101	394	60	8	4
50 to 59 years	1,648	955	169	643	115	11	17	693	134	366	184	7	2
60 to 69 years	1,808	906	142	551	193	10	10	902	159	320	414	6	3
70 to 79 years	1,420	618	74	292	242	8	2	802	135	144	519	4	–
80 years and over	813	272	25	83	164	–	–	541	97	36	403	3	2
Unknown age	5	4	–	1	–	–	3	1	–	1	–	–	–

Table 13

Counties and Cities having over 50,000 Inhabitants in 1920 (Grouped in order of population).	Deaths,[1] in Counties and in Cities having over 50,000 Inhabitants, by Months: 1922.												
	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**51,115**	**4,593**	**5,020**	**5,551**	**4,522**	**4,184**	**3,569**	**3,443**	**3,625**	**3,468**	**3,976**	**4,231**	**4,933**
Average daily number of deaths	140.0	148.0	179.3	179.0	150.7	135.0	119.0	111.1	116.9	115.6	128.3	141.0	159.1
Counties.													
Suffolk	12,325	1,096	1,219	1,338	1,120	958	829	795	880	843	1,002	1,045	1,200
Middlesex	9,728	883	998	1,032	840	796	731	640	640	623	782	802	961
Essex	6,220	543	602	607	595	532	491	453	431	403	467	502	594
Worcester	5,916	589	629	601	496	525	375	414	409	397	432	493	556
Bristol	5,120	413	517	638	458	390	312	344	371	393	384	426	474
Hampden	3,704	322	341	410	323	287	245	260	284	264	284	304	370
Norfolk	2,481	224	238	282	208	225	177	151	141	169	202	209	255
Plymouth	2,100	190	198	249	183	169	162	163	173	139	139	160	175
Berkshire	1,405	134	109	139	124	127	103	80	120	104	104	122	139
Hampshire	930	91	83	117	73	69	53	60	83	53	81	76	91
Franklin	603	52	45	71	57	55	45	47	36	37	54	43	61
Barnstable	450	39	32	50	36	41	38	32	41	28	32	37	44
Dukes	77	6	7	5	5	7	5	3	10	7	7	8	7
Nantucket	56	1	2	12	4	3	3	1	6	8	6	4	6
Cities over 100,000.													
Boston	11,415	1,028	1,120	1,244	1,043	880	765	746	808	789	930	968	1,094
Worcester	2,440	239	273	241	193	243	145	170	173	162	177	188	236
Springfield	1,598	149	141	180	143	122	102	104	115	111	131	137	163
New Bedford	1,566	120	165	202	156	119	88	89	108	134	128	118	139
Fall River	1,939	155	197	261	152	146	110	133	153	138	136	181	177
Lowell	1,535	142	161	149	127	126	96	116	110	110	146	125	127
Cambridge	1,464	139	137	170	122	99	106	102	91	100	123	113	162
Cities 50,000 to 100,000.													
Lynn	1,199	85	109	120	120	101	89	92	87	82	85	97	132
Lawrence	1,123	107	120	111	109	80	90	87	77	66	81	88	107
Somerville	1,021	113	118	92	75	86	81	63	64	46	89	83	111
Brockton	737	69	68	88	64	65	52	46	67	41	48	61	68
Holyoke	861	73	87	89	82	70	61	51	76	54	68	62	88
Haverhill	662	49	67	66	55	47	59	51	41	36	52	63	76

[1] Exclusive of stillbirths.

Causes of Death.

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	ALL CAUSES.	T	51,115	4,593	5,020	5,551	4,522	4,184	3,569	3,443	3,625	3,468	3,976	4,231	4,933
		M	25,679	2,350	2,420	2,777	2,237	2,104	1,845	1,777	1,820	1,752	2,017	2,112	2,468
		F	25,433	2,243	2,600	2,771	2,285	2,080	1,724	1,666	1,805	1,716	1,959	2,119	2,465
		Un.	3	–	–	3	–	–	–	–	–	–	–	–	–
I.	Epidemic, Endemic and Infectious Diseases.	T	6,299	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,381	292	367	373	329	283	255	201	225	215	254	255	332
		F	2,918	224	326	332	274	256	197	177	203	208	216	224	281
1	Typhoid and paratyphoid fever.	T	86	–	–	–	–	–	–	–	–	–	–	–	–
		M	55	4	3	1	2	3	3	2	6	14	6	5	6
		F	31	3	–	1	–	4	–	3	5	5	6	1	3
1a	Typhoid fever	T	86	–	–	–	–	–	–	–	–	–	–	–	–
		M	55	4	3	1	2	3	3	2	6	14	6	5	6
		F	31	3	–	1	–	4	–	3	5	5	6	1	3
1b	Paratyphoid fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Typhus fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Relapsing fever (spirillum obermeieri).	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Malta fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Malaria	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	2	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
6	Small-pox	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Measles	T	218	–	–	–	–	–	–	–	–	–	–	–	–
		M	119	1	13	6	13	19	11	5	4	1	4	12	30
		F	99	2	3	9	7	13	6	5	2	3	10	23	16
8	Scarlet fever	T	149	–	–	–	–	–	–	–	–	–	–	–	–
		M	71	12	12	10	6	4	6	2	8	2	1	4	4
		F	78	6	14	7	9	11	5	3	3	3	5	3	9
9	Whooping cough	T	294	–	–	–	–	–	–	–	–	–	–	–	–
		M	131	6	11	9	9	8	3	5	10	25	13	16	16
		F	163	7	10	13	8	14	5	4	17	23	18	11	33
10	Diphtheria	T	606	–	–	–	–	–	–	–	–	–	–	–	–
		M	304	44	23	28	16	17	16	10	15	20	35	41	39
		F	302	41	21	18	22	21	9	10	18	20	31	43	48
11	Influenza	T	569	–	–	–	–	–	–	–	–	–	–	–	–
		M	259	24	77	67	28	17	5	2	4	1	4	3	27
		F	310	22	95	99	34	17	1	2	2	5	3	8	22
11a	With pulmonary complications specified.	T	399	–	–	–	–	–	–	–	–	–	–	–	–
		M	185	13	59	48	20	13	2	2	1	1	4	2	20
		F	214	18	66	74	21	7	–	1	1	4	3	4	15
11b	Without pulmonary complications specified.	T	170	–	–	–	–	–	–	–	–	–	–	–	–
		M	74	11	18	19	8	4	3	–	3	–	–	1	7
		F	96	4	29	25	13	10	1	1	1	1	–	4	7

Causes of Death.

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: **1922.**

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	7,129	1,360	578	396	344	950	629	811	2,511	3,318	4,611	6,383	8,311	8,298	4,675	776	25	10
	4,150	736	344	203	171	541	334	421	1,169	1,697	2,405	3,429	4,155	3,780	1,860	271	5	8
	2,976	624	234	193	173	409	295	390	1,342	1,621	2,206	2,954	4,156	4,518	2,815	505	20	2
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	311	224	138	82	66	174	57	120	469	525	475	383	220	95	34	8	–	–
	292	212	91	79	73	160	89	176	548	407	291	182	139	129	43	6	1	–
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	2	4	7	13	12	6	6	4	–	–	–	–	–
	–	–	–	–	–	1	3	3	6	9	5	2	–	2	–	–	–	–
1a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	2	4	7	13	12	6	6	4	–	–	–	–	–
	–	–	–	–	–	1	3	3	6	9	5	2	–	2	–	–	–	–
1b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	33	47	17	6	2	13	1	–	–	–	–	–	–	–	–	–	–	–
	22	44	12	8	7	3	–	–	–	–	2	–	–	1	–	–	–	–
8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	13	11	5	7	20	4	1	3	4	1	–	–	–	–	–	–	–
	5	8	8	9	10	15	7	2	8	4	1	1	–	–	–	–	–	–
9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	74	30	17	6	1	3	–	–	–	–	–	–	–	–	–	–	–	–
	92	44	14	7	1	5	–	–	–	–	–	–	–	–	–	–	–	–
10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	27	47	50	31	37	86	15	6	2	2	1	–	–	–	–	–	–	–
	28	43	32	37	42	90	11	4	6	2	5	–	1	1	–	–	–	–
11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	28	18	8	6	2	6	–	8	13	27	27	34	22	31	24	5	–	–
	32	12	9	3	2	4	8	5	16	26	30	32	38	66	23	4	–	–
11a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	21	13	6	6	2	5	–	5	9	17	24	27	14	23	10	3	–	–
	23	11	6	2	–	2	5	3	13	17	21	24	33	42	11	1	–	–
11b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	5	2	–	–	1	–	3	4	10	3	7	8	8	14	2	–	–
	9	1	3	1	2	2	3	2	3	9	9	8	5	24	12	3	–	–

Detailed Int. List No.	Table 14 Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
I.	Epidemic, Endemic and Infectious Diseases — Con.														
12	Miliary fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
13	Mumps	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
14	Asiatic cholera	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Cholera nostras	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	1	–	–	–
		F	3	–	–	–	–	–	–	–	3	–	–	–	–
16	Dysentery	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	1	2	–	1	–	1	1	6	2	1	1	2
		F	11	–	1	–	–	3	1	1	3	1	–	–	1
16*a*	Amebic	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
16*b*	Bacillary	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	1	–	1	–	–	–	1	1	–	–	–
		F	2	–	–	–	–	2	–	–	–	–	–	–	–
16*c*	Unspecified or due to other causes.	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	1	1	5	1	–	1	2
		F	8	–	1	–	–	–	1	1	3	1	–	–	1
17	Plague	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
17*a*	Bubonic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
17*b*	Pneumonic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
17*c*	Septicemic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
17*d*	Unspecified	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Yellow fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Spirochetal hemorrhagic jaundice	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Leprosy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Erysipelas	T	126	–	–	–	–	–	–	–	–	–	–	–	–
		M	66	5	11	13	5	11	6	1	1	2	–	3	8
		F	60	4	8	5	7	5	11	4	3	4	2	4	3

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: **1922** — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	2	2	–	–	–	–	–	1	–	1	1	3	3	–	–	–	–
	3	2	–	–	1	–	–	–	–	1	1	–	2	–	1	–	–	–
16*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
16*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
16*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	1	–	–	–	–	–	1	–	1	1	2	1	–	–	–	–
	3	1	–	–	1	–	–	–	–	1	–	–	1	–	1	–	–	–
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	23	–	–	–	1	–	1	1	2	4	8	7	9	6	2	2	–	–
	20	1	1	–	–	–	3	–	1	5	8	5	5	5	5	–	1	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
I.	Epidemic, Endemic and Infectious Diseases — Con.														
22	Acute poliomyelitis	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	–	1	–	–	1	1	5	7	1	1	1	2
		F	13	–	–	–	2	–	–	4	3	–	1	2	1
23	Lethargic encephalitis	T	83	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	3	1	4	12	5	1	1	1	1	3	2	1
		F	48	4	4	6	10	3	3	2	4	2	5	3	2
24	Meningococcus meningitis	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	5	1	2	3	1	–	–	1	1	5	3	5
		F	20	–	2	5	2	2	2	–	2	–	1	1	3
25	Other epidemic and endemic diseases.	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	1	1	1	–	–	–	–	1	–	1
		F	4	1	–	–	–	1	–	1	–	–	–	1	–
25a	Chicken pox	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	1	–	1	–	–	–	–	1	–	1
		F	3	1	–	–	–	1	–	1	–	–	–	–	–
25b	German measles	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
25c	Others under this title	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Glanders	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
27	Anthrax	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
28	Rabies	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	–	–	2
		F	3	–	–	–	–	–	1	–	–	–	1	1	–
29	Tetanus	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	2	–	–	–	1	1	6	–	2	1	2
		F	5	–	–	1	–	1	1	–	–	1	1	–	–
30	Mycoses	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
31–37	Tuberculosis (total)	T	3,736	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,085	173	189	217	218	185	189	152	142	130	165	147	178
		F	1,651	120	160	159	163	152	140	131	128	132	119	115	132
31	Tuberculosis of the respiratory system.	T	3,167	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,776	152	166	191	184	145	155	138	119	108	135	130	153
		F	1,391	107	138	134	132	130	115	110	110	105	102	95	113
32	Tuberculosis of the meninges and central nervous system.	T	249	–	–	–	–	–	–	–	–	–	–	–	–
		M	123	11	9	11	14	16	14	6	5	7	14	8	8
		F	126	4	7	16	17	10	11	11	8	15	10	11	6
33	Tuberculosis of the intestines and peritoneum.	T	118	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	3	6	6	4	11	6	3	3	5	8	1	5
		F	57	6	7	4	4	5	6	5	4	2	5	5	4
34	Tuberculosis of the vertebral column.	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	4	2	1	3	3	2	–	3	–	3	3	1
		F	13	–	1	1	–	3	1	–	1	1	1	1	3

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1922 — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	2	2	5	1	1	3	1	–	–	–	–	–	–	–	–
	–	1	–	1	–	4	5	–	1	–	–	1	–	–	–	–	–	–
23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	2	1	2	1	3	3	5	6	6	3	1	–	–	–	–
	–	4	1	1	1	2	2	6	3	11	7	8	1	1	–	–	–	–
24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	7	4	1	–	3	–	–	3	–	1	–	–	–	1	–	–	–
	3	2	–	3	1	3	2	2	–	–	1	–	1	2	–	–	–	–
25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	1	–	5	3	–	1	1	–	1	1	1	–	–	–	–
	–	–	–	–	1	2	–	–	–	–	1	1	–	–	–	–	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
31–37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	58	51	24	20	11	28	24	91	416	451	386	305	166	47	6	1	–	–
	44	47	14	10	6	28	47	151	498	337	209	123	78	49	10	–	–	–
31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	10	6	2	3	8	10	77	386	422	359	286	145	43	5	1	–	–
	11	10	2	1	2	6	28	136	461	308	191	115	66	45	9	–	–	–
32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	30	29	11	8	5	15	4	3	8	6	2	–	2	–	–	–	–	–
	22	29	12	6	4	16	11	4	10	5	3	1	3	–	–	–	–	–
33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	6	1	4	2	5	2	5	5	6	7	5	8	1	1	–	–	–
	4	3	–	–	–	4	2	6	16	7	5	4	5	1	–	–	–	–
34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	3	2	5	5	1	4	3	–	–	–	–	–
	–	–	–	1	–	1	2	–	2	4	1	–	2	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) from List, by Months and Sex	Months — Con.											
I.	Epidemic, Endemic and Infectious Diseases — Con.														
35	Tuberculosis of the joints	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	–	3	1	1	–	1	–	–	–
		F	3	–	1	–	–	–	2	–	–	–	–	–	–
36	Tuberculosis of other organs	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	1	1	3	5	1	2	1	4	6	2	1	2
		F	18	1	1	2	2	2	1	1	1	2	–	2	3
36a	Tuberculosis of the skin and subcutaneous cellular tissue.	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
36b	Tuberculosis of the bones (vertebral column excepted).	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	–	–	3	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
36c	Tuberculosis of the lymphatic system (mesenteric and retroperitoneal glands excepted).	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	2	–	1	–	–	–	1	–	–
		F	2	–	–	1	–	1	–	–	–	–	–	–	–
36d	Tuberculosis of the genito-urinary system.	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	–	2	3	1	1	1	1	4	–	1	1
		F	11	–	–	–	2	1	1	1	1	2	–	1	2
36e	Tuberculosis of organs other than the above.	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1	1	–	1
		F	3	–	–	1	–	–	–	–	–	–	–	1	1
37	Disseminated tuberculosis	T	107	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	2	4	5	8	6	9	3	8	3	3	4	9
		F	43	2	5	2	8	2	4	4	4	7	1	1	3
37a	Acute	T	88	–	–	–	–	–	–	–	–	–	–	–	–
		M	53	1	1	4	7	5	9	2	7	3	3	4	7
		F	35	2	5	1	8	1	4	3	3	4	1	1	2
37b	Chronic	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	3	1	1	1	–	1	1	–	–	–	2
		F	8	–	–	1	–	1	–	1	1	3	–	–	1
38	Syphilis	T	213	–	–	–	–	–	–	–	–	–	–	–	–
		M	135	7	18	13	14	7	7	10	12	12	12	15	8
		F	78	9	4	6	8	5	6	6	7	6	11	5	5
39	Soft chancre	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Gonococcus infection	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	12	–	1	1	–	2	2	1	1	1	2	1	–
41	Purulent infection, septicemia	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	4	3	2	1	4	2	1	2	2	–	1	1
		F	23	5	3	1	2	2	4	–	2	1	–	1	2
42	Other infectious diseases	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	General Diseases not included above.	T	6,671	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,721	228	206	267	217	227	220	211	215	204	232	233	261
		F	3,950	318	332	380	353	324	323	313	342	279	328	313	345
43–49	Cancer and other malignant tumors (total).	T	4,650	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,806	154	140	170	137	159	150	153	138	131	146	155	173
		F	2,844	236	225	269	237	236	243	237	251	214	249	207	240

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: **1922** — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	3	1	–	–	2	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	1	1	–	–	2	4	5	3	5	2	3	–	–	–	–
	1	–	–	–	–	–	1	2	1	5	3	2	1	2	–	–	–	–
36*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
36*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
36*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	1	–	–	–	–	–	–	–	2	2	–	–	–	–
	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
36*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	2	4	2	4	–	1	–	–	–	–
	–	–	–	–	–	–	–	1	1	3	3	2	1	–	–	–	–	–
36*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	5	5	4	–	–	2	1	8	7	12	5	6	–	–	–	–	–
	5	5	–	2	–	1	3	3	7	8	6	1	1	1	–	–	–	–
37*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	5	5	4	–	–	2	–	7	4	9	4	4	–	–	–	–	–
	5	5	–	2	–	1	3	3	6	5	4	1	–	–	–	–	–	–
37*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	3	3	1	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	3	2	–	1	1	–	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40	1	–	1	1	–	1	1	5	18	36	19	10	2	–	–	–	–
	33	1	–	–	–	–	–	3	1	7	15	8	8	–	1	1	–	–
39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	2	3	4	–	–	–	–	–	–	–
41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	3	3	–	–	1	–	1	3	–	1	2	1	3	1	–	–	
	4	1	–	–	–	2	–	–	4	1	2	1	3	2	3	–	–	
42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18	14	9	8	6	22	28	36	61	152	338	647	715	520	142	5	–	–
	11	16	6	7	4	18	31	18	84	208	608	890	1,040	705	273	30	–	1
43–49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	5	1	1	1	4	6	6	15	50	192	443	529	418	126	4	–	–
	–	–	–	1	1	3	5	3	28	144	458	672	726	547	229	26	–	1

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
II.	General Diseases not included above — Con.														
43	Of the buccal cavity	T	154	–	–	–	–	–	–	–	–	–	–	–	–
		M	133	10	11	14	16	9	14	12	11	9	8	10	9
		F	21	3	1	4	–	3	2	2	1	1	2	1	1
44	Of the stomach and liver	T	1,491	–	–	–	–	–	–	–	–	–	–	–	–
		M	746	73	49	66	54	62	65	61	57	55	58	72	74
		F	745	54	61	80	64	50	68	54	64	54	68	61	67
45	Of the peritoneum, intestines and rectum.	T	869	–	–	–	–	–	–	–	–	–	–	–	–
		M	346	20	29	38	31	34	21	28	25	30	29	28	33
		F	523	39	33	40	39	51	49	50	60	39	56	26	41
46	Of the female genital organs	T	663	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	663	52	54	59	61	48	58	54	54	52	61	54	56
47	Of the breast	T	527	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	1	1	–	1	–	–	–	1	–	–
		F	522	51	51	49	46	48	42	42	37	34	37	41	44
48	Of the skin	T	107	–	–	–	–	–	–	–	–	–	–	–	–
		M	67	6	11	7	4	6	2	5	5	6	7	4	4
		F	40	5	3	7	5	5	4	1	3	3	–	–	4
49	Of other or unspecified organs	T	839	–	–	–	–	–	–	–	–	–	–	–	–
		M	509	45	39	44	31	48	47	47	40	31	43	41	53
		F	330	32	22	30	22	31	20	34	32	31	25	24	27
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	2	1	–	–	–	–	–	–	–	1
		F	8	–	2	1	–	2	–	–	2	–	1	–	–
51	Acute rheumatic fever	T	116	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	4	10	3	10	8	4	3	3	5	3	2	3
		F	58	4	8	12	3	6	3	3	3	2	3	5	6
52	Chronic rheumatism, osteoarthritis, gout.	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	–	1	1	2	1	1	–	–	–
		F	38	3	5	3	4	1	3	8	4	–	1	3	3
53	Scurvy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
54	Pellagra	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	1	–	–	–
		F	7	–	–	1	–	1	–	1	1	1	–	1	1
55	Beriberi	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
56	Rickets	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	2	–	–	–	–	–	1	–	–	1	1
		F	6	1	1	1	–	–	–	–	–	–	2	1	–
57	Diabetes mellitus	T	948	–	–	–	–	–	–	–	–	–	–	–	–
		M	356	26	21	47	24	19	24	21	34	30	37	31	42
		F	592	49	57	62	65	43	45	29	48	30	47	61	56
58	Anemia, chlorosis	T	402	–	–	–	–	–	–	–	–	–	–	–	–
		M	154	11	11	15	13	12	17	13	17	7	14	14	10
		F	248	16	19	21	25	24	20	23	21	18	13	22	26
58a	Pernicious anemia	T	364	–	–	–	–	–	–	–	–	–	–	–	–
		M	144	10	11	14	11	12	17	12	15	7	13	12	10
		F	220	16	16	18	23	17	19	23	19	16	12	20	21

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1922 — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	3	15	28	47	24	14	1	–	–
	–	–	–	–	–	–	–	1	–	–	1	4	4	6	5	–	–	–
44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	1	–	3	15	78	202	237	163	42	3	–	–
	–	–	–	–	–	–	–	–	4	13	83	170	229	170	69	7	–	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	3	1	2	5	13	36	83	94	83	26	–	–	–
	–	–	–	–	–	–	1	1	3	23	57	112	151	118	54	3	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	7	66	158	181	139	84	24	3	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–
	–	–	–	–	–	–	–	–	7	32	109	134	109	89	34	7	–	1
48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	5	10	19	21	10	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	4	10	13	9	3	–	–
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	1	1	1	1	3	4	6	18	58	118	129	127	34	–	–	–
	–	–	–	1	1	3	3	1	7	10	49	67	84	67	34	3	–	–
50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	2	1	3	1	–	–	–
51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	3	9	9	10	7	5	1	6	4	3	–	–	–	–
	–	1	–	–	1	6	12	3	5	3	3	7	7	8	2	–	–	–
52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	1	2	–	2	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	3	7	10	11	4	1	–	–
53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	2	2	–	–	–	–	–	–
55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	1	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	1	–	4	10	14	17	22	40	72	102	60	10	1	–	–
	–	2	–	–	–	5	6	9	28	24	53	128	203	104	27	3	–	–
58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	1	1	–	3	9	24	45	38	25	6	–	–	–
	2	2	–	1	2	–	3	–	7	10	53	53	79	27	9	–	–	–
58a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	1	–	3	9	21	43	36	23	6	–	–	–
	2	–	–	1	–	–	2	–	3	8	49	49	77	23	6	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) from List, by Months and Sex	Months — Con.											
II.	General Diseases not included above — Con.														
58*b*	Other anemias and chlorosis	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	1	2	–	–	1	2	–	1	2	–
		F	28	–	3	3	2	7	1	–	2	2	1	2	5
59	Diseases of the pituitary gland	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
60	Diseases of the thyroid gland	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	1	–	–	–	–	–	1
		F	45	3	5	4	7	2	4	6	5	4	1	2	2
60*a*	Exophthalmic goiter	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	1	–	–	–	–	–	–
		F	22	3	3	1	4	2	3	1	3	–	–	1	1
60*b*	Other diseases of the thyroid gland.	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	23	–	2	3	3	–	1	5	2	4	1	1	1
61	Diseases of the parathyroid glands.	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
62	Diseases of the thymus gland	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
63	Diseases of the adrenals (Addison's disease).	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	1	–	–	–	–	–	–	–	–	1	1
		F	12	–	1	–	2	3	–	2	–	1	–	1	2
64	Diseases of the spleen	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	2	–	–	–	–	–	1	–	–	–
		F	3	–	1	–	–	2	–	–	–	–	–	–	–
65	Leukemia and Hodgkin's disease	T	91	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	6	6	6	5	3	3	3	5	3	1	6	7
		F	37	3	3	5	6	2	4	1	2	4	5	1	1
65*a*	Leukemia	T	58	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	3	3	3	3	2	1	1	3	2	1	5	5
		F	26	2	1	4	4	2	4	1	1	2	4	–	1
65*b*	Hodgkin's disease	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	3	3	3	2	1	2	2	2	1	–	1	2
		F	11	1	2	1	2	–	–	–	1	2	1	1	–
66	Alcoholism (acute or chronic)	T	238	–	–	–	–	–	–	–	–	–	–	–	–
		M	217	19	13	17	19	18	19	15	11	21	27	22	16
		F	21	1	–	1	3	1	–	–	2	3	5	3	2
67	Chronic poisoning by mineral substances.	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	1	2	3	–	–	–	–	1	–	1
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
67*a*	Chronic lead poisoning	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	2	2	–	–	–	–	1	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
67*b*	Others under this title	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
68	Chronic poisoning by organic substances.	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	–	–	1	–	1	1
		F	3	–	–	–	–	–	–	1	1	–	1	–	–

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1922 — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
58b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	3	2	2	2	–	–	–	–
	–	2	–	–	2	–	1	–	4	2	4	4	2	4	3	–	–	–
59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	1	4	9	14	7	8	1	1	–	–	–
60a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	1	3	5	5	4	3	–	1	–	–	–
60b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	4	9	3	5	1	–	–	–	–
61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	3	3	3	2	1	–	–	–	–
64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	3	2	1	3	1	3	6	8	5	11	2	7	–	–	–	–
	2	1	2	3	–	1	1	1	3	6	6	6	3	2	–	–	–	–
65a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	3	2	1	1	1	3	4	2	2	7	1	3	–	–	–	–
	2	1	2	3	–	1	1	1	1	3	4	3	2	2	–	–	–	–
65b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	2	6	3	4	1	4	–	–	–	–
	–	–	–	–	–	–	–	–	2	3	2	3	1	–	–	–	–	–
66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	9	51	64	60	31	2	–	–	–	–
	–	–	–	–	–	–	–	–	3	5	10	2	1	–	–	–	–	–
67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	3	2	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
67a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
67b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
II.	General Diseases not included above — Con.														
69	Other general diseases	T	57	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	4	2	2	4	2	1	1	5	3	3	–	4
		F	26	2	3	–	1	1	1	2	2	2	–	6	6
III.	Diseases of the Nervous System and of the Organs of Special Sense.	T	6,096	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,840	263	251	291	241	227	216	187	204	187	230	252	291
		F	3,256	308	289	307	300	273	231	215	236	234	263	282	318
70	Encephalitis	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	7	3	5	6	2	–	7	–	2	2	5	2
		F	32	2	2	2	7	3	3	1	2	4	2	3	1
71	Meningitis (does not include meningitis specified as meningococcic, tuberculous, rheumatic, etc.).	T	172	–	–	–	–	–	–	–	–	–	–	–	–
		M	103	6	12	14	10	9	10	10	6	4	4	5	13
		F	69	4	5	12	10	6	5	4	5	2	3	9	4
71a	Simple meningitis	T	116	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	5	8	8	6	4	6	6	4	2	4	4	13
		F	46	1	1	9	9	2	3	4	4	2	2	5	4
71b	Non-epidemic cerebrospinal meningitis.	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	1	4	6	4	5	4	4	2	2	–	1	–
		F	23	3	4	3	1	4	2	–	1	–	1	4	–
72	Tabes dorsalis (locomotor ataxia)	T	64	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	–	3	5	3	6	2	3	2	5	2	4	6
		F	23	4	2	3	2	3	1	1	1	1	1	2	2
73	Other diseases of the spinal cord	T	211	–	–	–	–	–	–	–	–	–	–	–	–
		M	105	5	9	10	10	9	11	5	14	4	10	9	9
		F	106	10	14	9	9	7	6	6	9	8	10	8	10
74	Cerebral hemorrhage, apoplexy	T	4,595	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,992	190	181	185	161	166	160	120	137	130	171	186	205
		F	2,603	255	233	236	229	216	187	161	192	186	210	231	267
74a	Cerebral hemorrhage	T	4,385	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,911	182	172	180	160	164	154	111	126	122	165	181	194
		F	2,474	239	222	226	225	206	178	152	184	177	200	221	244
74b	Cerebral thrombosis and embolism.	T	210	–	–	–	–	–	–	–	–	–	–	–	–
		M	81	8	9	5	1	2	6	9	11	8	6	5	11
		F	129	16	11	10	4	10	9	9	8	9	10	10	23
75	Paralysis without specified cause	T	144	–	–	–	–	–	–	–	–	–	–	–	–
		M	65	7	9	12	4	2	2	3	7	6	4	5	4
		F	79	2	11	7	4	5	6	10	2	5	8	12	7
75a	Hemiplegia	T	103	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	6	8	8	3	2	2	2	3	4	4	5	3
		F	53	2	9	4	4	3	4	6	1	2	6	8	4
75b	Others under this title	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	1	4	1	–	–	1	4	2	–	–	1
		F	26	–	2	3	–	2	2	4	1	3	2	4	3
76	General paralysis of the insane	T	242	–	–	–	–	–	–	–	–	–	–	–	–
		M	174	24	13	17	15	6	9	10	12	14	15	16	23
		F	68	8	5	5	5	4	3	5	5	6	10	3	9
77	Other forms of mental alienation	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	2	2	1	1	2	–	–	1	1	1	2	1
		F	38	2	–	7	5	2	2	3	2	3	5	4	3
78	Epilepsy	T	133	–	–	–	–	–	–	–	–	–	–	–	–
		M	73	3	4	10	8	4	4	7	8	7	3	9	6
		F	60	6	4	10	4	6	5	5	3	8	3	1	5

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1922 — Con.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	5	2	3	–	–	–	3	1	2	2	4	1	–	–	–	–	–
	6	6	3	2	–	3	2	1	3	–	–	–	–	–	–	–	–	–
III.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	112	35	17	10	3	41	25	25	50	124	243	419	674	694	316	52	–	–
	62	28	12	10	5	19	15	15	49	81	235	459	750	944	508	63	1	–
70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	2	1	1	4	4	3	3	7	3	5	2	–	1	–	–	–
	3	2	–	–	–	3	1	1	3	5	4	4	3	1	2	–	–	–
71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	29	12	10	6	–	9	3	4	3	1	6	12	5	2	1	–	–	–
	16	14	8	1	3	3	1	3	6	–	8	4	1	1	–	–	–	–
71a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	8	6	5	–	5	3	3	3	1	6	7	5	1	1	–	–	–
	8	10	6	–	3	3	1	2	4	–	4	3	1	1	–	–	–	–
71b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	4	4	1	–	4	–	1	–	–	–	5	–	1	–	–	–	–
	8	4	2	1	–	–	–	1	2	–	4	1	–	–	–	–	–	–
72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	12	7	16	3	1	–	–	–
	–	–	–	–	–	–	–	–	1	1	4	4	6	6	1	–	–	–
73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	–	3	–	1	3	9	12	19	31	20	4	1	–	–
	–	1	–	–	–	–	–	1	4	6	11	16	34	27	6	–	–	–
74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	1	–	–	1	2	–	2	8	34	105	302	575	622	285	48	–	–
	6	1	–	1	1	–	1	1	9	25	157	375	637	856	472	60	1	–
74a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	1	–	–	1	2	–	1	8	31	95	286	553	603	276	47	–	–
	6	1	–	1	–	–	–	1	6	18	146	357	607	824	448	58	1	–
74b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	3	10	16	22	19	9	1	–	–
	–	–	–	–	1	–	1	–	3	7	11	18	30	32	24	2	–	–
75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	2	6	3	13	24	13	3	–	–
	–	–	–	–	–	–	–	1	–	1	6	7	21	27	14	2	–	–
75a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	4	2	9	20	11	3	–	–
	–	–	–	–	–	–	–	–	–	–	4	6	15	16	11	1	–	–
75b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	2	1	4	4	2	–	–	–
	–	–	–	–	–	–	–	1	–	1	2	1	6	11	3	1	–	–
76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	6	41	58	35	17	13	4	–	–	–
	–	–	–	–	–	–	–	–	2	7	13	19	14	10	2	1	–	–
77.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	5	4	1	1	–	–	–	–
	–	–	–	–	–	–	1	1	4	3	12	7	7	2	1	–	–	–
78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	1	11	3	7	13	9	12	6	4	2	2	–	–	–
	–	–	1	3	1	5	1	2	7	15	7	5	9	2	2	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
III.	Diseases of the Nervous System and of the Organs of Special Sense — Con.														
79	Convulsions (non-puerperal) (5 years and over).	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	3	–	1	–	–	–	–	1	1	–	–	–	–
80	Infantile convulsions (under 5 years of age).	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	5	4	5	3	3	6	6	4	1	4	2	6
		F	30	2	2	1	6	5	4	2	2	1	1	1	3
81	Chorea	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
82	Neuralgia and neuritis	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	1	–	–	1	–	–	1	–	–	2	–	–
83	Softening of the brain	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	2	–	1	–	–	1	–	2	–	2
		F	14	–	–	1	–	–	–	3	3	3	1	–	3
84	Other diseases of the nervous system.	T	152	–	–	–	–	–	–	–	–	–	–	–	–
		M	83	1	6	9	12	5	8	8	10	8	4	4	8
		F	69	6	3	3	11	6	4	7	8	5	6	7	3
85	Diseases of the eye and annexa	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	1	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Diseases of the ear and of the mastoid process.	T	143	–	–	–	–	–	–	–	–	–	–	–	–
		M	86	11	5	15	8	12	3	7	2	5	8	4	6
		F	57	6	7	11	7	10	5	5	1	2	1	1	1
86*a*	Diseases of the ear	T	107	–	–	–	–	–	–	–	–	–	–	–	–
		M	65	9	5	10	7	9	2	5	–	3	5	4	6
		F	42	4	5	8	4	8	4	4	–	2	1	1	1
86*b*	Diseases of the mastoid process	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	2	–	5	1	3	1	2	2	2	3	–	–
		F	15	2	2	3	3	2	1	1	1	–	–	–	–
IV.	Diseases of the Circulatory System.	T	10,921	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,343	499	518	584	449	451	372	377	360	329	440	439	525
		F	5,578	505	558	600	540	468	413	361	336	347	428	496	526
87	Pericarditis	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	2	1	1	2	5	1	1	–	2	2	4
		F	13	–	2	2	2	–	1	1	2	1	–	–	2
88	Endocarditis and myocarditis (acute).	T	626	–	–	–	–	–	–	–	–	–	–	–	–
		M	315	21	34	43	34	25	16	26	20	14	23	21	38
		F	311	37	31	31	29	26	26	29	12	17	27	20	26
89	Angina pectoris	T	529	–	–	–	–	–	–	–	–	–	–	–	–
		M	310	36	27	24	20	22	16	24	30	18	33	29	31
		F	219	14	20	29	20	12	17	14	12	11	19	15	36
90	Other diseases of the heart	T	7,607	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,660	365	370	401	305	306	262	237	232	233	288	307	354
		F	3,947	369	405	437	393	327	285	240	233	242	280	372	364
91	Diseases of the arteries	T	1,889	–	–	–	–	–	–	–	–	–	–	–	–
		M	909	70	73	95	77	88	61	78	70	61	82	73	81
		F	980	76	91	93	86	98	75	69	71	67	94	77	83
91*a*	Aneurism	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	–	2	–	–	–	4	–	1	1	1
		F	5	–	–	–	1	–	–	1	–	–	–	2	1

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1922 — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	35	11	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	20	6	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–	–
83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	2	3	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	5	5	4	–	–	–
84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	2	2	1	–	7	3	3	6	7	16	20	6	2	2	–	–	–
	2	2	–	–	–	4	5	3	7	11	9	13	10	2	1	–	–	–
85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	30	4	1	1	–	4	11	4	7	10	6	5	2	1	–	–	–	–
	15	2	1	3	–	4	5	2	5	6	1	5	3	4	1	–	–	–
86*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	30	4	1	1	–	2	8	2	2	6	3	4	1	1	–	–	–	–
	15	2	1	2	–	3	2	1	3	3	1	3	1	4	1	–	–	–
86*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	3	2	5	4	3	1	1	–	–	–	–	–
	–	–	–	1	–	1	3	1	2	3	–	2	2	–	–	–	–	–
IV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	66	12	11	10	4	37	59	45	101	173	393	805	1,252	1,438	819	115	1	2
	42	13	10	3	5	36	54	51	104	196	344	614	1,178	1,553	1,143	224	8	–
87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	4	–	3	–	4	3	4	2	1	–	–	–
	1	–	1	–	–	1	–	–	–	–	1	3	2	2	2	–	–	–
88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	6	5	4	2	15	15	10	22	33	50	102	25	12	6	1	–	–
	3	4	4	2	4	14	17	15	17	29	61	99	18	14	9	1	–	–
89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	5	23	76	101	80	24	1	–	–
	–	–	–	–	–	–	–	–	–	2	5	22	70	83	33	4	–	–
90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	3	3	3	2	21	38	31	72	125	292	545	901	999	535	68	1	2
	10	7	2	–	–	20	37	34	86	151	259	429	908	1,124	746	130	4	–
91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	6	14	67	205	327	246	44	–	–
	–	–	–	–	–	–	–	–	–	2	6	45	166	322	347	88	4	–
91*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	3	4	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
IV.	Diseases of the Circulatory System — Con.														
91b	Arteriosclerosis	T	1,848	-	-	-	-	-	-	-	-	-	-	-	-
		M	889	68	72	94	75	88	59	78	66	61	80	71	77
		F	959	73	88	92	84	96	73	67	71	67	94	74	80
91c	Other diseases of the arteries	T	26	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	2	-	1	-	-	2	-	-	-	1	1	3
		F	16	3	3	1	1	2	2	1	-	-	-	1	2
92	Embolism and thrombosis (not cerebral).	T	93	-	-	-	-	-	-	-	-	-	-	-	-
		M	56	1	4	9	2	5	7	5	4	3	7	2	7
		F	37	2	4	1	2	4	1	3	2	1	4	5	8
93	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	T	43	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	1	3	1	-	1	1	1	-	1	-	1
		F	32	1	3	1	4	-	4	2	2	5	3	3	4
94	Diseases of the lymphatic system (lymphangitis, etc.).	T	90	-	-	-	-	-	-	-	-	-	-	-	-
		M	54	4	7	6	9	3	4	4	2	-	3	4	8
		F	36	5	1	5	4	1	4	3	2	3	1	4	3
95	Hemorrhage without specified cause.	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
96	Other diseases of the circulatory system.	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	2	-	-	-	1	-	-	1	1	1
		F	3	1	1	1	-	-	-	-	-	-	-	-	-
V.	Diseases of the Respiratory System.	T	6,260	-	-	-	-	-	-	-	-	-	-	-	-
		M	3,259	351	480	560	347	261	131	89	102	86	183	295	374
		F	3,001	318	513	517	292	213	93	76	73	83	152	268	403
97	Diseases of the nasal fossæ and their annexa.	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
97a	Diseases of the nasal fossæ	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
97b	Others under this title	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
98	Diseases of the larynx	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	3	2	4	2	3	-	-	2	1	-	1	1
		F	9	2	1	2	-	1	-	1	-	-	2	-	-
99	Bronchitis	T	461	-	-	-	-	-	-	-	-	-	-	-	-
		M	232	19	36	45	25	20	11	6	6	7	18	15	24
		F	229	24	43	35	24	14	11	5	7	5	12	24	25
99a	Acute	T	195	-	-	-	-	-	-	-	-	-	-	-	-
		M	94	6	16	19	11	8	6	2	2	3	5	6	10
		F	101	8	19	17	8	9	3	2	4	2	5	10	14
99b	Chronic	T	124	-	-	-	-	-	-	-	-	-	-	-	-
		M	62	6	9	6	5	7	3	3	2	2	6	7	6
		F	62	9	8	11	10	-	5	2	1	2	1	9	4
99c	Not otherwise defined (under 5 years of age).	T	76	-	-	-	-	-	-	-	-	-	-	-	-
		M	49	5	9	12	6	4	2	-	1	1	3	1	5
		F	27	2	5	3	3	2	1	1	-	1	3	2	4
99d	Not otherwise defined (5 years and over).	T	66	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	2	2	8	3	1	-	1	1	1	4	1	3
		F	39	5	11	4	3	3	2	-	2	-	3	3	3

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1922 — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
91b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	3	10	60	201	326	246	43	–	–
	–	–	–	–	–	–	–	–	–	2	4	42	163	321	336	87	4	–
91c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	3	3	1	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	2	1	11	1	–	–
92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	4	1	1	9	9	11	12	7	1	–	–
	4	–	–	–	–	–	–	–	1	5	7	5	5	4	5	1	–	–
93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	4	5	–	–	–	–
	–	–	–	–	–	–	–	–	–	4	5	11	9	3	–	–	–	–
94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	38	2	3	3	–	1	2	–	2	2	–	–	–	1	–	–	–	–
	24	2	3	1	1	1	–	2	–	1	–	–	–	1	–	–	–	–
95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–
V.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	831	303	75	49	27	45	29	41	92	206	296	343	381	326	188	25	1	1
	601	229	59	47	31	51	29	26	100	145	170	250	397	464	327	70	5	–
97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
97a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
97b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	4	–	3	1	1	–	–	1	1	1	2	1	–	–	–	–	–
	1	2	–	1	2	2	–	–	1	–	–	–	–	–	–	–	–	–
99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	91	14	2	1	1	1	–	–	–	5	2	14	16	37	41	7	–	–
	52	9	1	2	1	–	–	–	1	5	3	8	22	54	53	18	–	–
99a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	48	7	1	–	1	–	–	–	–	2	–	3	3	12	14	3	–	–
	29	5	–	2	1	–	–	–	–	1	2	1	8	18	26	8	–	–
99b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	–	–	–	–	–	–	–	3	1	8	11	20	15	1	–	–
	1	–	–	–	–	–	–	–	–	2	1	5	9	25	17	2	–	–
99c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	42	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	22	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
99d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	1	3	2	5	12	3	–	–
	–	–	–	–	–	–	–	–	1	2	–	2	5	11	10	8	–	–

Detailed Int. List No.	Table 14 Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
V.	Diseases of the Respiratory System — Con.														
100	Bronchopneumonia (including capillary bronchitis).	T	3,149	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,579	166	235	271	166	121	67	45	50	45	98	140	175
		F	1,570	165	248	253	167	112	48	46	33	47	89	153	209
100*a*	Bronchopneumonia . .	T	3,066	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,538	162	232	261	161	118	62	45	49	43	97	136	172
		F	1,528	160	238	249	164	109	48	45	33	45	87	150	200
100*b*	Capillary bronchitis . .	T	83	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	4	3	10	5	3	5	–	1	2	1	4	3
		F	42	5	10	4	3	3	–	1	–	2	2	3	9
101	Pneumonia	T	2,344	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,259	145	192	222	136	104	34	24	32	25	59	126	160
		F	1,085	115	210	210	93	76	28	18	23	23	44	87	158
101*a*	Lobar	T	2,238	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,202	138	185	214	126	100	34	24	31	24	56	120	150
		F	1,036	109	202	202	89	72	27	17	20	21	42	83	152
101*b*	Not otherwise defined . .	T	106	–	–	–	–	–	–	–	–	–	–	–	–
		M	57	7	7	8	10	4	–	–	1	1	3	6	10
		F	49	6	8	8	4	4	1	1	3	2	2	4	6
102	Pleurisy	T	159	–	–	–	–	–	–	–	–	–	–	–	–
		M	100	11	9	11	12	8	13	10	6	4	3	5	8
		F	59	4	4	12	6	7	5	2	6	4	3	1	5
103	Congestion and hemorrhagic infarct of the lung.	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	3	1	3	2	1	4	1	2	–	3	2	2
		F	23	5	3	5	–	–	–	3	–	3	1	–	3
104	Gangrene of the lung . . .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
105	Asthma	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	1	3	2	1	1	–	1	–	1	4	–
		F	14	2	2	–	1	2	1	1	1	–	1	1	2
106	Pulmonary emphysema . .	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	1	–	1	–	–	–	–
		F	3	–	2	–	–	–	–	–	–	–	–	1	–
107	Other diseases of the respiratory system (tuberculosis excepted).	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	2	3	1	2	3	–	3	2	4	1	2	4
		F	8	1	–	–	1	–	–	–	3	1	–	1	1
107*a*	Chronic interstitial pneumonia, including occupational diseases of the lung.	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
107*b*	Diseases of the mediastinum .	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
107*c*	Others under this title . .	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	2	3	1	2	3	–	3	1	4	1	2	4
		F	8	1	–	–	1	–	–	–	3	1	–	1	1
VI.	Diseases of the Digestive System.	T	3,372	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,771	148	115	143	103	106	129	167	207	219	164	138	132
		F	1,601	120	119	130	109	111	105	130	206	180	155	120	116
108	Diseases of the mouth and annexa	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	–	–	–	1	1	1	2	1	–
		F	10	1	3	–	–	1	–	2	–	1	1	1	–

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1922 — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	615	217	52	31	19	17	11	7	14	47	65	89	141	150	92	11	–	1
	462	165	41	27	14	26	15	5	27	40	46	73	166	243	180	37	3	–
100a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	596	208	52	31	19	17	11	6	13	47	64	88	138	149	88	10	–	1
	443	159	40	27	14	24	15	5	27	39	46	72	164	238	175	37	3	–
100b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	9	–	–	–	–	–	1	1	–	1	1	3	1	4	1	–	–
	19	6	1	–	–	2	–	–	–	1	–	1	2	5	5	–	–	–
101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	107	57	15	9	4	23	16	30	71	137	203	206	205	128	45	3	–	–
	81	49	16	15	11	18	11	20	65	93	111	159	193	147	82	13	1	–
101a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	92	52	15	9	4	21	16	30	68	128	198	199	200	123	44	3	–	–
	73	44	15	12	10	16	11	18	63	91	107	151	188	144	79	13	1	–
101b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15	5	–	–	–	2	–	–	3	9	5	7	5	5	1	–	–	–
	8	5	1	3	1	2	–	2	2	2	4	8	5	3	3	–	–	–
102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	11	4	5	2	3	1	3	5	12	13	19	6	8	2	–	–	–
	3	4	1	1	3	4	3	1	4	5	7	3	9	8	2	1	–	–
103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	1	–	5	2	3	–	4	4	1	–
	1	–	–	–	–	–	–	–	1	–	–	2	5	5	7	1	1	–
104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	–	–	–	–	–	–	3	2	4	1	4	–	–	–
	1	–	–	1	–	1	–	–	–	1	–	3	–	5	2	–	–	–
106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	1	–	–	–	1	1	–	4	4	8	3	2	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	3	2	1	–	–	–	–	–
107a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	1	–	–	–	1	1	–	4	4	7	3	2	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	3	2	1	–	–	–	–	–
VI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	632	87	38	11	17	42	24	32	81	107	164	181	189	120	39	6	–	1
	445	77	25	13	15	40	36	34	76	102	167	177	168	145	65	16	–	–
108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	1	–	1	–	1	1	–	–	1	–	–	–
	1	–	–	–	–	3	–	–	–	1	3	1	1	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
VI.	Diseases of the Digestive System — Con.														
109	Diseases of the pharynx and tonsils (including adenoid vegetations).	T	103	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	3	4	6	3	1	4	4	–	6	2	2	8
		F	60	6	5	4	6	7	8	4	3	3	6	1	7
109a	Adenoid vegetations	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
109b	Others under this title	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	3	4	6	3	1	4	4	–	6	2	2	8
		F	59	5	5	4	6	7	8	4	3	3	6	1	7
110	Diseases of the esophagus	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	1	1	–	1	–	–	2	–	–
		F	5	–	–	–	1	1	–	–	–	–	2	1	–
111	Ulcer of the stomach and duodenum.	T	219	–	–	–	–	–	–	–	–	–	–	–	–
		M	154	15	16	14	10	7	8	9	13	12	19	19	12
		F	65	5	6	6	4	7	6	3	6	4	4	7	7
111a	Ulcer of the stomach	T	132	–	–	–	–	–	–	–	–	–	–	–	–
		M	86	10	10	7	6	3	6	5	7	6	8	12	6
		F	46	4	5	3	2	5	4	2	4	3	2	6	6
111b	Ulcer of the duodenum	T	87	–	–	–	–	–	–	–	–	–	–	–	–
		M	68	5	6	7	4	4	2	4	6	6	11	7	6
		F	19	1	1	3	2	2	2	1	2	1	2	1	1
112	Other diseases of the stomach (cancer excepted).	T	184	–	–	–	–	–	–	–	–	–	–	–	–
		M	97	14	8	6	6	6	10	6	9	7	8	7	10
		F	87	5	11	13	4	3	6	7	9	5	7	10	7
113	Diarrhea and enteritis (under 2 years of age).	T	1,086	–	–	–	–	–	–	–	–	–	–	–	–
		M	623	31	27	46	21	28	35	66	110	115	64	46	34
		F	463	21	32	26	20	22	15	37	104	84	55	27	20
114	Diarrhea and enteritis (2 years and over).	T	240	–	–	–	–	–	–	–	–	–	–	–	–
		M	111	5	7	6	7	10	11	10	18	17	6	8	6
		F	129	8	5	12	4	8	5	11	22	16	16	15	7
115	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116	Diseases due to other intestinal parasites.	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	–	–	–	–	–	–	–	–	1	–
		F	2	–	2	–	–	–	–	–	–	–	–	–	–
116a	Cestodes (hydatids of the liver excepted).	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116b	Trematodes	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116c	Nematodes (other than ankylostoma).	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116d	Coccidia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
116e	Other parasites specified	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	–	1	–
		F	2	–	2	–	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: **1922** — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	5	2	–	1	4	2	2	5	4	5	4	5	2	1	–	–	–
	3	2	4	2	1	9	4	5	9	6	3	5	2	3	1	1	–	–
109*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
109*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	5	2	–	1	4	2	2	5	4	5	4	5	2	1	–	–	–
	3	2	3	2	1	9	4	5	9	6	3	5	2	3	1	1	–	–
110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	1	–	2	2	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–
111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	13	29	40	26	29	14	1	1	–	1
	1	–	–	–	–	–	–	2	4	8	11	12	13	10	3	1	–	–
111*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	6	15	23	16	17	7	1	1	–	–
	–	–	–	–	–	–	–	1	3	6	7	10	10	7	1	1	–	–
111*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	7	14	17	10	12	7	–	–	–	1
	1	–	–	–	–	–	–	1	1	2	4	2	3	3	2	–	–	–
112	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	43	10	4	–	2	1	–	–	2	1	7	6	3	12	4	2	–	–
	27	4	2	–	–	–	1	–	–	4	9	4	11	11	12	2	–	–
113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	556	67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	399	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	26	7	8	9	2	1	4	2	6	13	8	15	9	1	–	–
	–	–	14	7	5	7	7	–	3	5	7	12	14	28	16	4	–	–
115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
116*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months — Con.											
VI.	Diseases of the Digestive System — Con.														
116*f*	Parasites not specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Appendicitis and typhlitis	T	481	–	–	–	–	–	–	–	–	–	–	–	–
		M	260	28	16	22	20	18	27	28	18	23	17	19	24
		F	221	19	18	16	20	21	20	14	13	20	27	16	17
118	Hernia, intestinal obstruction	T	357	–	–	–	–	–	–	–	–	–	–	–	–
		M	176	15	21	15	19	16	10	18	16	8	15	12	11
		F	181	28	12	14	20	14	9	17	18	12	13	7	17
118*a*	Hernia	T	147	–	–	–	–	–	–	–	–	–	–	–	–
		M	81	10	10	4	9	10	4	7	6	4	7	6	4
		F	66	6	3	6	8	9	4	6	3	6	5	4	6
118*b*	Intestinal obstruction	T	210	–	–	–	–	–	–	–	–	–	–	–	–
		M	95	5	11	11	10	6	6	11	10	4	8	6	7
		F	115	22	9	8	12	5	5	11	15	6	8	3	11
119	Other diseases of the intestines	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	3	2	4	–	2	2	2	1	2	1	2	4
		F	25	2	3	3	2	3	2	3	2	1	–	2	2
120	Acute yellow atrophy of the liver	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	1	2	–	1	–	2	–	–	2
		F	9	1	–	–	3	–	–	2	1	1	–	–	1
121	Hydatid tumor of the liver	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
122	Cirrhosis of the liver	T	184	–	–	–	–	–	–	–	–	–	–	–	–
		M	115	16	8	6	6	7	9	9	5	14	14	9	12
		F	69	5	5	6	2	1	7	12	5	7	2	10	7
122*a*	Specified as alcoholic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Not specified as alchoholic	T	184	–	–	–	–	–	–	–	–	–	–	–	–
		M	115	16	8	6	6	7	9	9	5	14	14	9	12
		F	69	5	5	6	2	1	7	12	5	7	2	10	7
123	Biliary calculi	T	191	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	6	2	7	2	2	4	6	4	6	1	4	4
		F	143	8	11	16	12	10	16	9	10	17	8	12	14
124	Other diseases of the liver	T	159	–	–	–	–	–	–	–	–	–	–	–	–
		M	72	7	2	4	5	4	8	4	11	5	12	7	3
		F	87	6	1	7	10	9	7	5	9	8	10	7	8
125	Diseases of the pancreas	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	2	2	1	–	–	1	–	–	–	1
		F	18	3	1	3	1	1	–	2	3	1	1	1	1
126	Peritonitis without specified cause.	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	–	5	–	1	1	2	–	1	1	1	1
		F	25	2	4	4	–	3	4	2	–	–	2	3	1
127	Other diseases of the digestive system (cancer and tuberculosis excepted).	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	1	–	–
VII.	Non-Venereal Diseases of the Genito-urinary System and Annexa.	T	3,699	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,847	182	151	171	167	157	142	134	129	132	135	168	179
		F	1,852	160	140	169	163	160	134	142	134	132	153	178	187

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: **1922** — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
116*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	3	3	18	15	24	41	42	46	27	23	13	1	–	–	–
	–	2	2	2	5	17	23	21	32	25	41	24	20	6	1	–	–	–
118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	22	3	1	–	2	3	3	3	3	11	21	32	35	27	10	–	–	–
	11	3	1	1	2	3	–	1	9	16	29	30	32	31	8	4	–	–
118*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	–	–	–	–	1	1	–	1	8	9	18	16	16	5	–	–	–
	–	–	–	–	1	–	–	–	–	3	7	17	23	11	4	–	–	–
118*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	3	1	–	2	2	2	3	2	3	12	14	19	11	5	–	–	–
	11	3	1	1	1	3	–	1	9	13	22	13	9	20	4	4	–	–
119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	1	1	–	1	1	9	6	1	2	–	–	–
	–	–	1	–	–	–	–	1	1	2	5	4	4	2	4	1	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	–	–	–	–	1	1	1	4	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	1	–	3	2	2	–	–	–	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	4	5	16	27	38	17	6	1	–	–
	–	–	–	–	–	–	1	–	2	–	10	19	14	16	6	1	–	–
122*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	4	5	16	27	38	17	6	1	–	–
	–	–	–	–	–	–	1	–	2	–	10	19	14	16	6	1	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	6	15	18	5	3	1	–	–
	–	–	–	–	–	–	–	–	4	22	17	34	34	21	10	1	–	–
124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	3	–	1	4	8	11	14	18	11	–	–	–	–
	2	–	1	–	–	–	–	–	4	6	15	23	17	16	3	–	–	–
125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	1	–	2	3	–	–	–	–	–
	–	–	–	–	–	–	–	1	3	1	5	5	2	1	–	–	–	–
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	–	–	–	–	1	–	–	1	1	1	1	1	1	1	–	–	–
	1	1	–	1	1	1	–	2	4	4	6	2	1	–	–	1	–	–
127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
VII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	22	3	2	1	3	15	10	12	51	98	167	323	458	434	221	26	1	–
	8	4	2	4	6	4	14	18	79	153	254	278	363	390	249	24	2	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
VII.	Non-Venereal Diseases of the Genito-urinary System and Annexa — Con.														
128	Acute nephritis (including unspecified under 10 years of age).	T	200	–	–	–	–	–	–	–	–	–	–	–	–
		M	104	18	7	14	5	5	4	6	8	9	6	12	10
		F	96	13	11	9	9	5	7	11	2	5	5	11	8
129	Chronic nephritis (including unspecified 10 years and over).	T	2,986	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,462	138	115	141	131	123	114	108	105	107	108	135	137
		F	1,524	130	114	129	137	136	110	116	120	112	123	142	155
130	Chyluria	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
131	Other diseases of the kidneys and annexa (diseases of the kidneys in pregnancy excepted).	T	82	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	5	4	5	2	7	3	2	3	7	1	7	1
		F	35	1	2	3	3	3	2	2	3	1	5	5	5
132	Calculi of the urinary passages .	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	1	2	–	6	4	4	2	2	–	2	–	4
		F	9	–	–	3	–	–	–	3	–	–	1	–	2
133	Diseases of the bladder . .	T	92	–	–	–	–	–	–	–	–	–	–	–	–
		M	69	7	8	8	13	3	4	8	1	3	3	3	8
		F	23	3	2	2	1	2	2	1	1	1	3	2	3
134	Diseases of the urethra, urinary abscess, etc.	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	–	–	2	–	–	–	1	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134*a*	Stricture of the urethra . .	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134*b*	Others under this title . .	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	1	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
135	Diseases of the prostate . .	T	129	–	–	–	–	–	–	–	–	–	–	–	–
		M	129	13	14	3	9	15	11	8	10	6	13	11	16
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
136	Non-venereal diseases of the male genital organs.	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Cysts and other benign tumors of the ovary.	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	30	–	2	3	–	–	4	6	2	3	1	8	1
138	Salpingitis and pelvic abscess .	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	37	3	2	6	1	6	2	–	3	4	4	2	4
139	Benign tumors of the uterus .	T	76	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	76	9	6	9	11	5	5	2	3	6	10	7	3
140	Non-puerperal uterine hemorrhage.	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	1	–	–	–	–	–	–	–	–	–
141	Other diseases of the female genital organs.	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	18	–	1	3	1	3	2	1	–	–	1	1	5
142	Non-puerperal diseases of the breast (cancer excepted).	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	–	–	–	–	–	–	–	1

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1922 — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	3	2	1	2	9	–	2	4	15	9	13	14	6	9	2	–	–
	5	1	1	1	6	3	–	6	11	5	15	16	13	7	6	–	–	–
129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	1	4	10	8	36	76	147	273	376	350	159	18	1	–
	–	–	1	2	–	1	13	9	41	95	172	236	328	368	234	23	1	–
130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	2	–	2	4	4	5	7	8	5	7	–	–	–
	1	3	–	1	–	–	–	–	3	10	5	5	4	3	–	–	–	–
132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	4	2	3	7	6	5	–	–	–	–
	–	–	–	–	–	–	1	–	1	1	–	1	3	1	1	–	–	–
133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	1	–	1	6	12	26	20	2	–	–
	2	–	–	–	–	–	–	–	1	–	3	1	4	3	7	1	1	–
134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
134*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
134*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	15	40	41	26	4	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	7	7	4	7	2	1	–	–	–
138	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	11	12	10	2	–	–	–	–	–	–
139	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	8	15	37	8	3	5	–	–	–	–
140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	7	3	5	–	1	–	–	–	–
142	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) from List, by Months and Sex	Months — Con.											
VIII.	The Puerperal State.	T	559	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	559	52	73	61	53	51	46	43	41	35	38	31	35
143	Accidents of pregnancy	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	56	3	7	9	5	5	6	2	4	4	4	4	3
143a	Abortion	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	17	1	3	6	3	1	1	–	–	1	–	1	–
143b	Ectopic gestation	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	20	–	2	3	1	1	4	–	4	–	1	2	2
143c	Others under this title	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	19	2	2	–	1	3	1	2	–	3	3	1	1
144	Puerperal hemorrhage	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	53	6	6	5	4	7	2	1	6	1	7	5	3
145	Other accidents of labor	T	89	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	89	8	21	11	7	9	5	9	2	4	4	5	4
145a	Cesarean section	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	23	3	2	4	3	3	–	3	–	1	2	1	1
145b	Other surgical operations and instrumental delivery.	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	22	4	3	2	1	5	2	1	2	–	–	1	1
145c	Others under this title	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	44	1	16	5	3	1	3	5	–	3	2	3	2
146	Puerperal septicemia	T	159	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	159	17	21	15	13	18	12	12	10	14	13	5	9
147	Puerperal phlegmasia alba dolens, embolus, sudden death.	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	71	8	10	4	6	2	11	6	6	4	6	4	4
148	Puerperal albuminuria and convulsions.	T	130	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	130	10	7	17	18	10	10	13	13	8	4	8	12
149	Following childbirth (not otherwise defined).	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
150	Puerperal diseases of the breast	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Diseases of the Skin and of the Cellular Tissue.	T	156	–	–	–	–	–	–	–	–	–	–	–	–
		M	81	4	5	9	8	8	2	8	9	10	7	4	7
		F	75	7	2	7	13	7	5	6	10	4	2	8	4
151	Gangrene	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	–	1	–	1	3	–	2	4	4	3	1	–
		F	20	4	1	2	3	2	2	1	3	1	–	1	–
152	Furuncle	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	2	1	3	2	–	2	4	2	3	–	1	3
		F	14	–	–	1	3	1	1	1	3	1	1	2	–

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: **1922** — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
VIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	26	222	258	53	–	–	–	–	–	–	–
143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	3	29	21	3	–	–	–	–	–	–	–
143*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	9	6	–	–	–	–	–	–	–	–
143*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	8	11	1	–	–	–	–	–	–	–
143*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	12	4	2	–	–	–	–	–	–	–
144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	16	29	6	–	–	–	–	–	–	–
145	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	5	28	47	9	–	–	–	–	–	–	–
145*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	9	12	–	–	–	–	–	–	–	–
145*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	9	9	3	–	–	–	–	–	–	–
145*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	10	26	6	–	–	–	–	–	–	–
146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	7	72	67	13	–	–	–	–	–	–	–
147	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	30	35	5	–	–	–	–	–	–	–
148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	8	47	58	17	–	–	–	–	–	–	–
149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
150	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	–	3	–	–	–	1	4	5	2	8	8	11	13	7	–	–	–
	22	2	–	–	1	2	1	2	2	4	5	5	6	9	12	2	–	–
151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	1	–	1	1	–	2	9	4	–	–	–
	1	–	–	–	–	–	–	–	–	–	1	–	2	7	7	2	–	–
152	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	1	2	2	1	7	3	4	–	1	–	–	–
	1	–	–	–	–	1	–	2	1	3	3	1	2	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
IX.	Diseases of the Skin and of the Cellular Tissue — Con.														
153	Acute abscess	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	1	5	3	3	–	1	3	3	1	–	–
		F	17	1	1	4	3	1	–	1	1	–	–	2	3
154	Other diseases of the skin and annexa.	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	1	2	1	2	2	–	1	–	–	3	2	4
		F	24	2	–	–	4	3	2	3	3	2	1	3	1
X.	Diseases of the Bones and of the Organs of Locomotion.	T	64	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	7	2	3	2	3	2	3	1	2	2	–	3
		F	34	1	4	3	6	2	–	5	–	3	1	3	6
155	Diseases of the bones (tuberculosis excepted).	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	6	2	2	2	1	2	2	–	2	2	–	2
		F	13	–	1	–	3	1	–	4	–	2	–	1	1
156	Diseases of the joints (tuberculosis and rheumatism excepted).	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	–	2	–	1	1	–	–	–	1
		F	20	1	2	3	3	1	–	1	–	1	1	2	5
157	Amputations	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
158	Other diseases of the organs of locomotion.	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
XI.	Malformations.	T	722	–	–	–	–	–	–	–	–	–	–	–	–
		M	430	45	36	44	35	35	40	29	35	42	19	34	36
		F	291	31	26	29	19	39	14	25	20	26	25	17	20
		Unk.	1	–	–	1	–	–	–	–	–	–	–	–	–
159	Congenital malformations (stillbirths not included).	T	722	–	–	–	–	–	–	–	–	–	–	–	–
		M	430	45	36	44	35	35	40	29	35	42	19	34	36
		F	291	31	26	29	19	39	14	25	20	26	25	17	20
		Unk.	1	–	–	1	–	–	–	–	–	–	–	–	–
159*a*	Hydrocephalus . . .	T	70	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	3	1	2	4	2	4	1	4	4	3	6	2
		F	34	6	1	–	2	6	1	4	4	4	2	1	3
159*b*	Congenital malformations of the heart.	T	482	–	–	–	–	–	–	–	–	–	–	–	–
		M	306	38	28	34	23	24	23	21	26	27	12	22	28
		F	176	21	16	19	11	24	10	14	10	13	16	8	14
159*c*	Others under this title . .	T	170	–	–	–	–	–	–	–	–	–	–	–	–
		M	88	4	7	8	8	9	13	7	5	11	4	6	6
		F	81	4	9	10	6	9	3	7	6	9	7	8	3
		Unk.	1	–	–	1	–	–	–	–	–	–	–	–	–
XII.	Early Infancy.	T	2,819	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,650	150	130	177	173	127	129	131	127	131	129	113	133
		F	1,167	105	119	120	92	91	83	86	91	95	98	85	102
		Unk.	2	–	–	2	–	–	–	–	–	–	–	–	–
160	Congenital debility, icterus and sclerema.	T	381	–	–	–	–	–	–	–	–	–	–	–	–
		M	213	15	20	18	18	15	11	14	24	24	21	12	21
		F	168	17	13	13	11	12	14	8	11	16	21	18	14
161	Premature birth; injury at birth	T	1,961	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,166	107	86	119	122	100	97	95	85	87	90	90	88
		F	793	70	80	84	66	62	58	63	67	63	63	45	72
		Unk.	2	–	–	2	–	–	–	–	–	–	–	–	–
161*a*	Premature birth . . .	T	1,570	–	–	–	–	–	–	–	–	–	–	–	–
		M	911	84	63	100	93	80	75	72	64	73	70	69	68
		F	657	57	67	67	54	53	47	53	54	57	47	42	59
		Unk.	2	–	–	2	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1922 — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	–	1	–	–	–	–	1	2	–	–	3	3	3	1	–	–	–
	7	–	–	–	–	1	1	–	1	1	1	2	1	1	1	–	–	–
154	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10	–	1	–	–	–	–	–	1	–	–	2	2	1	1	–	–	–
	13	2	–	–	1	–	–	–	–	–	–	2	1	1	4	–	–	–
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	2	–	3	2	2	1	4	8	2	5	–	–	–	–
	2	3	–	–	–	2	4	–	4	1	1	4	5	4	4	–	–	–
155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	2	–	3	1	2	1	4	7	1	1	–	–	–	–
	2	3	–	–	–	2	3	–	1	1	–	1	–	–	–	–	–	–
156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	1	1	4	–	–	–	–
	–	–	–	–	–	–	1	–	3	–	1	3	5	3	4	–	–	–
157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
XI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	411	13	3	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
	269	10	4	2	2	3	1	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	411	13	3	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
	269	10	4	2	2	3	1	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	33	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	32	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
159*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	296	8	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	163	4	3	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–
159*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	82	2	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
	74	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1,648	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1,163	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	211	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	166	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1,166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	791	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	911	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	655	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XII.	Early Infancy — Con.														
161*b*	Injury at birth	T	391	–	–	–	–	–	–	–	–	–	–	–	–
		M	255	23	23	19	29	20	22	23	21	14	20	21	20
		F	136	13	13	17	12	9	11	10	13	6	16	3	13
162	Other diseases peculiar to early infancy.	T	472	–	–	–	–	–	–	–	–	–	–	–	–
		M	269	28	24	40	32	12	21	22	18	19	18	11	24
		F	203	18	26	22	14	17	11	15	13	16	14	22	15
163	Lack of care	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	1	–	–	–
		F	3	–	–	1	1	–	–	–	–	–	–	–	1
XIII.	Old Age.	T	184	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	10	4	1	4	10	2	3	8	3	4	3	6
		F	126	7	13	13	13	6	7	11	11	8	10	11	16
164	Senility	T	184	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	10	4	1	4	10	2	3	8	3	4	3	6
		F	126	7	13	13	13	6	7	11	11	8	10	11	16
XIV.	External Causes.	T	3,140	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,181	162	149	145	159	201	203	228	194	180	212	174	174
		F	959	80	78	99	54	73	70	70	100	77	88	73	97
165–174	Suicide (total)	T	458	–	–	–	–	–	–	–	–	–	–	–	–
		M	337	23	27	32	32	38	34	27	24	21	27	21	31
		F	121	5	5	14	6	8	17	8	13	15	9	6	15
165	Suicide by solid or liquid poisons (corrosive substances excepted).	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	2	2	–	2	1	3	2	2	–	1	–
		F	13	–	–	2	–	1	1	1	–	3	1	3	1
166	Suicide by corrosive substances	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	2	–	–	–	–	2	–	–	–	–
		F	6	1	1	1	–	1	1	–	–	–	1	–	–
167	Suicide by poisonous gas	T	122	–	–	–	–	–	–	–	–	–	–	–	–
		M	79	6	5	6	7	12	11	6	4	4	7	3	8
		F	43	2	1	3	3	4	7	2	4	6	3	3	5
168	Suicide by hanging or strangulation.	T	99	–	–	–	–	–	–	–	–	–	–	–	–
		M	83	7	10	6	8	4	4	11	4	6	6	7	10
		F	16	–	1	2	1	–	1	2	2	2	1	–	4
169	Suicide by drowning	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	–	–	1	3	4	6	1	2	1	2	2	2
		F	19	–	–	4	1	–	4	1	4	2	1	–	2
170	Suicide by firearms	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	84	5	5	10	6	14	8	4	6	3	9	3	11
		F	9	–	–	1	1	1	–	2	2	–	1	–	1
171	Suicide by cutting or piercing instruments.	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	3	4	2	7	1	3	1	4	4	2	4	–
		F	3	–	1	1	–	–	–	–	–	–	1	–	–
172	Suicide by jumping from high places.	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	2	1	1	1	1	–	–	–	–	–
		F	9	2	1	–	–	–	3	–	–	1	–	–	2
173	Suicide by crushing	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	1	1	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
174	Other suicides	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	1	–	–	1	–	–	–	–

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1922 — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
161b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	3	10	23	20	2	-
	-	-	-	-	-	-	-	-	-	-	-	1	4	24	56	41	-	-
164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	3	10	23	20	2	-
	-	-	-	-	-	-	-	-	-	-	-	1	4	24	56	41	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	54	38	45	32	41	158	97	99	256	303	313	303	238	121	68	13	-	2
	37	24	24	27	31	70	19	20	70	62	74	91	102	147	131	28	2	-
165–174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	5	41	64	65	60	59	35	8	-	-	-
	-	-	-	-	-	-	-	4	22	22	23	26	11	10	3	-	-	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	6	5	2	2	1	-	-	-	-
	-	-	-	-	-	-	-	2	3	4	1	2	1	-	-	-	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	9	13	16	11	19	7	2	-	-	-
	-	-	-	-	-	-	-	-	8	6	10	12	4	3	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	5	12	23	18	16	6	3	-	-	-
	-	-	-	-	-	-	-	-	-	4	2	4	3	2	1	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	5	5	3	4	4	-	-	-	-
	-	-	-	-	-	-	-	1	2	1	5	6	1	3	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	21	19	8	16	9	7	2	-	-	-
	-	-	-	-	-	-	-	-	4	1	2	-	-	2	-	-	-	-
171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	7	7	8	5	6	1	-	-	-
	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	1	2	2	-	1	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-

Detailed Int. List No.	Table 14 Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XIV.	External Causes — Con.														
175–196, 201–203	Accidental or undefined (total) .	T	2,580	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,774	130	110	109	125	155	163	197	166	152	182	147	138
		F	806	74	71	82	48	59	48	60	84	61	75	64	80
175	Poisoning by food . . .	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	2	2	1	–	1	–	–
		F	6	1	–	–	1	1	1	–	–	–	–	–	2
176	Poisoning by venomous animals	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted).	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	3	1	3	2	2	4	1	1	3	6	5	2
		F	13	1	–	1	1	1	–	2	3	1	–	–	3
178	Conflagration	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	1	2	1	3	4	1	–	7	–	3	–	5
		F	16	1	2	4	1	2	–	1	2	–	1	2	–
179	Accidental burns (conflagration excepted).	T	243	–	–	–	–	–	–	–	–	–	–	–	–
		M	108	14	17	8	7	7	5	6	6	11	6	12	9
		F	135	20	9	16	7	7	4	14	9	12	13	9	15
180	Accidental mechanical suffocation.	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	6	2	2	6	1	2	2	2	1	5	3	9
		F	19	3	–	1	–	3	1	–	1	2	2	3	3
181	Accidental absorption of irrespirable or poisonous gas.	T	183	–	–	–	–	–	–	–	–	–	–	–	–
		M	124	12	7	9	15	4	8	5	3	7	13	13	28
		F	59	6	6	2	3	4	6	1	2	3	8	11	7
182	Accidental drowning . . .	T	269	–	–	–	–	–	–	–	–	–	–	–	–
		M	246	9	7	11	17	35	36	63	31	11	11	9	6
		F	23	–	–	3	2	4	–	3	8	1	1	1	–
183	Accidental traumatism by firearms (wounds of war excepted).	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	4	1	1	–	1	–	1	1	3	–	3	2
		F	5	–	–	2	–	–	1	–	1	–	–	1	–
184	Accidental traumatism by cutting or piercing instruments.	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	3	–	2	1	2	–	2	–	–	1	1
		F	10	–	1	1	1	3	–	–	3	–	–	–	1
185	Accidental traumatism by fall .	T	611	–	–	–	–	–	–	–	–	–	–	–	–
		M	300	25	23	25	19	29	16	35	33	26	28	19	22
		F	311	25	40	31	19	25	17	23	32	20	26	20	33
186	Accidental traumatism in mines and quarries.	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186*a*	Mines	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186*b*	Quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Accidental traumatism by machines.	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	66	6	6	2	6	4	3	8	4	7	6	9	5
		F	3	–	–	–	–	–	–	1	1	–	–	–	1
188	Accidental traumatism by other crushing (vehicles, railways, landslides, etc.).	T	724	–	–	–	–	–	–	–	–	–	–	–	–
		M	575	28	25	35	37	51	57	58	52	65	80	52	35
		F	149	10	7	14	12	5	14	12	16	18	20	12	9

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1922 — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
175–196, 201–203	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	50	38	44	32	40	157	95	92	195	219	237	238	176	86	60	13	–	2
	33	24	24	27	30	70	17	13	39	33	48	62	91	137	128	28	2	–
175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	1	1	1	1	–	–	–	–	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
177	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	2	3	1	–	–	1	4	7	3	3	1	1	–	–	–	–
	1	1	1	–	–	1	–	1	2	1	3	1	1	–	–	–	–	–
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	2	1	–	2	1	3	9	6	2	–	–	–	–
	1	1	–	–	1	–	1	–	–	–	1	6	3	2	–	–	–	–
179	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	14	20	12	9	9	–	1	5	4	5	10	3	6	3	1	–	–
	6	14	13	15	17	20	4	–	1	1	8	9	10	10	7	–	–	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	1	–	–	–	1	1	–	2	4	8	7	1	–	–	–	–	–
	15	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	–	1	–	2	1	4	6	18	25	25	19	9	10	–	–	–
	–	1	–	–	1	1	–	2	3	8	7	6	8	15	7	–	–	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	6	3	2	9	37	40	37	33	25	18	20	8	3	–	1	–	2
	–	–	1	1	–	3	3	2	6	3	1	1	2	–	–	–	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	3	2	8	2	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	1	–	1	1	–	–	–	–	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	2	1	2	4	–	1	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	1	5	1	1	–	–	–
185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	3	6	–	1	9	8	5	14	34	44	56	48	26	28	10	–	–
	3	6	2	–	3	3	1	–	2	3	12	22	38	87	102	26	1	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	4	2	9	12	10	8	14	4	1	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	7	13	18	81	29	31	86	79	82	61	49	23	10	1	–	–
	2	1	1	9	7	41	6	6	14	10	10	10	17	12	3	–	–	–

Detailed Int. List No.	Table 14 Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XIV.	External Causes — Con.														
188a	Railroad accidents	T	103	–	–	–	–	–	–	–	–	–	–	–	–
		M	93	8	6	6	6	9	6	9	9	5	11	8	10
		F	10	2	–	–	–	1	1	2	–	1	1	1	1
188b	Street car accidents	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	2	2	1	2	1	1	4	4	2	6	4	2
		F	16	1	–	3	2	–	–	2	1	1	2	1	3
188c	Automobile accidents	T	500	–	–	–	–	–	–	–	–	–	–	–	–
		M	387	12	13	25	26	31	44	36	35	52	58	35	20
		F	113	5	6	11	8	4	13	6	14	15	16	10	5
188d	Aeroplane and balloon accidents.	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	–	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188e	Injuries by other vehicles	T	68	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	6	4	3	3	10	6	8	4	3	3	5	3
		F	10	2	1	–	2	–	–	2	1	1	1	–	–
188f	Landslide, other crushing	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	3	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (not poisoning).	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	5	3	–	1	3	–	1	1	5	–	2	1
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
190	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
191	Execution of civilians by belligerent armies.	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
192	Starvation (deprivation of food or water).	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
193	Excessive cold	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	1	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
194	Excessive heat	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	2	4	2	–	–	–	–
		F	4	–	–	–	–	–	1	2	–	–	1	–	–
195	Lightning	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
196	Other accidental electric shocks	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	1	–	3	–	2	8	1	6	3	4	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201	Fracture (cause not specified)	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	2	–	–	–	2	1	1	–	1	4	1
		F	14	2	1	3	–	–	2	–	–	1	2	2	1
202	Other external violence (cause specified).	T	172	–	–	–	–	–	–	–	–	–	–	–	–
		M	137	16	10	8	10	11	14	9	11	8	16	12	12
		F	35	4	5	3	1	4	1	1	5	3	–	3	5
203	Other external violence (cause not specified).	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	–	2	1	–	2	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: **1922** — Con.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
188*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	-	-	2	4	18	20	18	18	6	4	1	-	-	-
	-	-	-	-	-	-	-	2	1	2	2	-	2	1	-	-	-	-
188*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	4	1	2	1	-	3	4	5	5	3	1	2	-	-	-
	-	-	-	2	1	4	-	-	2	-	-	2	2	2	1	-	-	-
188*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	7	7	15	75	23	21	51	48	47	29	35	18	6	1	-	-
	2	1	1	7	5	35	4	3	10	7	8	8	11	9	2	-	-	-
188*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	2	3	3	6	12	6	11	8	5	-	1	-	-	-
	-	-	-	-	1	2	2	1	1	1	-	-	2	-	-	-	-	-
188*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	2	1	-	1	3	2	6	2	1	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-
	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	2	8	9	4	4	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	-	-	-	-	3	3	3	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	6	6	1	-	-
202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	4	3	1	1	9	6	7	15	16	25	18	15	10	4	-	-	-
	4	-	4	2	-	-	1	-	6	5	3	3	3	2	1	-	1	-
203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex Total.	Months — Con. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XIV.	External Causes — Con.														
197-200	Homicide (total)	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	9	12	4	2	8	6	4	4	7	3	6	5
		F	32	1	2	3	–	6	5	2	3	1	4	3	2
197	Homicide by firearms	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	5	7	3	1	2	4	2	2	6	1	3	4
		F	12	1	–	1	–	2	1	–	1	–	3	2	1
198	Homicide by cutting or piercing instruments.	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	1	–	1	2	–	–	1	1	2	1	1
		F	5	–	–	–	–	1	1	1	2	–	–	–	–
199	Homicide by other means	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	2	–	–	4	2	2	1	–	–	1	–
		F	12	–	2	2	–	2	1	1	–	1	1	1	1
200	Infanticide (murder of infants less than one year of age).	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	2	1	–	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	1	2	–	–	–	–	–	–
XV.	Ill-Defined Diseases.	T	153	–	–	–	–	–	–	–	–	–	–	–	–
		M	87	9	6	9	3	8	2	9	4	12	6	4	15
		F	66	7	8	4	4	6	3	6	2	5	2	10	9
204	Sudden death	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	–	1	1	3	1	3	1	1	2	–	2
		F	10	2	1	–	1	–	–	2	1	1	–	1	1
205	Cause of death not specified or ill-defined.	T	127	–	–	–	–	–	–	–	–	–	–	–	–
		M	71	8	6	8	2	5	1	6	3	11	4	4	13
		F	56	5	7	4	3	6	3	4	1	4	2	9	8
205*a*	Ill-defined	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	1	1	1	–	1	–	–	–	1	3
		F	8	1	1	1	–	–	–	1	–	1	–	2	1
205*b*	Not specified or unknown	T	110	–	–	–	–	–	–	–	–	–	–	–	–
		M	62	7	6	7	1	4	1	5	3	11	4	3	10
		F	48	4	6	3	3	6	3	3	1	3	2	7	7

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: **1922** — Con.

Detailed Int. List No.	Age of decedents (years) — Con.																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
197–200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	1	–	1	1	2	2	20	20	11	5	3	–	–	–	–	–
	4	–	–	–	1	–	2	3	9	7	3	3	–	–	–	–	–	–
197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	14	13	8	1	2	–	–	–	–	–
	–	–	–	–	–	–	–	1	5	4	–	2	–	–	–	–	–	–
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	4	2	2	3	1	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–	–
199	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	1	1	2	5	1	1	–	–	–	–	–	–
	1	–	–	–	1	–	1	1	4	2	1	1	–	–	–	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	25	5	3	–	2	6	1	3	1	6	4	9	12	4	3	1	–	2
	22	2	1	1	–	4	2	4	4	4	4	3	4	4	4	1	1	1
204	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	2	3	1	2	1	–	–	2	4	–	–	–	–	–
	–	–	–	–	–	2	2	3	1	1	–	1	–	–	–	–	–	–
205	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	25	5	2	–	–	3	–	1	–	6	4	7	8	4	3	1	–	2
	22	2	1	1	–	2	–	1	3	3	4	2	4	4	4	1	1	1
205*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	–	–	1	–	–	–	–	1	1	–	–	1	–	–	–
	3	–	1	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
205*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	22	3	2	–	–	2	–	1	–	6	3	6	8	4	2	1	–	2
	19	2	–	1	–	2	–	1	3	3	4	2	3	2	3	1	1	1

Abridged Int. List No.	Table 15 — Cause of Death.[1]	The State.	Deaths from Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
	All Causes.[2]	**51,115**	**47**	**33**	**58**	**128**	**43**	**2**	**115**	**66**	**109**
1	Typhoid fever (1)	86	–	–	–	1	–	–	–	–	–
3	Malaria (5)	4	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	218	–	–	–	–	1	–	–	–	–
6	Scarlet fever (8)	149	–	–	–	1	–	–	2	–	–
7	Whooping cough (9)	294	–	–	–	2	1	–	1	1	1
8	Diphtheria and croup (10)	606	–	–	1	2	1	–	3	1	3
9	Influenza (11)	569	1	–	–	7	–	–	1	1	4
(12)	Erysipelas (21)	126	–	–	–	–	–	–	–	–	–
(37)	Poliomyelitis (22)	33	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	130	–	–	–	–	–	–	–	–	–
17	Meningitis (24, 71)	219	–	–	–	1	–	–	–	–	–
13	Tuberculosis of the lungs (31)	3,167	1	–	1	4	4	–	–	–	4
14	Tuberculous meningitis (32)	249	–	–	–	1	–	–	1	1	–
15	Other forms of tuberculosis (33–37)	320	1	–	1	–	–	–	–	–	–
16	Cancer (43–49)	4,650	6	5	8	7	2	–	15	3	9
(37)	Rheumatism (51, 52)	161	–	1	–	–	–	–	–	–	–
(37)	Diabetes (57)	948	3	1	1	–	1	–	4	3	3
(37)	Alcoholism (66)	238	1	–	1	2	–	–	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	4,618	2	6	8	5	3	–	19	8	10
(37)	Acute endocarditis (88)	626	2	1	1	1	1	–	–	–	–
(37)	Angina pectoris (89)	529	1	–	–	2	–	1	1	1	5
19	Organic diseases of the heart (90)	7,607	9	8	4	19	9	1	17	11	21
(37)	Diseases of the arteries (91)	1,889	1	–	2	8	2	–	1	5	2
20, 21	Bronchitis (99)	461	1	–	–	–	–	–	–	3	2
(23)	Bronchopneumonia (100)	3,149	2	3	5	7	3	–	5	2	6
22	Pneumonia (101)	2,344	3	–	2	4	3	–	2	3	2
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	354	–	1	1	4	–	–	2	–	–
24	Diseases of the stomach (111, 112)	403	–	–	–	2	–	–	–	–	3
25	Diarrhea and enteritis (under 2 years) (113)	1,086	1	–	2	5	2	–	2	–	4
26	Appendicitis (117)	481	–	–	2	3	–	–	–	–	–
27	Hernia, intestinal obstruction (118)	357	–	–	1	1	–	–	1	–	–
28	Cirrhosis of the liver (122)	184	–	–	1	3	–	–	–	–	–
29	Nephritis and Bright's disease (128, 129)	3,186	4	3	1	5	1	–	9	9	11
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	163	–	–	2	–	–	–	–	–	–
31	Puerperal fever (146)	159	–	–	–	–	–	–	–	–	–
32	Other puerperal affections (143–145, 147–150)	400	–	–	–	1	–	–	–	–	–
33	Congenital debility and malformations (159–161*a*)	2,673	2	–	6	10	5	–	14	2	4
34	Senility (164)	184	1	–	–	2	–	–	–	1	1
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	2,580	1	2	–	3	1	–	2	2	7
(35)	*Burns (conflagration excepted) (179)*	243	–	–	–	1	–	–	1	–	–
(35)	*Accidental drowning (182)*	269	–	–	–	–	–	–	–	–	2
(35)	*Traumatism by fall (185)*	611	–	1	–	2	1	–	1	1	3
(35)	*Railroad accidents and injuries (188a)*	103	–	1	–	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	500	–	–	–	–	–	–	–	1	2
(35)	*All others*	854	1	–	–	–	–	–	–	–	–
36	Suicide (165–174)	458	–	–	–	2	–	–	3	1	–
(35)	Homicide (197–200)	102	–	–	–	–	–	–	1	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	4,802	2	2	6	13	3	–	9	8	5
38	Ill-defined or unknown causes (204, 205)	153	2	–	1	–	–	–	–	–	2

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1922.

Abridged Int. List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	Attleboro.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
	235	**25**	**11**	**11**	**21**	**95**	**220**	**23**	**17**	**53**	**88**	**33**	**10**	**17**	**22**	**30**	**129**	**16**	**16**
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	2	–	–	–	–	–	2	–	–	1	–	–	–	1	–	1	–	–	–
8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	2	1	–	1	–	2	2	–	–	2	3	–	–	–	1	1	1	–	1
(12)	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
17	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
13	18	1	–	–	1	2	26	–	–	1	1	5	–	1	2	–	9	1	–
14	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
15	1	–	–	–	–	–	2	1	1	–	2	–	–	–	1	–	–	–	–
16	24	–	1	1	1	11	21	1	1	6	13	3	1	2	3	2	9	2	3
(37)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
(37)	7	–	–	1	–	3	4	2	–	–	3	–	–	–	–	3	3	–	1
(37)	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
18	32	4	1	3	4	18	15	1	2	3	8	5	2	1	3	5	16	3	5
(37)	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1
(37)	6	–	–	–	1	–	–	–	–	2	4	1	–	1	–	–	1	–	–
19	34	9	6	2	4	20	32	1	4	10	9	5	–	2	3	5	30	–	2
(37)	6	–	–	–	3	–	3	2	–	6	6	2	–	1	–	1	9	1	–
20, 21	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–
(23)	11	3	2	–	–	6	8	1	1	2	2	2	2	1	3	2	4	–	–
22	13	–	–	–	2	2	8	–	1	–	2	–	–	–	–	2	6	–	1
(23)	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
24	–	–	–	–	–	2	1	–	–	–	1	1	–	–	–	–	1	–	–
25	1	–	–	–	1	3	6	1	1	2	–	2	–	1	–	–	1	1	–
26	3	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–
27	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
28	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
29	13	1	1	1	2	4	21	7	1	2	7	2	1	1	2	1	6	3	–
30	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
31	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32	3	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
33	11	2	–	–	1	4	9	1	–	3	3	2	–	1	3	2	10	2	–
34	–	–	–	–	–	2	2	–	–	–	1	1	–	–	–	–	–	–	–
(35)	16	1	–	–	–	2	12	4	1	4	9	–	2	3	1	1	7	–	–
(35)	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–
(35)	1	–	–	–	–	–	1	2	–	–	1	–	1	2	–	–	–	–	–
(35)	2	–	–	–	–	–	4	1	–	–	1	–	1	–	–	–	1	–	–
(35)	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	1	–	–
(35)	10	–	–	–	–	2	2	–	–	–	4	–	–	1	–	–	1	–	–
(35)	3	1	–	–	–	–	4	1	–	1	2	–	–	–	–	–	4	–	–
36	–	1	–	1	1	–	1	–	–	–	1	–	1	–	–	–	1	–	–
(35)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(37)	18	1	–	1	–	10	27	1	2	5	9	1	–	1	–	1	11	2	2
38	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Bernardston.	Beverly.	Billerica.	Blackstone.	Blandford.	Bolton.	Boston.	Bourne.	Boxborough.	Boxford.
	All Causes.[2]	**11**	**230**	**64**	**48**	**5**	**7**	**11,415**	**41**	**7**	**11**
1	Typhoid fever (1)	–	1	–	–	–	–	11	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	–	–	–	50	–	–	–
6	Scarlet fever (8)	–	1	–	–	–	–	48	–	–	–
7	Whooping cough (9)	–	1	–	–	–	–	79	–	–	–
8	Diphtheria and croup (10)	–	1	1	1	1	–	158	–	–	–
9	Influenza (11)	–	2	–	1	–	1	46	–	–	–
(12)	Erysipelas (21)	–	–	–	–	–	–	43	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	11	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	1	–	–	–	–	33	–	–	1
17	Meningitis (24, 71)	–	–	1	1	–	–	63	–	–	–
13	Tuberculosis of the lungs (31)	–	5	4	–	–	–	698	10	–	1
14	Tuberculous meningitis (32)	–	–	–	–	–	–	70	–	–	–
15	Other forms of tuberculosis (33–37)	–	–	1	1	–	–	80	–	–	–
16	Cancer (43–49)	–	29	4	3	1	2	1,120	3	2	2
(37)	Rheumatism (51, 52)	–	–	–	–	–	–	36	–	1	–
(37)	Diabetes (57)	–	2	1	–	–	–	218	–	–	1
(37)	Alcoholism (66)	–	–	–	–	–	–	82	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	3	19	18	3	1	2	719	6	–	1
(37)	Acute endocarditis (88)	–	3	1	1	–	–	145	–	–	–
(37)	Angina pectoris (89)	2	2	–	–	–	–	72	1	1	–
19	Organic diseases of the heart (90)	2	41	6	10	1	1	1,759	7	–	2
(37)	Diseases of the arteries (91)	1	6	3	1	–	–	245	–	–	–
20, 21	Bronchitis (99)	–	2	–	–	–	–	59	–	–	–
(23)	Bronchopneumonia (100)	1	9	–	3	–	–	779	2	–	–
22	Pneumonia (101)	–	11	–	7	–	–	663	1	–	2
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	3	1	–	–	–	91	–	–	–
24	Diseases of the stomach (111, 112)	–	2	–	–	–	–	75	–	–	–
25	Diarrhea and enteritis (under 2 years) (113)	–	–	3	2	–	–	197	–	–	–
26	Appendicitis (117)	–	2	–	–	–	–	116	–	–	–
27	Hernia, intestinal obstruction (118)	–	1	–	–	–	–	111	–	–	–
28	Cirrhosis of the liver (122)	–	1	–	1	–	–	37	–	–	–
29	Nephritis and Bright's disease (128, 129)	1	20	4	3	–	–	653	5	–	–
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	1	–	–	–	–	38	–	–	–
31	Puerperal fever (146)	–	2	–	–	–	–	49	–	–	–
32	Other puerperal affections (143–145, 147–150)	–	3	–	–	–	–	106	–	–	–
33	Congenital debility and malformations (159–161*a*)	–	7	2	3	–	–	608	–	–	–
34	Senility (164)	–	–	–	–	–	–	7	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	–	19	6	3	–	1	682	2	–	1
(35)	*Burns (conflagration excepted) (179)*	–	1	–	–	–	–	73	1	–	–
(35)	*Accidental drowning (182)*	–	–	3	1	–	–	46	–	–	–
(35)	*Traumatism by fall (185)*	–	7	–	–	–	–	148	–	–	1
(35)	*Railroad accidents and injuries (188a)*	–	1	–	–	–	–	26	–	–	–
(35)	*Automobile accidents and injuries (188c)*	–	8	3	1	–	–	125	–	–	–
(35)	*All others*	–	2	–	1	–	1	264	1	–	–
36	Suicide (165–174)	–	6	1	1	–	–	119	1	–	–
(35)	Homicide (197–200)	–	–	–	–	–	–	31	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	1	27	7	3	1	–	1,180	3	3	–
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	28	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1922.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	Brockton.	Brookfield.	Brookline.	Buckland.	Burlington.	Cambridge.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	Chelsea.
	7	**126**	**10**	**172**	**11**	**737**	**21**	**459**	**25**	**11**	**1,464**	**57**	**8**	**19**	**12**	**24**	**20**	**56**	**582**
1	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	2
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	1	-	-	-	-	9	-	-	-	-	-	-	1	2
6	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1
7	-	1	-	-	-	1	-	-	-	-	6	-	-	-	-	-	-	-	2
8	-	-	-	-	-	6	-	4	-	-	9	-	-	-	-	-	-	-	2
9	-	-	-	-	-	13	-	3	-	2	11	2	-	-	-	-	-	2	6
(12)	-	-	-	1	-	2	-	2	-	-	4	-	-	-	-	-	-	-	2
(37)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(12)	-	1	1	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-	2
17	-	-	-	-	-	5	-	-	-	-	4	-	-	-	-	-	-	1	-
13	1	53	1	14	-	26	2	20	3	1	128	1	1	1	-	-	1	1	28
14	-	-	-	-	-	5	1	1	-	-	4	-	-	-	-	-	-	-	2
15	-	-	-	4	-	3	-	5	-	-	8	4	1	-	-	-	-	1	4
16	-	8	3	8	1	77	3	62	5	1	166	6	-	2	3	1	2	4	53
(37)	-	-	-	3	-	2	-	1	-	-	6	-	-	-	-	1	-	-	2
(37)	-	1	-	2	-	13	-	8	-	-	17	1	1	-	-	-	-	1	8
(37)	-	-	-	-	-	8	-	-	-	-	8	1	-	-	-	-	-	-	9
18	-	13	1	23	2	68	5	59	4	2	125	5	-	4	2	2	5	2	48
(37)	1	1	-	1	-	11	1	13	-	-	19	-	-	-	-	1	-	2	4
(37)	-	-	-	1	-	13	-	6	1	-	8	1	-	-	-	-	1	2	3
19	-	15	2	59	2	108	4	98	7	-	201	11	3	5	-	5	1	11	84
(37)	1	3	2	2	-	14	-	18	-	-	48	2	-	-	-	2	-	2	25
20, 21	-	-	-	2	-	2	-	1	-	-	8	2	-	1	1	-	1	-	3
(23)	-	5	-	5	2	31	1	20	-	1	125	6	-	1	-	1	3	3	48
22	-	2	-	5	2	32	-	15	-	2	71	3	-	3	-	1	2	2	36
(23)	-	-	-	-	-	5	-	3	-	-	9	1	-	-	-	-	-	1	6
24	-	-	-	-	-	5	-	4	-	-	13	-	-	-	1	1	1	-	6
25	-	-	-	-	-	7	-	2	-	-	24	1	-	-	-	-	-	1	8
26	-	-	-	-	-	7	-	1	-	-	10	-	-	-	-	-	-	-	11
27	-	-	-	-	-	7	-	1	-	-	9	-	-	-	-	-	1	-	3
28	-	1	-	1	-	1	-	1	-	-	5	-	-	-	-	-	-	-	2
29	1	9	-	11	-	57	1	28	-	-	83	4	-	1	1	5	-	2	31
30	-	-	-	-	-	-	-	8	-	-	3	-	-	-	-	-	-	-	4
31	-	1	-	-	-	3	-	1	-	-	9	-	-	-	-	-	-	-	2
32	-	1	-	1	-	6	-	1	-	-	16	1	-	-	-	1	-	-	2
33	1	2	-	7	2	46	1	7	1	1	87	1	1	-	2	-	-	7	25
34	-	-	-	2	-	3	-	-	-	-	2	-	1	-	-	-	-	2	-
(35)	-	3	-	4	-	47	2	8	2	-	63	2	-	1	1	-	-	3	39
(35)	-	-	-	-	-	3	-	-	-	-	8	-	-	-	-	-	-	-	6
(35)	-	-	-	3	-	-	-	-	-	-	2	-	-	-	-	-	-	2	1
(35)	-	2	-	-	-	11	1	2	-	-	15	2	-	-	-	-	-	-	7
(35)	-	-	-	-	-	2	-	1	1	-	1	-	-	-	1	-	-	-	3
(35)	-	-	-	-	-	13	1	1	-	-	16	-	-	1	-	-	-	-	8
(35)	-	1	-	1	-	18	-	4	1	-	21	-	-	-	-	-	-	1	14
36	-	-	-	-	-	7	-	2	-	1	8	-	-	-	-	-	1	1	6
(35)	-	-	-	-	-	2	-	3	-	-	6	-	-	-	-	-	-	-	1
(37)	1	6	-	16	-	87	-	45	2	-	129	2	-	-	1	3	1	4	56
38	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	4

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 Cause of Death.[1]	Deaths from Cheshire.	Chester.	Chesterfield.	Chicopee.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes.[2]	**29**	**11**	**8**	**337**	**1**	**13**	**166**	**34**	**21**	**84**
1	Typhoid fever (1)	–	–	–	2	–	–	–	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	1	–	–	–	–	–	–
6	Scarlet fever (8)	–	–	–	1	–	1	–	–	–	–
7	Whooping cough (9)	–	–	–	9	–	–	–	–	–	–
8	Diphtheria and croup (10)	–	–	–	10	–	1	1	–	–	–
9	Influenza (11)	1	–	–	9	–	–	2	–	–	–
(12)	Erysipelas (21)	–	–	–	1	–	–	–	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	–	–	–	–	–
17	Meningitis (24, 71)	–	–	–	2	–	–	2	–	–	1
13	Tuberculosis of the lungs (31)	–	1	–	24	–	1	5	1	2	3
14	Tuberculous meningitis (32)	–	1	–	2	–	–	–	–	–	–
15	Other forms of tuberculosis (33–37)	–	–	–	6	–	1	–	1	–	–
16	Cancer (43–49)	3	–	1	13	–	1	18	7	3	4
(37)	Rheumatism (51, 52)	–	–	–	2	–	–	–	–	1	–
(37)	Diabetes (57)	–	–	–	4	–	–	2	–	–	3
(37)	Alcoholism (66)	–	–	–	5	–	–	–	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	6	1	1	26	–	–	17	4	2	5
(37)	Acute endocarditis (88)	–	–	–	3	–	–	1	–	–	–
(37)	Angina pectoris (89)	–	–	–	2	–	–	3	–	1	–
19	Organic diseases of the heart (90)	5	1	3	41	–	2	19	4	2	19
(37)	Diseases of the arteries (91)	1	–	1	2	–	1	3	1	–	–
20, 21	Bronchitis (99)	–	–	–	5	–	–	1	1	–	–
(23)	Bronchopneumonia (100)	–	1	1	29	–	1	6	1	3	2
22	Pneumonia (101)	1	–	–	17	–	–	15	–	1	8
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	–	–	2	–	–	2	–	–	–
24	Diseases of the stomach (111, 112)	1	–	–	2	–	–	5	–	1	1
25	Diarrhea and enteritis (under 2 years) (113)	–	–	–	28	–	1	4	1	–	1
26	Appendicitis (117)	–	–	–	–	–	–	2	–	–	2
27	Hernia, intestinal obstruction (118)	–	–	–	2	–	–	2	–	–	–
28	Cirrhosis of the liver (122)	–	–	–	2	–	–	1	1	–	–
29	Nephritis and Bright's disease (128, 129)	5	4	1	18	1	2	7	3	1	6
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	–	–	–
31	Puerperal fever (146)	–	–	–	–	–	–	1	–	–	–
32	Other puerperal affections (143–145, 147–150)	–	–	–	1	–	–	1	–	1	4
33	Congenital debility and malformations (159–161*a*)	4	–	–	25	–	1	10	2	1	8
34	Senility (164)	–	–	–	2	–	–	1	–	–	1
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	2	–	–	13	–	–	11	5	1	5
(35)	*Burns (conflagration excepted) (179)*	–	–	–	2	–	–	2	–	–	–
(35)	*Accidental drowning (182)*	1	–	–	3	–	–	–	1	–	1
(35)	*Traumatism by fall (185)*	–	–	–	1	–	–	1	2	–	1
(35)	*Railroad accidents and injuries (188a)*	1	–	–	1	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	–	–	–	3	–	–	3	–	–	1
(35)	*All others*	–	–	–	3	–	–	5	2	1	2
36	Suicide (165–174)	–	–	–	2	–	–	3	–	–	2
(35)	Homicide (197–200)	–	–	–	1	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	–	2	–	23	–	–	18	2	1	9
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	3	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1922.

Abridged Int. List No.	Conway.	Cummington.	Dalton.	Dana.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.
	11	9	42	10	365	87	94	16	35	37	23	9	58	40	6	35	47	13	27
1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
8	–	–	–	–	3	1	–	–	–	–	–	–	2	–	–	–	1	–	–
9	–	–	2	1	4	2	–	–	1	–	–	–	–	1	–	2	–	–	–
(12)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(37)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
17	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	2	–	–
13	2	–	3	–	14	3	5	1	3	3	3	1	2	–	–	2	4	–	–
14	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
15	–	–	–	–	3	2	1	–	–	1	–	–	1	–	–	–	–	–	–
16	–	–	4	1	15	8	10	1	1	4	2	2	4	2	1	5	7	2	4
(37)	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
(37)	–	–	3	–	2	–	3	–	–	–	–	–	–	–	–	–	–	2	–
(37)	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–
18	3	–	5	–	26	9	11	1	6	3	1	–	8	7	–	6	7	2	2
(37)	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	1	–	–
(37)	–	–	–	1	4	1	2	–	1	–	–	–	–	1	–	–	2	–	–
19	–	3	8	2	31	12	15	3	2	5	4	1	8	5	2	6	9	–	5
(37)	–	2	–	–	31	2	6	–	5	1	–	–	5	–	2	1	2	–	–
20, 21	–	1	–	–	2	1	–	–	1	1	1	–	–	1	–	1	1	–	–
(23)	–	–	1	1	69	4	4	3	–	2	1	–	5	2	–	3	3	1	2
22	–	1	3	1	11	1	2	–	3	1	6	1	4	3	1	–	2	–	2
(23)	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1
24	–	–	1	–	1	–	2	–	–	1	–	–	–	1	–	–	–	–	–
25	–	–	–	–	2	4	1	–	–	1	–	–	4	–	–	–	–	–	–
26	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
27	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29	2	–	2	–	15	7	5	1	3	6	1	2	1	2	–	–	2	1	6
30	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
31	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
32	–	–	–	–	2	–	1	–	1	–	–	–	–	2	–	–	–	–	–
33	1	–	3	1	6	3	4	2	1	1	1	–	3	6	–	2	–	1	1
34	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	1	–
(35)	–	–	–	–	9	9	8	2	2	1	–	–	1	3	–	2	1	2	1
(35)	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	1	4	–	1	–	–	–	–	–	–	–	–	–	1
(35)	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	3	2	1	–	1	–	–	1	1	–	–	1	1	–
(35)	–	–	–	–	7	4	–	–	1	–	–	–	–	2	–	1	–	1	–
36	–	–	–	–	5	1	–	–	1	–	–	1	1	–	–	2	1	1	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(37)	2	–	5	2	93	12	7	2	2	3	1	1	5	1	–	3	1	–	2
38	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Eastham.	Easthampton.	Easton.	Edgartown.	Egremont.	Enfield.	Erving.	Essex.	Everett.	Fairhaven.
	All Causes.[2]	**9**	**109**	**48**	**19**	**6**	**14**	**12**	**15**	**357**	**118**
1	Typhoid fever (1)	–	–	–	–	–	–	–	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	–	–	–	–	–	2	–
6	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
7	Whooping cough (9)	–	2	–	–	–	–	–	–	2	–
8	Diphtheria and croup (10)	–	6	–	1	–	–	–	–	3	6
9	Influenza (11)	–	–	2	–	–	–	–	–	7	2
(12)	Erysipelas (21)	–	–	–	–	–	–	–	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	–	–	–	1	–
17	Meningitis (24, 71)	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs (31)	–	6	3	2	–	–	–	–	12	6
14	Tuberculous meningitis (32)	–	2	–	–	–	–	–	1	1	–
15	Other forms of tuberculosis (33–37)	–	–	–	–	–	–	–	–	1	2
16	Cancer (43–49)	3	7	8	–	–	3	–	1	36	16
(37)	Rheumatism (51, 52)	–	–	–	–	–	–	–	–	1	–
(37)	Diabetes (57)	–	4	1	1	–	–	1	–	9	2
(37)	Alcoholism (66)	–	2	–	–	–	–	–	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	1	11	3	–	–	3	1	2	34	14
(37)	Acute endocarditis (88)	–	2	–	–	–	–	–	–	10	1
(37)	Angina pectoris (89)	1	2	–	–	1	–	–	–	6	–
19	Organic diseases of the heart (90)	–	14	9	2	1	4	4	6	47	18
(37)	Diseases of the arteries (91)	–	2	2	9	1	1	–	–	19	6
20, 21	Bronchitis (99)	–	3	–	–	–	–	–	–	4	1
(23)	Bronchopneumonia (100)	1	6	4	–	–	–	1	1	20	8
22	Pneumonia (101)	–	7	1	–	1	1	3	–	20	4
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	–	–	–	–	–	–	–	2	–
24	Diseases of the stomach (111, 112)	1	1	3	–	–	–	–	–	3	–
25	Diarrhea and enteritis (under 2 years) (113)	–	3	–	–	–	–	–	–	2	2
26	Appendicitis (117)	–	–	–	–	–	–	–	–	–	1
27	Hernia, intestinal obstruction (118)	–	–	1	–	–	–	–	–	2	–
28	Cirrhosis of the liver (122)	–	1	–	–	–	–	–	–	–	–
29	Nephritis and Bright's disease (128, 129)	1	5	1	1	1	–	–	1	30	5
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	–	1	–
31	Puerperal fever (146)	–	–	–	–	–	–	–	–	2	–
32	Other puerperal affections (143–145, 147–150)	–	–	–	–	–	–	–	–	–	–
33	Congenital debility and malformations (159–161a)	–	8	5	–	–	–	–	2	25	9
34	Senility (164)	–	–	–	–	–	–	–	1	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	–	3	3	–	–	–	1	–	21	3
(35)	*Burns (conflagration excepted) (179)*	–	–	–	–	–	–	–	–	–	–
(35)	*Accidental drowning (182)*	–	–	1	–	–	–	–	–	4	–
(35)	*Traumatism by fall (185)*	–	2	2	–	–	–	–	–	5	–
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	–	–	–	3	–
(35)	*Automobile accidents and injuries (188c)*	–	1	–	–	–	–	–	–	3	–
(35)	*All others*	–	–	–	–	–	–	1	–	6	3
36	Suicide (165–174)	–	–	1	1	–	1	–	–	4	2
(35)	Homicide (197–200)	–	–	–	–	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161b, 162, 163)	1	12	1	2	1	1	1	–	30	10
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1922.

Abridged Int. List No.	Fall River.	Falmouth.	Fitchburg.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	Gardner.	Gay Head.	Georgetown.	Gill.	Gloucester.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.
	1,939	**50**	**458**	**–**	**103**	**249**	**69**	**25**	**239**	**2**	**31**	**14**	**310**	**3**	**1**	**108**	**3**	**6**	**89**
1	4	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	54	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	15	–	12	–	–	2	–	–	4	–	–	–	3	–	–	1	–	–	1
8	52	–	8	–	1	1	1	1	1	–	–	–	4	–	–	–	–	–	–
9	38	2	4	–	–	4	3	1	2	–	–	–	5	–	–	3	–	–	1
(12)	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(37)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(12)	4	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
17	12	1	2	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–
13	111	3	31	–	17	7	2	1	14	–	1	–	14	–	–	21	–	1	1
14	13	1	6	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–
15	11	1	1	–	–	2	–	1	1	–	–	–	2	–	–	–	–	–	1
16	127	8	35	–	9	23	5	2	21	–	5	1	32	–	–	5	–	–	6
(37)	4	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
(37)	33	–	5	–	1	6	2	1	4	–	–	–	5	–	–	1	–	–	1
(37)	9	1	3	–	1	1	–	–	–	–	–	–	3	–	–	–	–	–	–
18	117	7	37	–	10	19	14	4	36	–	5	1	31	1	–	8	–	–	12
(37)	35	–	6	–	–	2	–	–	5	–	–	1	2	–	–	3	–	–	–
(37)	23	1	1	–	–	1	–	1	3	–	–	–	8	1	–	–	1	1	2
19	221	8	89	–	12	35	13	3	34	–	3	1	69	–	–	13	–	1	8
(37)	46	–	7	–	2	9	7	–	9	–	3	–	8	–	–	12	–	–	3
20, 21	39	–	4	–	1	2	1	2	2	–	–	1	3	–	–	3	–	–	–
(23)	135	4	27	–	7	25	3	–	8	–	1	1	12	–	–	1	–	–	2
22	74	–	22	–	13	10	–	–	13	1	1	–	10	–	–	7	–	–	9
(23)	23	–	2	–	1	3	–	–	2	–	1	1	3	–	–	–	1	–	1
24	16	–	3	–	–	1	1	–	3	–	–	–	1	–	–	3	–	–	1
25	137	2	8	–	–	–	1	–	2	–	–	–	6	–	–	3	–	–	1
26	28	–	4	–	–	1	–	–	4	–	1	–	4	–	–	–	–	–	4
27	22	1	4	–	–	3	–	–	1	–	2	–	–	–	–	–	–	–	1
28	7	–	2	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–
29	107	2	22	–	4	15	5	1	16	–	2	2	23	–	–	6	–	1	6
30	5	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
31	7	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
32	12	1	8	–	1	4	–	–	5	–	–	1	1	–	–	2	–	–	–
33	103	–	35	–	3	12	1	–	13	–	1	–	17	–	–	3	–	–	7
34	5	–	3	–	1	–	–	4	1	–	–	–	1	–	–	–	–	–	–
(35)	90	3	18	–	2	20	4	1	13	–	–	1	18	1	1	7	1	–	10
(35)	18	–	3	–	–	1	–	–	3	–	–	–	–	–	–	1	–	–	–
(35)	10	–	–	–	–	2	2	–	–	–	–	1	4	–	1	3	–	–	1
(35)	19	1	8	–	2	1	–	–	1	–	–	–	4	–	–	1	–	–	4
(35)	–	–	–	–	–	5	–	–	3	–	–	–	–	–	–	–	–	–	1
(35)	13	–	4	–	–	3	1	–	2	–	–	–	3	–	–	1	1	–	3
(35)	30	2	3	–	–	8	1	1	4	–	–	–	7	1	–	1	–	–	1
36	12	–	4	–	1	3	–	–	2	–	2	1	1	–	–	–	–	–	–
(35)	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(37)	169	2	33	–	15	32	5	2	13	1	3	1	16	–	–	5	–	2	8
38	4	2	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Greenfield.	Greenwich.	Groton.	Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.
	All Causes.[2]	**137**	**6**	**30**	**35**	**26**	**3**	**14**	**11**	**4**	**29**
1	Typhoid fever (1)	–	–	–	–	–	–	–	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever (8)	–	–	–	–	1	–	–	–	–	–
7	Whooping cough (9)	1	–	–	–	–	–	–	–	1	–
8	Diphtheria and croup (10)	2	–	–	–	1	–	–	–	–	–
9	Influenza (11)	2	–	–	–	–	–	–	–	–	2
(12)	Erysipelas (21)	–	–	–	–	–	–	–	2	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	1	–	–	–	–	–	–	–	–	1
17	Meningitis (24, 71)	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs (31)	2	–	5	–	–	–	–	–	–	–
14	Tuberculous meningitis (32)	1	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis (33–37)	–	–	1	1	1	–	–	–	–	–
16	Cancer (43–49)	15	–	1	6	–	–	2	1	–	4
(37)	Rheumatism (51, 52)	–	–	–	1	–	–	–	–	–	–
(37)	Diabetes (57)	6	–	–	1	1	–	–	–	–	1
(37)	Alcoholism (66)	–	–	–	–	–	–	–	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	11	–	5	6	2	–	2	1	–	1
(37)	Acute endocarditis (88)	2	–	1	–	–	–	–	–	–	–
(37)	Angina pectoris (89)	–	–	–	–	1	–	–	–	–	–
19	Organic diseases of the heart (90)	15	4	4	7	7	1	3	2	2	2
(37)	Diseases of the arteries (91)	4	–	–	2	–	1	1	–	–	2
20, 21	Bronchitis (99)	6	–	2	–	2	–	–	–	–	–
(23)	Bronchopneumonia (100)	4	–	1	–	2	–	–	1	–	1
22	Pneumonia (101)	8	–	2	1	–	–	–	–	–	1
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	3	–	–	–	–	–	–	–	–	–
24	Diseases of the stomach (111, 112)	1	–	–	–	–	–	–	–	–	–
25	Diarrhea and enteritis (under 2 years) (113)	2	–	1	–	1	–	–	–	–	1
26	Appendicitis (117)	1	–	–	–	–	–	–	–	–	–
27	Hernia, intestinal obstruction (118)	–	–	1	–	–	–	–	–	1	–
28	Cirrhosis of the liver (122)	1	–	–	–	–	–	–	–	–	–
29	Nephritis and Bright's disease (128, 129)	15	1	–	–	1	–	1	2	–	1
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	–	–	1
31	Puerperal fever (146)	1	–	–	–	–	–	–	–	–	1
32	Other puerperal affections (143–145, 147–150)	1	–	–	–	–	–	–	–	–	–
33	Congenital debility and malformations (159–161*a*)	5	–	2	2	–	–	2	1	–	4
34	Senility (164)	1	–	–	1	–	–	–	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	9	–	2	–	3	–	2	–	–	3
(35)	*Burns (conflagration excepted) (179)*	1	–	1	–	–	–	–	–	–	–
(35)	*Accidental drowning (182)*	–	–	–	–	1	–	2	–	–	–
(35)	*Traumatism by fall (185)*	1	–	1	–	1	–	–	–	–	1
(35)	*Railroad accidents and injuries (188a)*	4	–	–	–	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	1	–	–	–	–	–	–	–	–	–
(35)	*All others*	2	–	–	–	1	–	–	–	–	2
36	Suicide (165–174)	1	–	–	1	–	–	–	–	–	–
(35)	Homicide (197–200)	–	–	–	1	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	16	1	2	4	3	1	1	1	–	2
38	Ill-defined or unknown causes (204, 205)	–	–	–	1	–	–	–	–	–	1

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1922.

Abridged Int. List No.	Hanson.	Hardwick.	Harvard.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.
	68	28	11	40	37	662	6	4	64	9	31	46	2	44	861	31	25	10	89
1	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	1	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–
6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
7	–	–	–	–	1	–	–	–	2	–	–	–	–	–	10	–	–	–	1
8	–	–	–	–	3	8	–	–	–	–	–	–	–	–	21	–	–	–	–
9	2	1	–	2	2	5	–	–	1	–	–	–	–	1	12	–	–	–	–
(12)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(37)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
17	–	1	–	–	–	4	–	–	–	–	–	1	–	–	6	–	–	–	–
13	41	1	–	2	–	45	–	–	1	–	–	1	1	2	53	2	1	–	5
14	–	1	–	–	–	3	–	–	–	–	–	–	–	–	4	–	–	–	–
15	–	–	–	–	–	3	–	–	–	–	–	–	–	–	10	–	–	–	–
16	4	3	3	6	2	60	1	–	8	–	4	5	–	4	75	5	4	–	7
(37)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	3	–	–	–	–
(37)	–	–	–	–	–	11	–	–	3	–	1	1	–	1	18	–	2	–	4
(37)	–	–	–	–	–	1	–	–	–	–	–	–	–	1	4	–	–	–	–
18	2	3	–	10	4	63	1	1	9	2	3	6	–	9	81	4	–	6	19
(37)	–	–	–	–	1	9	–	–	–	–	1	2	–	–	11	–	–	–	–
(37)	–	–	–	1	–	7	–	–	2	–	–	–	–	1	6	2	1	–	–
19	5	4	1	5	7	83	2	1	11	5	12	5	1	10	97	3	4	3	16
(37)	2	–	–	2	–	32	–	–	1	–	3	–	–	3	9	3	6	–	–
20, 21	–	–	–	–	1	4	–	–	1	–	–	–	–	–	6	–	–	–	1
(23)	–	2	–	2	–	36	–	–	7	–	–	1	–	2	66	–	–	–	5
22	1	–	–	1	–	29	–	–	1	–	–	5	–	–	37	2	1	–	4
(23)	–	1	–	–	–	8	–	–	–	–	–	–	–	–	6	1	1	–	–
24	–	–	–	1	–	6	–	–	–	–	–	–	–	–	4	–	–	–	–
25	1	1	–	–	2	5	–	–	1	–	2	1	–	–	45	–	–	–	–
26	–	–	–	–	–	17	–	–	–	–	–	–	–	–	18	–	–	–	–
27	–	–	–	1	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
28	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
29	2	–	1	1	2	34	1	2	5	1	1	1	–	2	51	2	2	–	4
30	–	–	–	–	–	6	–	–	–	–	–	–	–	–	7	–	–	–	–
31	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–
32	–	–	–	1	–	3	–	–	–	–	–	1	–	–	13	–	1	1	–
33	–	–	–	2	4	40	–	–	1	–	1	1	–	1	46	–	–	–	4
34	–	–	–	–	–	1	–	–	2	–	1	1	–	–	–	1	–	–	–
(35)	3	5	4	1	4	42	–	–	2	–	–	5	–	2	38	2	–	–	4
(35)	–	1	–	–	–	1	–	–	–	–	–	–	–	–	4	–	–	–	–
(35)	–	2	1	–	2	1	–	–	–	–	–	–	–	1	4	–	–	–	–
(35)	1	1	–	1	–	10	–	–	1	–	–	–	–	1	11	1	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
(35)	–	–	1	–	1	9	–	–	1	–	–	1	–	–	6	–	–	–	1
(35)	2	1	2	–	1	21	–	–	–	–	–	4	–	–	12	1	–	–	2
36	–	–	–	–	–	14	–	–	–	–	1	–	–	1	6	–	1	–	1
(35)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1
(37)	2	5	2	1	2	61	1	–	6	1	1	9	–	4	85	3	2	–	12
38	2	–	–	–	1	4	–	–	–	–	–	–	–	–	–	–	–	–	1

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Hull.	Huntington.	Ipswich.	Kingston.	Lakeville.	Lancaster.	Lanesborough.	Lawrence.	Lee.	Leicester.
	All Causes.[2]	**34**	**9**	**79**	**29**	**99**	**23**	**9**	**1,123**	**55**	**36**
1	Typhoid fever (1)	–	–	1	–	–	–	–	1	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	3	–	–	–	–	12	–	–
6	Scarlet fever (8)	–	1	–	–	–	–	–	1	–	–
7	Whooping cough (9)	–	–	1	–	–	–	–	3	–	1
8	Diphtheria and croup (10)	–	–	–	–	–	–	–	16	–	–
9	Influenza (11)	1	–	1	–	–	–	1	21	–	–
(12)	Erysipelas (21)	–	–	–	1	–	1	1	2	1	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	2	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	1	–	–	–	–	4	–	–
17	Meningitis (24, 71)	–	–	1	–	–	1	–	3	–	–
13	Tuberculosis of the lungs (31)	–	–	2	1	80	2	–	81	2	–
14	Tuberculous meningitis (32)	–	–	–	–	–	–	–	6	–	–
15	Other forms of tuberculosis (33–37)	–	–	–	–	1	–	–	6	–	–
16	Cancer (43–49)	5	2	8	4	–	3	1	74	4	5
(37)	Rheumatism (51, 52)	–	–	1	–	–	–	–	3	–	–
(37)	Diabetes (57)	2	–	–	1	2	–	–	23	2	1
(37)	Alcoholism (66)	–	–	1	–	–	–	–	9	–	–
18	Cerebral hemorrhage and softening (74, 83)	2	2	5	4	4	1	3	81	3	3
(37)	Acute endocarditis (88)	–	–	–	1	1	–	–	21	1	2
(37)	Angina pectoris (89)	–	–	1	1	–	–	1	12	–	–
19	Organic diseases of the heart (90)	10	–	18	5	1	4	2	119	12	5
(37)	Diseases of the arteries (91)	2	–	6	1	1	–	–	23	1	–
20, 21	Bronchitis (99)	–	–	1	1	–	–	–	11	–	–
(23)	Bronchopneumonia (100)	–	1	4	3	–	4	–	101	1	3
22	Pneumonia (101)	1	–	1	–	–	1	–	47	7	1
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	1	–	–	–	1	1	–	7	1	–
24	Diseases of the stomach (111, 112)	–	1	1	–	–	–	–	6	1	–
25	Diarrhea and enteritis (under 2 years) (113)	–	–	1	–	–	–	–	51	–	1
26	Appendicitis (117)	–	–	–	–	–	–	–	10	–	–
27	Hernia, intestinal obstruction (118)	–	–	–	–	–	–	–	16	–	–
28	Cirrhosis of the liver (122)	–	–	–	–	–	–	–	3	2	–
29	Nephritis and Bright's disease (128, 129)	4	1	2	3	1	1	–	74	6	6
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	2	–	–	–	–	4	–	–
31	Puerperal fever (146)	–	–	–	–	–	–	–	3	–	–
32	Other puerperal affections (143–145, 147–150)	–	–	–	–	–	–	–	10	–	–
33	Congenital debility and malformations (159–161*a*)	1	–	4	1	1	–	–	66	3	4
34	Senility (164)	–	–	–	–	–	–	–	3	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	3	–	8	1	2	1	–	75	1	1
(35)	*Burns (conflagration excepted) (179)*	–	–	–	–	–	–	–	8	–	–
(35)	*Accidental drowning (182)*	1	–	–	1	2	–	–	11	–	–
(35)	*Traumatism by fall (185)*	–	–	4	–	–	–	–	20	–	–
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	–	–	2	–	–
(35)	*Automobile accidents and injuries (188c)*	1	–	2	–	–	–	–	12	–	–
(35)	*All others*	1	–	2	–	–	1	–	22	1	1
36	Suicide (165–174)	1	–	–	–	1	–	–	13	–	1
(35)	Homicide (197–200)	–	–	–	–	–	–	–	10	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	1	1	5	1	3	3	–	75	7	2
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	–	15	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1922.

Abridged Int. List No.	Lenox.	Leominster.	Leverett.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	Lowell.	Ludlow.	Lunenburg.	Lynn.	Lynnfield.	Malden.	Manchester.	Mansfield.	Marblehead.	Marion.	Marlborough.
	27	240	16	73	4	13	18	29	1,535	110	21	1,199	18	583	35	59	103	17	209
1	–	2	–	–	–	–	–	–	3	–	–	1	–	4	–	–	1	–	–
3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	–	2	–	–	1	–	3	–	–	–	–	–
6	–	1	–	–	–	–	–	–	2	–	–	1	–	9	–	–	–	–	–
7	–	7	–	–	–	–	–	–	–	–	–	6	–	2	–	2	–	1	2
8	–	3	–	–	–	–	–	–	16	2	–	13	–	19	–	–	–	–	3
9	1	6	–	2	–	–	–	–	3	4	–	15	–	8	–	2	–	–	9
(12)	–	–	–	–	–	–	–	–	8	–	–	2	–	1	–	–	–	–	1
(37)	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	1	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1
17	–	3	–	–	–	–	–	–	12	1	–	2	–	2	–	–	–	–	1
13	2	10	1	6	–	–	1	3	88	5	2	78	3	27	4	2	1	1	10
14	–	2	–	–	–	–	–	–	12	–	–	5	–	1	2	1	–	–	1
15	–	3	–	–	–	–	1	–	7	–	–	11	–	4	–	–	–	–	–
16	1	23	–	10	–	5	2	4	106	4	–	113	3	51	4	1	13	1	23
(37)	–	–	–	1	–	–	–	–	5	1	–	6	–	1	–	–	1	–	–
(37)	–	3	–	2	–	–	–	–	29	–	–	23	–	12	–	–	2	–	1
(37)	–	1	–	–	–	–	–	–	4	–	–	14	–	4	–	1	–	–	–
18	3	19	1	8	1	1	1	4	135	–	5	119	3	52	4	4	17	4	17
(37)	–	4	–	1	–	–	–	–	24	1	–	15	–	3	–	–	1	–	5
(37)	–	3	–	–	–	1	–	–	15	–	–	27	1	5	–	–	4	1	6
19	9	30	4	12	1	2	3	8	150	14	3	160	3	81	10	11	18	2	36
(37)	–	8	–	3	1	–	–	1	136	2	–	51	1	44	3	2	6	1	7
20, 21	–	6	1	1	–	–	–	–	24	1	1	9	–	2	1	6	2	–	1
(23)	2	11	1	1	–	1	4	1	102	16	2	51	–	37	–	2	5	–	7
22	1	15	–	2	–	1	1	1	58	3	1	64	–	26	2	1	2	1	12
(23)	–	1	–	1	–	–	–	–	13	2	–	3	–	8	–	1	–	–	–
24	–	1	1	–	–	–	–	–	9	2	–	7	–	4	–	2	–	–	1
25	–	2	–	–	–	–	–	–	73	20	–	12	–	3	–	–	–	–	2
26	–	1	–	–	–	–	–	–	27	1	–	8	–	9	–	1	–	–	1
27	–	2	–	–	–	–	–	–	13	–	–	8	1	3	–	–	–	–	2
28	1	3	–	–	–	–	–	–	5	2	1	12	–	–	–	–	–	–	2
29	1	15	4	9	–	–	1	3	81	4	2	87	2	39	–	8	12	2	4
30	–	–	–	–	–	–	–	–	4	–	–	5	–	3	–	–	–	–	3
31	–	–	–	–	–	–	–	–	3	–	–	2	–	5	–	–	–	–	1
32	–	1	–	–	–	–	–	–	19	–	–	12	–	6	–	1	–	–	1
33	3	20	2	4	1	1	1	–	126	13	–	52	1	27	–	1	5	3	12
34	–	2	–	3	–	–	–	–	16	–	–	4	–	4	–	3	1	–	–
(35)	–	10	1	1	–	–	3	2	58	8	2	57	–	28	1	2	1	–	20
(35)	–	1	–	–	–	–	–	–	7	2	–	7	–	4	–	–	–	–	2
(35)	–	1	–	–	–	–	2	–	7	1	1	4	–	–	–	–	–	–	1
(35)	–	4	–	1	–	–	1	–	16	1	–	21	–	13	1	–	–	–	4
(35)	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	1
(35)	–	2	1	–	–	–	–	–	6	4	1	5	–	3	–	1	–	–	5
(35)	–	2	–	–	–	–	–	2	21	–	–	16	–	8	–	1	1	–	7
36	–	1	–	1	–	–	–	–	11	1	2	12	–	4	2	1	1	–	1
(35)	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
(37)	2	21	–	5	–	1	–	2	132	3	–	122	–	41	2	3	9	–	15
38	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Marshfield.	Mashpee.	Mattapoisett.	Maynard.	Medfield.	Medford.	Medway.	Melrose.	Mendon.	Merrimac.
	All Causes.[2]	**37**	**2**	**19**	**49**	**103**	**342**	**48**	**232**	**13**	**24**
1	Typhoid fever (1)	–	–	–	–	–	–	–	1	–	1
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever (8)	–	–	–	–	–	2	–	–	–	–
7	Whooping cough (9)	–	–	–	–	–	2	–	–	–	–
8	Diphtheria and croup (10)	–	–	–	–	–	3	–	1	–	–
9	Influenza (11)	–	–	–	2	–	–	2	10	–	–
(12)	Erysipelas (21)	–	–	–	–	–	–	–	1	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	1	–	1	–	–
(12)	Other epidemic diseases (2-4, 12-20, 23, 25, 42)	–	–	–	–	1	1	–	–	–	–
17	Meningitis (24, 71)	–	–	–	–	–	–	–	4	–	–
13	Tuberculosis of the lungs (31)	1	–	–	1	22	15	3	6	1	–
14	Tuberculous meningitis (32)	–	–	–	–	–	2	–	–	–	–
15	Other forms of tuberculosis (33-37)	–	–	–	1	2	1	–	2	–	–
16	Cancer (43-49)	6	–	2	6	5	42	3	33	2	1
(37)	Rheumatism (51, 52)	–	–	–	–	–	2	–	–	–	–
(37)	Diabetes (57)	2	–	1	–	–	12	–	7	–	–
(37)	Alcoholism (66)	–	–	–	–	–	1	–	–	–	1
18	Cerebral hemorrhage and softening (74, 83)	6	1	4	6	7	36	6	21	1	4
(37)	Acute endocarditis (88)	–	–	1	–	–	4	1	2	1	1
(37)	Angina pectoris (89)	–	–	–	–	–	3	1	5	–	–
19	Organic diseases of the heart (90)	8	–	5	15	17	53	19	39	1	8
(37)	Diseases of the arteries (91)	3	–	1	4	5	37	–	12	–	–
20, 21	Bronchitis (99)	–	–	–	1	1	3	–	5	–	–
(23)	Bronchopneumonia (100)	1	1	–	2	4	16	5	7	–	2
22	Pneumonia (101)	–	–	–	1	10	11	–	14	–	–
(23)	Other respiratory diseases (60, 61, 97, 98, 102-107)	–	–	–	–	–	2	1	2	1	1
24	Diseases of the stomach (111, 112)	–	–	–	–	–	1	–	4	–	–
25	Diarrhea and enteritis (under 2 years) (113)	–	–	–	1	–	4	1	1	–	–
26	Appendicitis (117)	–	–	–	–	–	–	–	5	–	–
27	Hernia, intestinal obstruction (118)	1	–	–	–	2	–	–	2	–	–
28	Cirrhosis of the liver (122)	1	–	–	–	1	1	–	–	–	–
29	Nephritis and Bright's disease (128, 129)	3	–	2	2	4	20	1	4	1	–
30	Noncancerous tumors and other diseases of the female genital organs (137-141)	–	–	–	–	–	–	–	–	–	–
31	Puerperal fever (146)	–	–	–	–	–	1	–	1	–	–
32	Other puerperal affections (143-145, 147-150)	–	–	–	1	–	4	–	2	–	–
33	Congenital debility and malformations (159-161*a*)	–	–	–	3	1	17	–	9	1	2
34	Senility (164)	–	–	–	–	–	–	–	2	2	–
(35)	Violent deaths (excluding suicide and homicide) (175-196, 201-203)	3	–	2	–	2	14	–	6	–	1
(35)	*Burns (conflagration excepted) (179)*	–	–	–	–	–	–	–	–	–	–
(35)	*Accidental drowning (182)*	1	–	–	–	–	3	–	–	–	–
(35)	*Traumatism by fall (185)*	–	–	–	–	1	8	–	2	–	1
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	1	–	2	–	–	–	–	1	–	–
(35)	*All others*	1	–	–	–	1	3	–	3	–	–
36	Suicide (165-174)	–	–	–	1	–	3	–	–	1	–
(35)	Homicide (197-200)	–	–	–	–	–	–	–	–	–	–
(37)	All other defined causes (26-30, 38-41, 50, 53-56, 58, 59, 62-65, 67-70, 72, 73, 75-82, 84-87, 92-96, 108-110, 114-116, 119-121, 123-127, 130-136, 142, 151-158, 161*b*, 162, 163)	2	–	1	2	19	28	4	23	1	2
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1922.

Abridged Int. List No.	Methuen.	Middleborough.	Middlefield.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.
	203	**108**	**1**	**73**	**194**	**49**	**11**	**22**	**94**	**2**	**131**	**138**	**7**	**3**	**1**	**17**	**56**	**156**	**59**
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1
8	2	1	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–	1	–
9	2	–	–	–	–	1	1	–	3	–	1	4	–	–	–	–	1	5	3
(12)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
17	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
13	9	4	–	56	13	2	1	3	4	–	3	5	–	1	–	1	1	4	–
14	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–
15	–	–	–	–	4	–	–	–	–	–	1	1	–	–	–	–	–	1	–
16	18	6	–	–	9	4	1	3	10	–	–	11	–	–	–	2	5	22	6
(37)	2	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–
(37)	4	2	–	–	4	1	–	–	–	–	2	3	–	–	–	–	1	2	1
(37)	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
18	27	11	–	2	25	6	–	2	8	–	9	6	1	1	–	1	7	16	6
(37)	1	5	–	–	3	–	–	–	2	–	–	1	–	–	–	–	2	–	–
(37)	2	1	–	–	2	–	–	–	–	–	–	2	–	–	–	1	2	2	2
19	24	27	–	7	22	10	5	4	23	1	15	24	4	1	–	7	9	27	15
(37)	6	8	–	3	5	1	–	2	5	–	1	3	–	–	–	–	7	1	5
20, 21	1	1	–	–	1	–	1	–	2	–	–	1	–	–	–	–	–	1	2
(23)	19	2	–	1	11	1	–	–	5	–	5	6	–	–	–	1	4	8	5
22	6	5	–	–	12	6	–	1	9	–	3	6	–	–	–	–	1	9	–
(23)	1	–	–	–	1	–	–	–	1	–	1	3	–	–	–	–	–	1	–
24	3	2	–	–	2	1	–	–	–	–	–	4	–	–	–	–	–	2	–
25	4	–	–	–	2	1	–	–	–	–	1	1	–	–	–	1	–	–	1
26	11	–	–	–	4	–	–	–	–	–	–	4	–	–	–	–	–	5	1
27	2	–	–	–	3	–	–	–	–	–	–	2	–	–	–	–	–	2	–
28	3	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–
29	5	4	–	2	19	4	–	1	6	–	2	10	–	–	–	–	2	9	4
30	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–
31	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
32	3	2	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–	–	–
33	12	8	–	–	12	1	–	2	2	–	2	13	–	–	–	–	2	11	2
34	–	1	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
(35)	4	4	–	1	12	1	–	1	3	–	3	3	1	–	–	2	2	8	1
(35)	–	1	–	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–
(35)	1	1	–	–	5	–	–	–	1	–	1	–	–	–	–	1	1	4	–
(35)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
(35)	1	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1
(35)	2	1	–	1	4	1	–	1	1	–	–	1	–	–	–	–	1	2	–
36	1	1	1	1	2	–	–	–	–	–	1	–	1	–	–	–	1	3	–
(35)	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–
(37)	22	10	–	–	11	9	1	1	8	1	75	12	–	–	1	1	2	11	4
38	3	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 Cause of Death.[1]	Deaths from New Ashford.	New Bedford.	New Braintree.	New Marlborough.	New Salem.	Newbury.	Newburyport.	Newton.	Norfolk.	North Adams.
	All Causes.[2]	**1**	**1,566**	**3**	**11**	**5**	**21**	**206**	**539**	**11**	**277**
1	Typhoid fever (1)	–	–	–	–	–	–	2	–	–	2
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	8	–	–	–	–	–	–	–	1
6	Scarlet fever (8)	–	5	–	–	–	–	–	3	–	–
7	Whooping cough (9)	–	4	–	–	–	1	–	1	–	1
8	Diphtheria and croup (10)	–	23	–	–	–	–	–	3	–	1
9	Influenza (11)	–	22	–	–	–	–	2	4	–	6
(12)	Erysipelas (21)	–	5	–	–	–	–	1	2	–	–
(37)	Poliomyelitis (22)	–	5	–	–	–	–	–	1	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	5	–	–	–	–	3	1	–	3
17	Meningitis (24, 71)	–	1	–	–	–	–	–	–	–	1
13	Tuberculosis of the lungs (31)	–	110	–	–	–	–	5	23	–	10
14	Tuberculous meningitis (32)	–	16	–	–	–	–	1	5	–	1
15	Other forms of tuberculosis (33–37)	–	11	–	–	–	–	–	1	–	2
16	Cancer (43–49)	–	116	–	–	–	–	23	69	2	24
(37)	Rheumatism (51, 52)	–	5	–	–	–	–	1	3	–	1
(37)	Diabetes (57)	–	23	–	–	–	–	4	17	–	6
(37)	Alcoholism (66)	–	4	–	–	–	1	1	1	–	2
18	Cerebral hemorrhage and softening (74, 83)	–	141	–	1	1	5	30	58	2	24
(37)	Acute endocarditis (88)	–	26	–	–	–	1	2	8	–	2
(37)	Angina pectoris (89)	–	6	–	–	–	1	6	11	–	4
19	Organic diseases of the heart (90)	1	187	1	1	2	2	33	81	5	41
(37)	Diseases of the arteries (91)	–	74	–	–	–	2	3	28	2	5
20, 21	Bronchitis (99)	–	21	–	1	–	–	3	3	–	5
(23)	Bronchopneumonia (100)	–	168	–	–	–	1	8	30	–	17
22	Pneumonia (101)	–	27	1	2	1	1	9	29	–	6
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	13	–	–	–	–	1	2	–	2
24	Diseases of the stomach (111, 112)	–	8	–	–	–	–	–	4	–	5
25	Diarrhea and enteritis (under 2 years) (113)	–	85	–	–	–	–	1	2	–	4
26	Appendicitis (117)	–	19	–	–	–	–	1	3	–	7
27	Hernia, intestinal obstruction (118)	–	12	–	–	–	–	–	3	–	3
28	Cirrhosis of the liver (122)	–	10	–	–	–	–	2	2	–	2
29	Nephritis and Bright's disease (128, 129)	–	67	–	2	–	3	13	29	–	16
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	8	–	–	–	–	–	2	–	–
31	Puerperal fever (146)	–	3	–	–	–	–	1	2	–	1
32	Other puerperal affections (143–145, 147–150)	–	9	–	–	–	–	5	5	–	4
33	Congenital debility and malformations (159–161*a*)	–	88	1	1	–	1	10	11	–	26
34	Senility (164)	–	4	–	–	–	–	–	4	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	–	69	–	1	–	–	9	32	–	19
(35)	*Burns (conflagration excepted) (179)*	–	8	–	–	–	–	1	1	–	1
(35)	*Accidental drowning (182)*	–	7	–	–	–	–	3	2	–	–
(35)	*Traumatism by fall (185)*	–	10	–	–	–	–	3	8	–	3
(35)	*Railroad accidents and injuries (188a)*	–	1	–	–	–	–	–	–	–	1
(35)	*Automobile accidents and injuries (188c)*	–	21	–	–	–	–	1	3	–	3
(35)	*All others*	–	22	–	1	–	–	1	18	–	11
36	Suicide (165–174)	–	9	–	–	–	–	3	8	–	3
(35)	Homicide (197–200)	–	3	–	–	–	–	–	1	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	–	137	–	2	1	1	22	46	–	19
38	Ill-defined or unknown causes (204, 205)	–	9	–	–	–	1	1	1	–	1

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

Important Causes in Each Municipality: 1922.

Abridged Int. List No.	North Andover.	North Attleborough.	North Brookfield.	North Reading.	Northampton.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.
	62	**96**	**50**	**56**	**428**	**20**	**97**	**23**	**26**	**26**	**139**	**24**	**10**	**69**	**20**	**5**	**42**	**90**	**6**
1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
7	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
8	–	–	2	–	5	–	–	–	–	–	–	–	–	2	–	–	–	–	–
9	1	1	1	–	9	–	1	–	–	–	–	2	–	2	–	1	2	2	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–
17	–	–	–	–	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–
13	2	2	2	45	41	–	4	–	2	–	5	2	–	–	1	–	4	3	–
14	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
15	–	–	–	–	–	2	–	–	–	–	2	–	–	2	–	–	–	1	–
16	3	15	4	1	38	3	13	4	4	4	14	3	1	9	2	1	2	4	1
(37)	1	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	1
(37)	–	4	1	–	12	–	3	1	–	2	3	–	–	3	1	–	–	1	–
(37)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	10	17	3	3	61	3	9	5	2	2	13	4	1	10	3	–	5	8	1
(37)	–	–	–	–	3	–	1	–	–	–	3	–	–	–	–	–	–	1	–
(37)	–	–	1	–	4	–	6	–	–	–	1	–	1	6	–	–	–	1	–
19	14	24	13	1	61	4	9	5	3	8	25	6	1	11	7	2	12	11	1
(37)	4	1	3	–	9	1	2	1	–	–	4	2	1	1	2	–	3	2	1
20, 21	2	1	–	1	7	–	1	–	–	2	1	–	–	–	1	–	1	1	–
(23)	4	4	3	–	14	–	4	–	1	–	7	1	–	2	–	–	–	8	–
22	3	–	1	–	12	–	6	3	4	3	6	–	1	3	–	–	4	5	–
(23)	–	–	–	–	4	–	–	–	1	–	–	–	–	1	–	–	–	–	–
24	1	2	3	–	4	–	1	–	–	–	2	–	–	1	–	–	–	1	–
25	2	1	–	–	4	1	3	–	–	–	3	–	–	2	–	–	1	9	–
26	–	–	–	–	4	–	–	–	–	–	3	–	–	–	–	–	–	1	–
27	–	1	1	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
28	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
29	4	10	2	1	33	2	10	1	7	–	5	–	3	1	–	1	3	6	–
30	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
31	–	–	1	–	4	–	–	–	–	–	3	–	–	–	–	–	–	–	–
32	–	–	–	–	6	–	–	–	–	–	2	–	–	2	–	–	–	–	–
33	3	4	1	1	17	–	5	–	–	–	3	–	1	3	1	–	3	10	–
34	–	–	1	–	4	–	–	1	–	1	1	2	–	–	–	–	–	–	–
(35)	4	1	2	1	16	1	5	1	–	3	15	1	–	3	1	–	1	8	–
(35)	–	–	–	–	1	–	–	–	–	1	2	–	–	1	–	–	–	–	–
(35)	1	–	–	1	2	–	1	–	–	–	1	1	–	1	1	–	–	1	–
(35)	1	–	1	–	5	–	–	–	–	–	2	–	–	1	–	–	–	2	–
(35)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–
(35)	–	–	1	–	3	1	2	–	–	–	5	–	–	–	–	–	–	1	–
(35)	2	1	–	–	4	–	2	1	–	2	5	–	–	–	–	–	1	2	–
36	–	–	2	–	1	1	1	–	–	–	2	–	–	–	–	–	–	1	–
(35)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(37)	4	5	2	–	38	1	8	–	1	1	10	–	–	3	1	–	1	4	1
38	–	–	–	–	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Peabody.	Pelham.	Pembroke.	Pepperell.	Peru.	Petersham.	Phillipston.	Pittsfield.	Plainfield.	Plainville.
	All Causes.[2]	**230**	**7**	**21**	**46**	**2**	**10**	**3**	**551**	**6**	**13**
1	Typhoid fever (1)	–	–	–	–	–	–	–	1	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	3	–	–	–	–	–	–	–	–	–
6	Scarlet fever (8)	–	–	–	–	–	–	–	3	–	–
7	Whooping cough (9)	7	–	–	–	–	–	–	7	–	–
8	Diphtheria and croup (10)	1	–	–	–	–	–	–	8	–	–
9	Influenza (11)	1	1	–	–	–	–	–	3	–	–
(12)	Erysipelas (21)	–	–	–	–	–	–	–	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	2	–	–	–	–	–	–	1	–	–
17	Meningitis (24, 71)	3	–	–	–	–	–	–	3	–	1
13	Tuberculosis of the lungs (31)	8	1	–	2	–	2	1	27	–	–
14	Tuberculous meningitis (32)	1	–	–	–	–	–	–	3	–	–
15	Other forms of tuberculosis (33–37)	1	–	–	–	–	–	–	6	–	–
16	Cancer (43–49)	18	2	–	7	–	–	–	52	1	2
(37)	Rheumatism (51, 52)	–	–	–	–	–	–	–	1	–	–
(37)	Diabetes (57)	8	–	–	2	–	–	–	11	–	–
(37)	Alcoholism (66)	2	–	1	–	–	–	–	2	–	–
18	Cerebral hemorrhage and softening (74, 83)	12	–	7	6	–	2	1	53	–	2
(37)	Acute endocarditis (88)	3	–	–	–	1	–	–	6	–	–
(37)	Angina pectoris (89)	8	–	–	–	–	–	–	3	–	–
19	Organic diseases of the heart (90)	27	1	6	12	–	2	–	86	–	2
(37)	Diseases of the arteries (91)	11	–	–	2	–	–	–	3	1	1
20, 21	Bronchitis (99)	5	–	–	–	–	–	–	1	–	–
(23)	Bronchopneumonia (100)	12	1	1	1	–	–	–	30	1	–
22	Pneumonia (101)	5	–	–	3	–	1	–	30	–	1
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	1	–	–	1	–	–	–	4	–	–
24	Diseases of the stomach (111, 112)	6	–	1	–	–	–	1	6	–	–
25	Diarrhea and enteritis (under 2 years) (113)	5	–	–	2	–	–	–	6	–	–
26	Appendicitis (117)	2	–	–	–	–	–	–	11	–	–
27	Hernia, intestinal obstruction (118)	3	–	–	–	–	–	–	5	–	–
28	Cirrhosis of the liver (122)	1	–	–	1	–	–	–	1	–	–
29	Nephritis and Bright's disease (128, 129)	9	–	–	6	–	–	–	37	1	–
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	1	–	–	–	–	–	–	1	–	–
31	Puerperal fever (146)	–	–	–	–	–	–	–	1	–	–
32	Other puerperal affections (143–145, 147–150)	3	–	–	–	–	–	–	7	–	–
33	Congenital debility and malformations (159–161*a*)	14	–	1	–	–	–	–	22	–	1
34	Senility (164)	1	–	–	–	–	–	–	4	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	17	1	2	–	–	–	–	32	–	1
(35)	*Burns (conflagration excepted) (179)*	2	–	–	–	–	–	–	3	–	–
(35)	*Accidental drowning (182)*	1	–	2	–	–	–	–	2	–	–
(35)	*Traumatism by fall (185)*	3	1	–	–	–	–	–	12	–	–
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	6	–	–	–	–	–	–	7	–	–
(35)	*All others*	5	–	–	–	–	–	–	8	–	1
36	Suicide (165–174)	4	–	–	–	–	–	–	6	–	1
(35)	Homicide (197–200)	–	–	–	–	–	–	–	–	–	1
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	24	–	1	1	1	3	–	65	1	–
38	Ill-defined or unknown causes (204, 205)	1	–	1	–	–	–	–	3	1	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1922.

Abridged Int. List No.	Plymouth.	Plympton.	Prescott.	Princeton.	Provincetown.	QUINCY.	Randolph.	Rayrham.	Reading.	Rehoboth.	REVERE.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.
	171	**4**	**4**	**9**	**47**	**452**	**62**	**18**	**82**	**31**	**199**	**5**	**12**	**78**	**59**	**6**	**21**	**11**	**4**
1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	3	–	–	–	–	3	–	–	–	–	–	–	–	–
6	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–	–	–
7	–	–	–	–	–	4	–	–	2	–	1	–	–	–	–	–	–	–	–
8	4	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	1	–	–
9	4	–	–	–	–	5	–	–	–	–	2	–	–	2	–	–	–	–	1
(12)	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	–	–	–	–
(37)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
17	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–
13	2	–	–	–	2	25	2	1	3	2	6	–	2	4	6	–	1	–	–
14	–	–	–	–	1	2	–	–	1	–	–	–	–	–	1	–	–	–	–
15	–	–	–	–	–	3	1	–	1	–	2	–	–	–	–	–	–	–	–
16	18	3	–	1	3	45	6	–	9	–	25	–	3	9	3	1	–	1	–
(37)	1	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
(37)	–	–	1	–	3	6	2	–	1	2	3	–	–	2	–	–	–	–	–
(37)	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–
18	15	–	–	–	10	42	6	2	12	4	18	–	3	10	6	–	7	4	–
(37)	1	–	–	–	1	5	3	2	2	–	3	–	–	1	1	–	1	–	–
(37)	4	–	–	–	1	4	–	–	–	–	–	–	–	–	–	–	1	–	–
19	34	1	1	1	10	75	16	4	11	5	37	1	1	21	8	2	6	2	1
(37)	6	–	–	–	1	8	6	1	5	2	3	–	–	5	9	–	–	–	–
20, 21	–	–	–	–	–	4	1	2	–	2	1	–	–	–	1	–	–	–	–
(23)	7	–	1	1	1	30	2	1	6	3	16	–	–	3	4	–	1	–	–
22	6	–	–	–	–	26	2	–	2	1	8	–	1	6	–	1	–	–	–
(23)	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–
24	5	–	–	1	1	6	1	–	–	1	1	1	–	–	–	–	–	–	1
25	3	–	–	1	–	4	–	–	–	1	1	–	–	–	–	–	–	–	–
26	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
27	1	–	–	1	–	3	1	–	–	–	–	–	–	–	3	–	–	–	–
28	1	–	–	–	1	1	–	–	–	–	2	–	–	–	1	–	–	–	–
29	19	–	1	2	5	24	4	2	7	2	13	2	–	4	4	1	1	–	–
30	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
31	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
32	1	–	–	–	–	4	–	–	1	–	1	–	–	–	–	–	–	–	–
33	9	–	–	–	–	27	1	–	5	2	9	–	1	2	2	–	1	–	–
34	2	–	–	–	–	2	–	–	1	1	1	1	–	–	–	–	–	–	–
(35)	10	–	–	–	1	32	4	2	7	–	9	–	–	3	1	1	1	2	1
(35)	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	1	2	–	–	1	–	4	–	–	–	–	–	1	–	1
(35)	4	–	–	–	–	10	–	–	1	–	1	–	–	1	–	–	–	–	–
(35)	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–
(35)	3	–	–	–	–	9	1	2	4	–	2	–	–	1	–	–	–	–	–
(35)	3	–	–	–	–	5	3	–	1	–	–	–	–	1	1	1	–	2	–
36	–	–	–	–	–	–	1	–	1	–	5	–	–	–	1	–	–	–	–
(35)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(37)	12	–	–	1	4	38	3	–	4	2	14	–	1	4	5	–	–	2	–
38	–	–	–	–	–	1	–	–	–	–	4	–	–	2	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 Cause of Death.[1]	Deaths from Rutland.	Salem.	Salisbury.	Sandisfield.	Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.
	All Causes.[2]	**96**	**588**	**26**	**4**	**34**	**98**	**3**	**36**	**41**	**35**
1	Typhoid fever (1)	–	–	–	–	–	–	–	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	3	–	–	–	–	–	–	–	–
6	Scarlet fever (8)	–	15	–	–	–	–	–	1	–	–
7	Whooping cough (9)	–	5	–	–	–	–	–	–	–	–
8	Diphtheria and croup (10)	–	15	–	–	–	–	–	–	–	–
9	Influenza (11)	–	5	–	–	1	2	–	–	–	1
(12)	Erysipelas (21)	–	3	–	–	–	–	–	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	3	–	–	–	1	–	–	–	–
17	Meningitis (24, 71)	–	3	–	–	1	–	–	–	–	–
13	Tuberculosis of the lungs (31)	79	26	–	–	3	3	–	–	3	4
14	Tuberculous meningitis (32)	1	–	1	–	–	–	–	–	–	–
15	Other forms of tuberculosis (33–37)	–	–	–	–	–	1	–	–	–	–
16	Cancer (43–49)	–	59	4	–	2	7	–	3	3	4
(37)	Rheumatism (51, 52)	–	1	–	–	–	–	–	–	–	–
(37)	Diabetes (57)	–	13	1	–	–	1	–	–	–	–
(37)	Alcoholism (66)	–	1	–	–	–	–	–	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	1	56	3	1	4	16	1	4	2	2
(37)	Acute endocarditis (88)	–	10	–	–	1	–	–	–	1	–
(37)	Angina pectoris (89)	–	3	–	–	–	2	–	1	–	1
19	Organic diseases of the heart (90)	5	114	6	–	3	26	1	8	5	7
(37)	Diseases of the arteries (91)	–	17	1	–	1	3	–	–	2	1
20, 21	Bronchitis (99)	–	4	–	–	3	–	–	2	1	–
(23)	Bronchopneumonia (100)	1	20	2	1	2	4	–	–	3	5
22	Pneumonia (101)	–	23	–	–	3	4	–	1	1	2
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	6	–	–	–	3	–	–	–	–
24	Diseases of the stomach (111, 112)	–	3	–	–	1	–	–	1	–	–
25	Diarrhea and enteritis (under 2 years) (113)	1	13	–	–	1	3	–	–	2	–
26	Appendicitis (117)	–	3	–	–	–	–	–	1	–	1
27	Hernia, intestinal obstruction (118)	–	3	–	–	1	–	–	–	–	–
28	Cirrhosis of the liver (122)	–	–	–	–	1	–	–	–	–	–
29	Nephritis and Bright's disease (128, 129)	1	27	4	–	–	6	–	4	6	1
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	4	–	–	–	–	–	–	–	–
31	Puerperal fever (146)	–	1	–	–	–	–	–	–	–	–
32	Other puerperal affections (143–145, 147–150)	–	3	–	–	–	–	–	–	–	–
33	Congenital debility and malformations (159–161*a*)	1	44	–	1	–	1	–	1	5	1
34	Senility (164)	–	3	–	–	–	–	–	1	1	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	1	28	1	1	1	4	1	3	1	1
(35)	*Burns (conflagration excepted) (179)*	–	4	–	–	–	–	1	–	1	–
(35)	*Accidental drowning (182)*	–	4	1	1	–	2	–	1	–	–
(35)	*Traumatism by fall (185)*	–	4	–	–	–	1	–	1	–	–
(35)	*Railroad accidents and injuries (188a)*	–	2	–	–	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	1	8	–	–	–	1	–	–	–	1
(35)	*All others*	–	6	–	–	1	–	–	1	–	–
36	Suicide (165–174)	1	8	1	–	–	–	–	–	–	–
(35)	Homicide (197–200)	–	1	–	–	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	4	42	2	–	4	11	–	5	4	4
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	1	–	–	–	1	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1922.

Abridged Int. List No.	Sheffield.	Shelburne.	Sherborn.	Shirley.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.
	31	**20**	**13**	**18**	**36**	**6**	**32**	**1,021**	**50**	**10**	**26**	**147**	**14**	**79**	**1,598**	**19**	**23**	**83**	**74**
1	–	–	–	–	–	–	–	4	–	–	–	1	–	–	3	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	3	–	–	–	–	1	–	9	–	–	–	–
6	–	–	–	–	–	–	–	3	–	–	–	1	–	–	4	–	–	–	1
7	–	–	–	–	1	–	1	11	–	–	–	5	–	–	4	–	–	–	–
8	–	1	–	1	–	–	1	19	1	–	1	2	1	–	24	–	–	1	1
9	–	–	–	–	–	–	–	7	–	–	1	2	–	1	14	–	–	–	–
(12)	–	–	–	1	–	–	–	3	–	–	–	–	–	–	3	–	–	–	–
(37)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	1	1	–	–	–	–	–	5	–	–	1	–
17	–	–	–	–	–	–	–	4	–	–	–	1	–	–	9	–	–	–	1
13	–	1	–	–	1	1	3	30	3	–	1	9	2	3	70	2	–	6	4
14	–	–	–	–	–	–	–	1	–	–	–	1	–	2	6	–	–	–	–
15	1	–	–	–	–	–	1	3	–	–	–	1	–	–	7	–	–	–	–
16	–	3	2	–	3	–	2	94	5	–	3	19	1	7	159	1	2	15	7
(37)	–	–	–	–	–	–	1	5	–	–	–	–	–	–	7	1	–	–	–
(37)	3	–	–	–	–	–	–	13	1	–	–	1	2	1	29	–	1	2	3
(37)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
18	1	1	2	2	9	4	4	106	3	2	–	18	1	12	157	3	2	14	9
(37)	–	–	–	–	–	–	1	13	–	–	–	–	–	1	12	–	–	–	–
(37)	1	–	–	–	1	–	–	15	–	–	1	1	1	2	20	–	–	–	–
19	8	5	3	2	4	–	3	186	7	4	6	25	–	22	207	3	4	18	16
(37)	4	–	–	3	3	–	–	99	4	–	2	–	–	5	14	–	–	5	–
20, 21	–	–	–	–	–	–	2	8	1	–	1	3	–	3	3	–	–	1	2
(23)	2	–	–	1	2	–	2	75	4	–	2	7	1	2	92	–	1	–	3
22	1	–	2	–	1	–	–	52	5	–	2	5	–	1	59	–	5	–	4
(23)	–	–	–	–	–	–	–	2	–	–	–	1	–	–	18	–	–	–	–
24	1	–	–	1	–	–	–	9	–	–	–	7	–	1	19	–	1	–	1
25	–	–	1	2	1	–	1	10	1	–	–	3	–	1	33	–	–	1	4
26	–	–	–	–	–	–	–	5	–	–	–	–	–	–	27	–	–	–	–
27	–	1	–	–	–	–	–	5	–	–	–	1	–	–	17	–	–	–	–
28	1	–	–	–	–	–	–	2	–	–	–	–	–	–	8	–	–	–	2
29	2	4	–	2	5	1	4	53	5	3	3	9	2	4	146	3	1	6	7
30	–	–	–	–	–	–	–	4	–	–	–	–	–	–	11	1	–	–	–
31	–	–	–	–	–	–	–	3	–	–	–	–	–	–	10	–	–	–	–
32	–	–	–	–	–	–	–	5	–	–	–	–	–	–	16	–	–	–	–
33	1	–	2	1	2	–	2	52	3	–	1	12	1	4	95	–	–	3	3
34	–	1	–	–	–	–	–	2	–	–	–	2	–	2	3	–	1	–	1
(35)	1	2	1	2	2	–	2	42	3	1	–	4	1	–	85	2	3	3	3
(35)	–	–	1	–	–	–	–	3	–	–	–	–	–	–	4	–	–	–	–
(35)	–	–	–	–	2	–	–	2	1	–	–	–	1	–	4	–	1	–	1
(35)	–	1	–	–	–	–	–	17	1	–	–	1	–	–	28	–	–	2	–
(35)	1	–	–	1	–	–	–	1	–	–	–	–	–	–	5	–	–	–	–
(35)	–	–	–	–	–	–	1	9	–	–	–	–	–	–	17	2	2	1	1
(35)	–	1	–	1	–	–	1	10	1	1	–	3	–	–	27	–	–	–	1
36	–	–	–	–	–	–	–	5	–	–	–	–	–	2	16	1	–	–	–
(35)	–	–	–	–	–	–	–	1	–	–	–	1	–	–	7	–	–	–	–
(37)	3	1	–	–	–	–	1	63	3	–	2	5	–	3	166	1	2	7	2
38	1	–	–	–	1	–	1	–	–	–	–	–	–	–	2	1	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Stow.	Sturbridge.	Sudbury.	Sunderland.	Sutton.	Swampscott.	Swansea.	Taunton.	Templeton.	Tewksbury.
	All Causes.[2]	**14**	**27**	**15**	**9**	**36**	**91**	**26**	**641**	**49**	**21**
1	Typhoid fever (1)	–	–	–	–	–	–	–	–	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever (8)	–	–	–	–	2	–	–	–	–	–
7	Whooping cough (9)	–	1	–	–	–	–	–	–	2	–
8	Diphtheria and croup (10)	–	–	–	–	–	–	–	3	–	1
9	Influenza (11)	–	–	–	–	–	–	–	10	–	–
(12)	Erysipelas (21)	–	–	–	–	–	–	–	1	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	1	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	–	–	–	–	–
17	Meningitis (24, 71)	1	–	–	–	–	1	–	–	–	–
13	Tuberculosis of the lungs (31)	–	–	–	–	2	3	3	35	1	–
14	Tuberculous meningitis (32)	–	–	–	–	–	1	–	5	–	–
15	Other forms of tuberculosis (33–37)	–	–	–	–	–	2	–	3	1	–
16	Cancer (43–49)	3	3	3	1	3	6	1	40	4	3
(37)	Rheumatism (51, 52)	–	–	–	–	–	2	–	4	2	–
(37)	Diabetes (57)	–	1	2	–	1	–	2	9	3	–
(37)	Alcoholism (66)	–	–	–	–	–	–	–	6	–	–
18	Cerebral hemorrhage and softening (74, 83)	–	6	2	1	6	11	3	69	9	3
(37)	Acute endocarditis (88)	–	1	–	–	–	2	–	9	1	1
(37)	Angina pectoris (89)	–	–	1	–	–	5	1	4	–	1
19	Organic diseases of the heart (90)	2	3	1	1	5	15	2	93	5	3
(37)	Diseases of the arteries (91)	–	–	–	–	3	7	3	76	–	1
20, 21	Bronchitis (99)	1	2	–	–	–	1	–	10	–	1
(23)	Bronchopneumonia (100)	1	1	1	2	2	4	–	29	4	1
22	Pneumonia (101)	–	–	1	–	2	7	–	13	2	1
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	–	1	–	–	–	–	6	–	–
24	Diseases of the stomach (111, 112)	–	1	–	–	–	–	–	9	1	–
25	Diarrhea and enteritis (under 2 years) (113)	1	–	–	–	–	–	–	16	1	–
26	Appendicitis (117)	–	–	–	–	–	–	–	4	–	–
27	Hernia, intestinal obstruction (118)	1	–	–	–	–	–	–	5	1	–
28	Cirrhosis of the liver (122)	–	–	–	–	–	1	–	4	1	–
29	Nephritis and Bright's disease (128, 129)	–	3	–	–	4	5	6	30	–	1
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	–	–	–
31	Puerperal fever (146)	–	–	–	–	–	–	–	1	1	–
32	Other puerperal affections (143–145, 147–150)	–	–	–	–	–	1	–	5	–	–
33	Congenital debility and malformations (159–161*a*)	2	4	1	2	4	2	1	30	3	–
34	Senility (164)	–	1	–	–	1	–	–	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	–	–	1	–	1	7	2	23	–	3
(35)	*Burns (conflagration excepted) (179)*	–	–	–	–	–	–	–	2	–	–
(35)	*Accidental drowning (182)*	–	–	–	–	–	5	1	4	–	1
(35)	*Traumatism by fall (185)*	–	–	–	–	–	1	–	4	–	–
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	–	–	1	–	–	–	1	5	–	–
(35)	*All others*	–	–	–	–	1	1	–	8	–	2
36	Suicide (165–174)	2	–	–	–	–	1	–	3	–	–
(35)	Homicide (197–200)	–	–	–	–	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	–	–	1	2	–	7	2	83	7	1
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	–	2	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

Important Causes in Each Municipality: 1922.

Abridged Int. List No.	State Infirmary.	Tisbury.	Tolland.	Topsfield.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	Waltham.	Ware.	Wareham.	Warren.	Warwick.	Washington.
	428	28	2	19	34	15	9	3	32	59	142	4	46	399	83	68	45	8	2
1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–
6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
7	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
8	1	–	–	–	–	–	–	–	–	–	–	–	1	6	2	1	1	–	–
9	–	2	–	–	3	–	–	–	–	4	3	–	1	6	2	2	1	–	–
(12)	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(37)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	1	–	–
17	–	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–
13	88	3	–	–	–	–	–	–	1	2	6	–	2	19	6	4	4	–	–
14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–
15	11	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–
16	37	3	–	6	5	1	3	–	1	4	19	–	2	28	8	8	4	–	–
(37)	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(37)	2	–	–	–	–	–	–	–	1	1	1	–	3	6	1	–	–	1	–
(37)	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–
18	31	2	–	2	2	2	–	1	11	–	21	2	8	49	12	6	4	2	1
(37)	2	1	–	–	–	–	–	1	–	1	1	–	–	10	1	4	–	–	–
(37)	–	–	–	–	–	–	–	–	2	3	1	–	–	2	2	1	–	–	–
19	40	3	–	4	9	4	–	–	5	9	23	1	6	58	13	8	6	2	–
(37)	87	–	–	–	3	–	–	–	3	2	7	–	1	11	1	3	3	–	–
20, 21	–	–	–	–	1	–	–	–	–	–	1	–	–	4	1	4	1	–	–
(23)	13	–	–	1	1	–	1	–	–	3	6	1	1	19	4	3	3	–	–
22	15	3	–	–	–	–	–	–	1	1	10	–	4	21	4	4	3	–	–
(23)	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
24	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–
25	13	–	–	–	–	–	–	–	–	1	2	–	1	6	–	–	1	–	–
26	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–
27	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	2	–	–
28	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
29	5	2	2	–	2	4	1	1	–	5	9	–	–	16	5	2	1	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
32	–	–	–	–	–	–	–	–	–	–	1	–	–	5	1	–	1	–	–
33	11	1	–	–	–	1	–	–	1	6	6	–	3	15	6	5	2	–	–
34	–	1	–	1	–	–	–	–	–	1	6	–	2	4	–	–	–	–	–
(35)	5	2	–	–	1	2	2	–	1	2	1	–	2	21	4	–	1	–	–
(35)	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(35)	–	1	–	–	1	2	2	–	–	1	–	–	2	–	–	–	–	–	–
(35)	3	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	1	–	–	–	–	–	–	–	1	–	–	–	–	3	3	–	–	–	–
(35)	–	1	–	–	–	–	–	–	–	1	–	–	–	11	1	–	1	–	–
36	2	–	–	–	–	–	–	–	–	1	1	–	2	2	–	–	–	1	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(37)	59	3	–	4	5	1	1	–	4	8	12	–	6	57	4	8	4	1	1
38	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 Cause of Death.[1]	Deaths from Watertown.	Wayland.	Webster.	Wellesley.	Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.
	All Causes.[2]	**160**	**18**	**126**	**73**	**14**	**2**	**10**	**19**	**33**	**25**
1	Typhoid fever (1)	–	–	–	–	–	–	–	1	–	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
5	Measles (7)	1	–	3	–	–	–	–	–	–	–
6	Scarlet fever (8)	–	–	1	–	–	–	–	–	–	–
7	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
8	Diphtheria and croup (10)	2	–	–	–	–	–	–	–	–	–
9	Influenza (11)	2	–	1	1	–	1	–	–	1	–
(12)	Erysipelas (21)	–	–	–	–	–	–	–	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	1	–	–	–	–	2	–	–
17	Meningitis (24, 71)	–	–	–	1	–	–	–	–	–	–
13	Tuberculosis of the lungs (31)	9	1	6	–	1	1	–	–	–	1
14	Tuberculous meningitis (32)	1	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis (33–37)	1	–	3	–	–	–	–	–	–	–
16	Cancer (43–49)	18	2	16	13	2	–	–	3	2	–
(37)	Rheumatism (51, 52)	–	–	–	–	–	–	–	1	1	–
(37)	Diabetes (57)	2	1	2	–	–	–	–	1	2	1
(37)	Alcoholism (66)	–	–	–	1	–	–	–	–	1	–
18	Cerebral hemorrhage and softening (74, 83)	12	2	15	15	2	–	2	4	4	1
(37)	Acute endocarditis (88)	3	1	3	2	–	–	–	–	–	–
(37)	Angina pectoris (89)	–	–	3	4	–	–	–	–	–	–
19	Organic diseases of the heart (90)	29	5	13	12	3	–	2	4	6	12
(37)	Diseases of the arteries (91)	3	1	5	3	4	–	–	–	3	–
20, 21	Bronchitis (99)	4	–	5	1	–	–	–	–	3	–
(23)	Bronchopneumonia (100)	19	1	4	1	–	–	1	–	3	–
22	Pneumonia (101)	6	1	5	8	–	–	1	–	–	–
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	1	–	–	–	–	–	–	–	–	–
24	Diseases of the stomach (111, 112)	3	–	1	–	–	–	–	–	–	–
25	Diarrhea and enteritis (under 2 years) (113)	1	–	2	–	–	–	–	1	–	1
26	Appendicitis (117)	–	–	–	–	–	–	–	–	–	–
27	Hernia, intestinal obstruction (118)	1	–	–	–	–	–	–	–	–	–
28	Cirrhosis of the liver (122)	–	–	1	–	–	–	–	–	–	–
29	Nephritis and Bright's disease (128, 129)	8	1	12	4	1	–	3	1	4	1
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	–	–	–	–	–	–
31	Puerperal fever (146)	–	–	–	–	–	–	–	–	–	–
32	Other puerperal affections (143–145, 147–150)	–	–	–	–	–	–	–	–	–	–
33	Congenital debility and malformations (159–161*a*)	10	–	11	1	1	–	1	–	–	–
34	Senility (164)	3	–	1	–	–	–	–	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	8	2	3	1	–	–	–	–	1	–
(35)	*Burns (conflagration excepted) (179)*	–	–	–	–	–	–	–	–	–	–
(35)	*Accidental drowning (182)*	–	2	2	1	–	–	–	–	–	–
(35)	*Traumatism by fall (185)*	2	–	1	–	–	–	–	–	–	–
(35)	*Railroad accidents and injuries (188a)*	–	–	–	–	–	–	–	–	–	–
(35)	*Automobile accidents and injuries (188c)*	2	–	–	–	–	–	–	–	1	–
(35)	*All others*	4	–	–	–	–	–	–	–	–	–
36	Suicide (165–174)	4	–	1	–	–	–	–	–	1	1
(35)	Homicide (197–200)	–	–	–	–	–	–	–	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	9	–	8	5	–	–	–	1	1	7
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1922.

Abridged Int. List No.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury[2].	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.
	18	128	12	2	195	250	37	5	19	20	36	11	182	15	87	27	23	39	27
1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	1	-	-	-	6	-	-	1	-	1	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
7	-	2	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	1	1
8	1	4	-	-	-	6	1	-	-	-	-	-	1	-	-	2	-	-	-
9	-	3	1	-	-	4	1	-	2	-	1	-	3	-	2	1	1	1	-
(12)	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-
13	-	7	1	-	11	29	3	-	-	1	4	2	3	-	2	1	1	1	1
14	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
15	-	1	-	-	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-
16	5	4	1	-	9	10	3	-	5	1	3	-	22	-	7	3	2	6	2
(37)	-	-	-	-	-	3	-	-	-	-	-	-	2	-	-	-	-	1	-
(37)	2	3	-	-	1	3	1	-	1	1	1	-	4	-	3	-	-	-	1
(37)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
18	3	17	-	-	12	27	2	-	2	4	10	1	27	1	8	2	2	5	4
(37)	-	-	-	-	3	2	-	-	-	1	-	-	1	1	1	-	-	1	1
(37)	-	-	-	-	-	4	1	-	-	2	-	-	3	-	3	-	-	-	1
19	4	18	1	-	28	35	5	1	2	2	3	1	39	4	15	6	5	9	2
(37)	-	2	-	1	22	7	2	-	1	1	-	-	3	-	9	-	-	-	1
20, 21	-	-	-	-	-	2	-	-	-	-	-	-	1	1	1	-	-	-	-
(23)	-	11	-	-	17	25	3	-	1	1	2	1	6	2	4	4	1	3	2
22	-	4	1	-	14	11	3	-	-	1	1	1	9	1	3	-	-	1	1
(23)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-
24	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-
25	-	4	-	-	-	8	2	-	-	-	2	-	1	-	-	1	-	-	-
26	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
28	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
29	-	9	1	-	20	19	1	-	-	-	2	-	12	1	8	-	5	1	3
30	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-
33	-	9	2	-	1	9	4	1	1	-	1	1	11	2	3	1	1	3	1
34	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2
(35)	-	6	2	-	6	8	-	1	2	-	1	2	7	2	-	4	2	2	2
(35)	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	-	2	1	-	-	2	-	-	-	-	-	1	1	-	-	2	1	-	1
(35)	-	1	-	-	3	2	-	-	2	-	-	-	2	1	-	1	-	1	-
(35)	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	1
(35)	-	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
(35)	-	1	1	-	1	1	-	1	-	-	-	-	3	-	-	-	1	1	-
36	1	4	-	-	2	1	-	-	1	-	1	-	1	-	-	-	-	-	-
(35)	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(37)	1	13	1	-	43	18	2	1	-	1	2	2	18	-	11	2	1	2	1
38	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Important Causes in Each Municipality: 1922 — Con.								
		Winchendon.	Winchester.	Windsor.	Winthrop.	Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.
	All Causes.[2]	**100**	**107**	**5**	**129**	**177**	**2,440**	**1**	**39**	**25**
1	Typhoid fever (1)	–	–	–	–	1	6	–	1	–
3	Malaria (5)	–	–	–	–	–	–	–	–	–
4	Smallpox (6)	–	–	–	–	–	–	–	–	–
5	Measles (7)	–	–	–	–	–	6	–	–	–
6	Scarlet fever (8)	–	–	–	–	1	14	–	–	–
7	Whooping cough (9)	–	1	–	–	1	14	–	–	–
8	Diphtheria and croup (10)	–	–	–	1	3	29	–	–	–
9	Influenza (11)	3	2	–	1	12	22	–	1	1
(12)	Erysipelas (21)	–	–	–	–	–	6	–	–	–
(37)	Poliomyelitis (22)	–	–	–	–	–	–	–	–	–
(12)	Other epidemic diseases (2–4, 12–20, 23, 25, 42)	–	–	–	–	–	9	–	–	–
17	Meningitis (24, 71)	–	–	–	–	–	12	–	1	1
13	Tuberculosis of the lungs (31)	2	3	–	2	6	127	–	2	–
14	Tuberculous meningitis (32)	1	3	–	–	2	13	–	–	–
15	Other forms of tuberculosis (33–37)	–	–	–	1	–	15	–	1	–
16	Cancer (43–49)	13	13	–	11	21	183	–	1	5
(37)	Rheumatism (51, 52)	–	–	–	–	1	5	–	–	–
(37)	Diabetes (57)	2	1	–	6	6	68	–	–	–
(37)	Alcoholism (66)	1	2	–	–	–	8	–	–	–
18	Cerebral hemorrhage and softening (74, 83)	11	9	–	14	19	178	–	9	3
(37)	Acute endocarditis (88)	–	1	–	3	2	26	–	–	–
(37)	Angina pectoris (89)	2	3	–	3	1	22	–	1	1
19	Organic diseases of the heart (90)	20	11	1	25	29	278	1	8	5
(37)	Diseases of the arteries (91)	4	6	–	6	8	79	–	–	–
20, 21	Bronchitis (99)	–	–	–	1	1	23	–	–	2
(23)	Bronchopneumonia (100)	8	7	1	6	3	141	–	6	1
22	Pneumonia (101)	3	5	2	9	13	124	–	–	–
(23)	Other respiratory diseases (60, 61, 97, 98, 102–107)	–	–	–	1	–	18	–	–	–
24	Diseases of the stomach (111, 112)	–	1	–	–	2	26	–	1	–
25	Diarrhea and enteritis (under 2 years) (113)	–	–	–	1	–	60	–	–	–
26	Appendicitis (117)	2	–	–	2	3	34	–	–	–
27	Hernia, intestinal obstruction (118)	–	–	–	–	2	18	–	–	–
28	Cirrhosis of the liver (122)	–	1	–	–	1	7	–	–	–
29	Nephritis and Bright's disease (128, 129)	4	2	–	13	7	255	–	1	1
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	–	–	–	–	1	14	–	–	–
31	Puerperal fever (146)	2	1	–	–	–	11	–	–	–
32	Other puerperal affections (143–145, 147–150)	–	3	–	1	5	18	–	–	–
33	Congenital debility and malformations (159–161*a*)	5	7	1	7	10	132	–	–	–
34	Senility (164)	2	–	–	–	–	3	–	–	–
(35)	Violent deaths (excluding suicide and homicide) (175–196, 201–203)	2	7	–	1	4	142	–	–	2
(35)	*Burns (conflagration excepted) (179)*	1	–	–	–	1	19	–	–	–
(35)	*Accidental drowning (182)*	–	1	–	–	1	9	–	–	1
(35)	*Traumatism by fall (185)*	1	2	–	–	1	34	–	–	–
(35)	*Railroad accidents and injuries (188a)*	–	1	–	–	–	6	–	–	–
(35)	*Automobile accidents and injuries (188c)*	–	3	–	1	1	25	–	–	–
(35)	*All others*	–	–	–	–	–	49	–	–	1
36	Suicide (165–174)	–	2	–	2	1	17	–	–	1
(35)	Homicide (197–200)	–	1	–	–	–	4	–	–	–
(37)	All other defined causes (26–30, 38–41, 50, 53–56, 58, 59, 62–65, 67–70, 72, 73, 75–82, 84–87, 92–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*, 162, 163)	13	15	–	12	11	269	–	4	2
38	Ill-defined or unknown causes (204, 205)	–	–	–	–	–	4	–	2	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.
[2] Exclusive of stillbirths.

Table 16

Years.	Deaths from Important Causes· 1900 to 1922.									
	All causes.	Typhoid fever.*	Smallpox.*	Measles.*	Scarlet fever.*	Diphtheria and croup.*	Tuberculosis of the respiratory system.*	Cancer.	Alcoholism.	Nephritis, Bright's disease, etc.
		1	6	7	8	10	31	43-49	66	128, 129, 131
1900 . . .	51,156	632	3	330	330	1,475	5,199	1,998	226	2,259
1901 . . .	48,275	561	97	173	385	1,166	5,033	2,080	179	2,356
1902 . . .	47,491	538	284	333	313	873	4,685	2,141	171	2,341
1903 . . .	49,054	527	22	247	510	869	4,531	2,243	195	2,656
1904 . . .	48,482	463	9	160	138	699	4,874	2,421	162	2,610
1905 . . .	50,486	520	2	177	117	652	4,702	2,501	184	2,589
1906 . . .	50,624	477	–	208	135	743	4,608	2,603	161	2,593
1907 . . .	54,234	389	6	163	285	752	4,771	2,744	218	2,833
1908 . . .	51,788	517	3	331	369	747	4,445	2,814	114	2,631
1909 . . .	51,236	390	1	157	259	594	4,393	2,871	174	2,905
1910 . . .	54,407	411	–	240	254	679	4,503	3,028	224	3,061
1911 . . .	53,062	302	2	158	184	563	4,418	3,199	210	3,567
1912 . . .	52,400	269	1	286	118	473	4,212	3,282	197	2,980
1913 . . .	53,402	280	–	315	293	628	4,180	3,526	336	3,356
1914 . . .	52,978	268	–	149	246	652	4,171	3,586	299	3,420
1915 . . .	53,131	246	9	149	182	720	4,194	3,708	186	3,530
1916 . . .	56,366	172	–	392	127	629	4,467	3,990	212	3,593
1917 . . .	56,628	178	10	371	120	838	4,559	4,057	210	3,591
1918 . . .	78,842	160	–	532	78	608	5,078	4,098	111	4,008
1919 . . .	52,345	107	2	183	122	593	4,145	4,112	68	3,743
1920 . . .	53,632	95	2	352	214	591	3,645	4,494	59	3,644
1921 . . .	47,780	119	–	179	191	607	3,272	4,645	97	3,250
1922 . . .	51,115	86	–	218	149	606	3,167	4,650	238	3,268

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Number of Deaths.[2] 1922.	1921.	1920.	1919.	1918.	1917.
	All Causes.[2]	**51,115**	**47,780**	**53,632**	**52,345**	**78,842**	**56,628**
I.	Epidemic, endemic and infectious diseases	6,299	6,025	14,476	15,210	28,183	14,379
II.	General diseases not included above	6,671	6,342				
III.	Diseases of the nervous system and of the organs of special sense	6,096	5,679	5,869	5,733	5,846	5,778
IV.	Diseases of the circulatory system	10,921	9,607	9,520	8,896	9,745	11,072
V.	Diseases of the respiratory system	6,260	4,903	7,467	6,313	16,078	7,391
VI.	Diseases of the digestive system	3,372	3,718	4,125	3,822	5,326	5,307
VII.	Nonvenereal diseases of the genito-urinary system and annexa	3,699	3,690	4,127	4,273	4,403	4,036
VIII.	The puerperal state*	559	580	698	622	804	616
IX.	Diseases of the skin and of the cellular tissue	156	164	190	169	170	159
X	Diseases of the bones and of the organs of locomotion	64	88	120	88	96	117
XI.	Malformations*	722	722	723	727	751	644
XII.	Early infancy	2,820	2,928	2,996	2,839	3,433	3,038
XIII.	Old age	184	159	196	210	229	205
XIV.	External causes	3,140	2,996	2,938	3,242	3,442	3,584
XV.	Ill-defined diseases	152	179	187	201	336	302
1	Typhoid fever (1)*	86	119	95	107	160	178
2	Typhus fever (2)*	–	1	–	–	1	–
3	Malaria (5)	4	2	5	4	5	5
4	Smallpox (6)*	–	–	2	2	–	10
5	Measles (7)*	218	179	352	183	532	371
6	Scarlet fever (8)*	149	191	214	122	78	120
7	Whooping cough (9)*	294	201	546	323	729	243
8	Diphtheria and croup (10)*	606	607	591	593	608	838
9	Influenza (11)	569	153	1,623	2,872	13,783	494
10	Asiatic cholera (14)*	–	–	–	–	–	–
11	Cholera nostras (15)	5	8	8	7	1	–
12	Other epidemic diseases (3, 4, 12, 13, 16–23, 25, 42)	284	336	164	122	252	369
13	Tuberculosis of the lungs (31)	3,167	3,272	3,750	4,221	5,177	4,651
14	Tuberculous meningitis (32)	249	327	368	410	422	433
15	Other forms of tuberculosis (33–37)	320	268	282	289	370	325
16	Cancer and other malignant tumors (43–49)	4,650	4,645	4,494	4,112	4,098	4,057
17	Simple meningitis (24, 71)	219	248	274	325	418	297
18	Cerebral hemorrhage and softening (74, 83)	4,618	4,268	4,187	4,272	4,173	3,991
19	Organic diseases of the heart (90)*	7,607	6,660	6,379	6,031	6,793	7,890
20	Acute bronchitis (99*a*)	195	206	418	477	644	432
21	Chronic bronchitis (99*b*)*	124	108	273	217	328	269
22	Pneumonia (101)	2,344	1,823	2,842	2,614	10,339	4,028
23	Other diseases of the respiratory system (tuberculosis excepted) (60, 61, 97, 98, 99*c*, 99*d*, 100, 102–107)	3,645	2,815	3,934	3,005	4,767	2,662
24	Diseases of the stomach (cancer excepted) (111, 112)	403	368	385	386	472	508
25	Diarrhea and enteritis (under 2 years) (113)*	1,086	1,332	1,667	1,493	2,646	2,502
26	Appendicitis and typhilitis (117)	481	501	457	391	415	435
27	Hernia, intestinal obstruction (118)	357	437	440	442	427	346
28	Cirrhosis of the liver (122)*	184	147	196	181	256	325
29	Acute nephritis and Bright's disease (128, 129)	3,186	3,157	3,561	3,672	3,945	3,508
30	Noncancerous tumors and other diseases of the female genital organs (137–141)	163	186	190	197	128	179
31	Puerperal septicemia (puerperal fever, peritonitis) (146)*	159	178	195	163	159	194
32	Other puerperal accidents of pregnancy and labor (143–145, 147–150)*	400	402	503	459	645	422
33	Congenital debility and malformations (159–161*a*)*	2,673	2,740	2,784	2,775	3,406	3,056
34	Senility (164)	184	159	196	210	229	205
35	Violent deaths (suicide excepted) (175–203)	2,682	2,524	2,547	2,797	2,950	3,091
36	Suicide (165–171)*	458	472	391	445	492	493
37	Other diseases (26–30, 38–41, 50–59, 62–70, 72, 73, 75–82, 84–89, 91–96, 108–110, 114–116, 119–121, 123–127, 130–136, 142, 151–158, 161*b*–163)	9,193	8,561	9,132	8,225	8,658	9,399
38	Unknown or ill-defined diseases (204, 205)	153	179	187	201	336	302

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged Int. List No.	Death Rates[2] per 100,000 Population.						Per Cent Distribution.					
	1922.	1921.	1920.	1919.	1918.	1917.	1922.	1921.	1920.	1919.	1918.	1917.
	1,298.6	**1,229.6**	**1,392.2**	**1,364.7**	**2,017.7**	**1,474.1**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
I.	160.0	155.1	375.8	396.5	721.2	374.3	12.3	12.6	27.0	29.1	35.7	25.4
II.	169.5	163.2					13.1	13.3				
III.	154.9	146.1	152.3	149.5	149.6	150.4	11.9	11.9	10.9	10.9	7.4	10.2
IV.	277.5	247.2	247.1	231.9	249.3	288.2	21.4	20.1	17.8	17.0	12.4	19.6
V.	159.0	126.2	193.8	164.6	411.5	192.4	12.3	10.3	13.9	12.1	20.4	13.1
VI.	85.7	95.7	107.1	99.7	136.3	138.1	6.6	7.8	7.7	7.3	6.8	9.4
VII.	94.0	95.0	107.1	111.4	112.7	105.1	7.2	7.7	7.7	8.1	5.6	7.1
VIII.	14.2	14.9	18.1	16.2	20.6	16.0	1.1	1.2	1.3	1.2	1.0	1.1
IX.	4.0	4.2	4.9	4.4	4.4	.1	.3	.3	.4	.3	.2	.3
X.	1.6	2.3	3.1	2.3	2.6	3.0	.1	.2	.2	.2	.1	.2
XI.	18.3	18.6	18.8	19.0	19.2	16.8	1.4	1.5	1.3	1.4	1.0	1.1
XII.	71.6	75.4	77.8	74.0	87.9	79.1	5.5	6.1	5.6	5.4	4.4	5.4
XIII.	4.6	4.1	5.1	5.5	5.9	5.3	.4	.3	.4	.4	.3	.4
XIV.	79.8	77.1	76.3	84.5	88.1	93.3	6.1	6.3	5.5	6.2	4.4	6.3
XV.	3.9	4.6	4.9	5.2	8.6	7.9	.3	.4	.3	.4	.4	.5
1	2.2	3.1	2.5	2.8	4.1	4.6	.2	.2	.2	.2	.2	.3
2	–	–[3]	–	–	–[3]	–	–	–[4]	–[4]	–[4]	–[4]	–
3	.1	–[3]	.1	.1	.1	.1	–[4]	–[4]	–[4]	–[4]	–[4]	–[4]
4	–	–	–[3]	–[3]	–	.3	–	–	–[4]	–[4]	–	–[4]
5	5.5	4.6	9.1	4.8	13.6	9.7	.4	.4	.7	.3	.7	.7
6	3.8	4.9	5.6	3.2	2.0	3.1	.3	.4	.4	.2	.1	.2
7	7.5	5.2	14.2	8.4	18.7	6.3	.6	.4	1.0	.6	.9	.4
8	15.4	15.6	15.3	15.5	15.6	21.8	1.2	1.3	1.1	1.1	.8	1.5
9	14.5	3.9	42.1	74.9	352.7	12.9	1.1	.3	3.0	5.5	17.5	.9
10	–	–	–	–	–	–	–	–	–	–	–	–
11	.1	.2	.3	.2	–[3]	–	–[4]	–[4]	–[4]	–[4]	–[4]	–
12	7.2	8.6	4.3	3.2	6.4	9.6	.6	.7	.3	.2	.3	.7
13	80.5	84.2	97.3	110.0	132.5	121.1	6.2	6.9	7.0	8.1	6.6	8.2
14	6.3	8.4	9.5	10.7	10.8	11.3	.5	.7	.7	.8	.5	.8
15	8.1	6.9	7.3	7.5	9.5	8.5	.6	.6	.5	.6	.5	.6
16	118.1	119.5	116.7	107.2	104.9	105.6	9.1	9.7	8.4	7.9	5.2	7.2
17	5.6	6.4	7.1	8.5	10.7	7.7	.4	.5	.5	.6	.5	.5
18	117.3	109.8	108.7	111.4	106.8	103.9	9.0	8.9	7.8	8.2	5.3	7.0
19	193.3	171.4	165.6	157.3	173.8	205.4	14.9	13.9	11.9	11.5	8.6	13.9
20	5.0	5.3	10.9	12.4	16.5	11.2	.4	.4	.8	.9	.8	.8
21	3.2	2.8	7.1	5.7	8.4	7.0	.2	.2	.5	.4	.4	.5
22	59.6	46.9	73.8	68.2	264.6	104.9	4.6	3.8	5.3	5.0	13.1	7.1
23	92.6	72.4	102.1	78.3	122.0	69.3	7.1	5.9	7.3	5.7	6.0	4.7
24	10.2	9.5	10.0	10.1	12.1	13.2	.8	.8	.7	.7	.6	.9
25	27.6	34.3	43.3	38.9	67.7	65.1	2.1	2.8	3.1	2.9	3.4	4.4
26	12.2	12.9	11.9	10.2	10.6	11.3	1.0	1.1	.9	.8	.5	.8
27	9.1	11.2	11.4	11.5	10.9	9.0	.7	.9	.8	.8	.6	.6
28	4.7	3.8	5.1	4.7	6.6	8.5	.4	.3	.4	.4	.3	.6
29	80.9	81.2	92.4	95.7	101.0	91.3	6.2	6.6	6.6	7.0	5.0	6.2
30	4.1	4.8	4.9	5.1	3.3	4.7	.3	.4	.4	.4	.2	.3
31	4.0	4.6	5.1	4.3	4.1	5.0	.3	.4	.4	.3	.2	.3
32	10.1	10.3	13.0	12.0	16.3	11.0	.8	.9	.9	.9	.8	.7
33	67.9	70.5	72.3	72.3	87.2	79.5	5.2	5.7	5.2	5.3	4.4	5.4
34	4.7	4.1	5.1	5.5	5.9	5.3	.4	.3	.4	.4	.3	.4
35	68.1	65.0	66.1	72.9	75.5	80.5	5.2	5.3	4.8	5.3	3.7	5.5
36	11.6	12.1	10.1	11.6	12.6	12.8	.9	1.0	.7	.9	.6	.9
37	233.6	220.3	237.0	214.4	221.6	244.7	18.0	17.9	17.0	15.7	11.0	16.6
38	3.9	4.6	4.9	5.2	8.6	7.9	.3	.4	.3	.4	.4	.5

[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.
[4] Less than one-tenth of 1 per cent.

Table 18

DEATH RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR:[1] CENSUS YEARS 1900 TO 1920.

YEARS.	All causes.[2]	Typhoid fever.*	Smallpox.*	Measles.*	Scarlet fever.*	Diphtheria and croup.*	Tuberculosis of the respiratory system.*	Cancer.	Nephritis, Bright's disease, etc.
		1	6	7	8	10	31	43-49	128, 129, 131
1900	1,721.0	21.4	2.9	8.3	10.0	37.5	181.3	71.0	81.1
1905	1,677.0	15.8	.3	6.3	7.9	24.6	155.7	83.0	88.1
1910	1,566.2	11.2	–[3]	6.9	7.0	18.1	130.0	89.9	89.6
1915	1,475.7	6.2	.1	7.5	5.2	18.8	116.8	102.2	94.7
1920	1,472.9	2.9	–[3]	7.6	3.9	15.6	100.2	114.2	93.0

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.

Table 19

DEATHS PRODUCED BY EXTERNAL CAUSES: 1902 TO 1922.

YEARS.	Total.	Burns and scalds.*	Other acute poisonings.	Accidental injuries.	Accidental drowning.*	Freezing.*	Effects of heat.*	Homicide, including infanticide.*	Suicide.*	Other external causes.
	165-203	179	177	183-189	182	193	194	197-200	165-174	175-203[1]
1902	2,108	212	88	1,013	356	19	10	27	255	128
1903	2,246	207	87	1,126	344	25	14	–[2]	314	129
1904	2,160	223	98	1,056	300	28	16	29	301	109
1905	2,326	315	90	1,117	303	19	56	24	298	104
1906	2,358	271	90	1,223	317	15	33	31	280	98
1907	2,681	322	88	1,363	309	3	36	44	400	116
1908	2,664	290	104	1,257	350	18	30	66	436	113
1909	2,578	292	87	1,247	313	16	39	68	416	100
1910	2,825	268	90	1,477	300	15	23	76	438	138
1911	3,418	315	78	1,423	301	18	614	85	449	135
1912	3,097	331	51	1,487	303	21	53	92	478	281
1913	3,222	311	52	1,525	364	7	25	111	486	341
1914	3,070	312	52	1,420	304	32	17	106	495	332
1915	3,206	274	56	1,522	362	11	17	113	515	336
1916	3,402	282	46	1,718	318	27	26	115	455	415
1917	3,584	309	55	1,719	315	27	91	106	493	469
1918	3,442	302	46	1,636	276	17	14	93	492	566
1919	3,242	296	118	1,491	292	13	26	102	445	459
1920	2,938	282	52	1,374	224	9	15	78	391	513
1921	2,996	202	65	1,393	301	9	31	116	472	407
1922	3,140	243	46	1,471	269	3	12	102	458	536

[1] Balance between. [2] Not tabulated.

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1922.

Detailed Int. List No.	Cause of Death and Age Period.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
43–49	**Cancer (all causes).**	**246**	**1,164**	**374**	**13**	**9**	**433**	**1,354**	**1,031**	**26**	**–**
	Under 20 years	29	–	–	–	–	13	–	–	–	–
	20 to 29 years	7	8	–	–	–	11	17	–	–	–
	30 to 39 years	11	35	4	–	–	28	103	10	3	–
	40 to 49 years	28	156	8	–	–	78	323	49	8	–
	50 to 59 years	67	326	44	3	3	123	414	129	6	–
	60 to 69 years	65	368	88	7	1	94	325	302	5	–
	70 to 79 years	34	224	154	1	5	54	155	335	3	–
	80 years and over	5	47	76	2	–	32	16	206	1	–
	Unknown age	–	–	–	–	–	–	1	–	–	–
43	Cancer of the buccal cavity	14	86	32	1	–	2	9	10	–	–
	Under 20 years	1	–	–	–	–	1	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	2	1	–	–	–	–	–	–	–	–
	40 to 49 years	4	10	1	–	–	1	–	–	–	–
	50 to 59 years	4	22	2	–	–	–	2	2	–	–
	60 to 69 years	2	36	8	1	–	–	3	1	–	–
	70 to 79 years	1	14	9	–	–	–	3	3	–	–
	80 years and over	–	3	12	–	–	–	1	4	–	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
44	Cancer of the stomach and liver	99	492	144	6	5	89	345	303	8	–
	Under 20 years	3	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	3	–	–	–	2	2	–	–	–
	30 to 39 years	2	13	–	–	–	5	6	1	1	–
	40 to 49 years	12	61	5	–	–	10	61	10	2	–
	50 to 59 years	30	152	17	1	2	24	115	29	2	–
	60 to 69 years	35	159	39	4	–	30	106	91	2	–
	70 to 79 years	16	90	54	–	3	12	48	110	–	–
	80 years and over	1	14	29	1	–	6	7	62	1	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
45	Cancer of the peritoneum, intestines, rectum	44	224	75	1	2	78	215	227	3	–
	Under 20 years	6	–	–	–	–	2	–	–	–	–
	20 to 29 years	2	3	–	–	–	2	1	–	–	–
	30 to 39 years	2	9	2	–	–	6	15	1	1	–
	40 to 49 years	8	28	–	–	–	11	39	6	1	–
	50 to 59 years	11	62	9	1	–	20	64	28	–	–
	60 to 69 years	9	65	19	–	1	18	63	70	–	–
	70 to 79 years	5	44	33	–	1	14	30	73	1	–
	80 years and over	1	13	12	–	–	5	3	49	–	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
46	Cancer of the female genital organs	–	–	–	–	–	81	382	192	8	–
	Under 20 years	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	–	–	–	–	–	2	5	–	–	–
	30 to 39 years	–	–	–	–	–	8	52	5	1	–
	40 to 49 years	–	–	–	–	–	17	115	22	4	–
	50 to 59 years	–	–	–	–	–	31	114	36	–	–
	60 to 69 years	–	–	–	–	–	13	69	54	3	–
	70 to 79 years	–	–	–	–	–	6	27	51	–	–
	80 years and over	–	–	–	–	–	3	–	24	–	–
	Unknown age	–	–	–	–	–	–	–	–	–	–
47	Cancer of the breast	1	4	–	–	–	108	249	159	6	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	2	5	–	–	–
	30 to 39 years	–	–	–	–	–	6	23	3	–	–
	40 to 49 years	–	–	–	–	–	27	73	8	1	–
	50 to 59 years	1	1	–	–	–	32	79	20	3	–
	60 to 69 years	–	3	–	–	–	21	44	44	–	–
	70 to 79 years	–	–	–	–	–	11	23	53	2	–
	80 years and over	–	–	–	–	–	9	1	31	–	–
	Unknown age	–	–	–	–	–	–	1	–	–	–

Detailed Int. List No.	Table 20 — Cause of Death and Age Period.	Deaths from Cancer by Sex, Age and Marital Condition: 1922 — Con.									
		Males.					Females.				
		Single.	Married.	Widowed.	Divorced.	Unknown.	Single.	Married.	Widowed.	Divorced.	Unknown.
48	Cancer of the skin	7	41	18	-	1	8	8	24	-	-
	Under 20 years	-	-	-	-	-	-	-	-	-	-
	20 to 29 years	-	1	-	-	-	-	-	-	-	-
	30 to 39 years	-	1	-	-	-	-	-	-	-	-
	40 to 49 years	1	4	-	-	-	-	1	-	-	-
	50 to 59 years	2	8	-	-	-	-	-	4	-	-
	60 to 69 years	2	15	2	-	-	1	3	6	-	-
	70 to 79 years	-	9	11	-	1	3	3	7	-	-
	80 years and over	2	3	5	-	-	4	1	7	-	-
	Unknown age	-	-	-	-	-	-	-	-	-	-
49	Cancer of other organs or of organs not specified	81	317	105	5	1	67	146	116	1	-
	Under 20 years	19	-	-	-	-	9	-	-	-	-
	20 to 29 years	5	1	-	-	-	3	4	-	-	-
	30 to 39 years	5	11	2	-	-	3	7	-	-	-
	40 to 49 years	3	53	2	-	-	12	34	3	-	-
	50 to 59 years	19	81	16	1	1	16	40	10	1	-
	60 to 69 years	17	90	20	2	-	11	37	36	-	-
	70 to 79 years	12	67	47	1	-	8	21	38	-	-
	80 years and over	1	14	18	1	-	5	3	29	-	-
	Unknown age	-	-	-	-	-	-	-	-	-	-

Infant Mortality.

Table 21 Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1922. Total.	Males.	Females.
Infant Mortality Rate.	–	**81.3**	–	–
The State.	**3,514**[2]	**7,129**[2]	**4,150**	**2,976**
Abington	2	4	4	–
Acton	–	–	–	–
Acushnet	6	11	7	4
Adams	15	26	12	14
Agawam	5	11	6	5
Alford	–	–	–	–
Amesbury	12	19	14	5
Amherst	3	6	3	3
Andover	3	8	5	3
Arlington	11	20	9	11
Ashburnham	2	4	2	2
Ashby	–	–	–	–
Ashfield	1	1	1	–
Ashland	1	2	2	–
Athol	8	15	9	6
Attleboro	16	28	18	10
Auburn	3	3	3	–
Avon	1	3	3	–
Ayer	3	6	2	4
Barnstable	3	6	2	4
Barre	3	5	1	4
Becket	–	–	–	–
Bedford	1	4	1	3
Belchertown	3[3]	5[3]	2	2
Bellingham	4	8	6	2
Belmont	10	13	7	6
Berkley	–	4	2	2
Berlin	–	–	–	–
Bernardston	–	–	–	–
Beverly	13	16	11	5
Billerica	1	3	3	–
Blackstone	3	10	7	3
Blandford	–	1	–	1
Bolton	–	–	–	–
Boston	820	1,711	1,010	701
Bourne	–	1	1	–
Boxborough	1	1	–	1
Boxford	–	1	1	–
Boylston	1	1	1	–
Braintree	3	4	1	3
Brewster	–	–	–	–
Bridgewater	5	10	7	3
Brimfield	1	2	–	2
Brockton	64	105	65	40
Brookfield	1	1	–	1
Brookline	15	23	19	4
Buckland	1	1	–	1
Burlington	1	1	1	–
Cambridge	127	227	126	101
Canton	2	5	4	1
Carlisle	1	1	1	–
Carver	–	–	–	–
Charlemont	3	3	1	2
Charlton	–	1	–	1
Chatham	–	–	–	–

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1922. Total	Males.	Females.
Chelmsford	6	12	10	2
Chelsea	39	70	39	31
Cheshire	3	5	2	3
Chester	–	1	–	1
Chesterfield	–	–	–	–
Chicopee	32	89	43	46
Chilmark	–	–	–	–
Clarksburg	1	3	1	2
Clinton	15	26	13	13
Cohasset	2	4	3	1
Colrain	2	2	2	–
Concord	11	17	14	3
Conway	1	1	–	1
Cummington	–	–	–	–
Dalton	4	7	2	5
Dana	1	2	1	1
Danvers	4	14	9	5
Dartmouth	8	15	6	9
Dedham	4	8	4	4
Deerfield	2	5	3	2
Dennis	1	1	1	–
Dighton	3	4	3	1
Douglas	1	5	1	4
Dover	–	–	–	–
Dracut	5	11	6	5
Dudley	6	9	7	2
Dunstable	–	–	–	–
Duxbury	2	2	2	–
East Bridgewater	–	–	–	–
East Brookfield	–	2	1	1
East Longmeadow	1	2	1	1
Eastham	–	2	2	–
Easthampton	13	24	11	13
Easton	5	5	3	2
Edgartown	–	–	–	–
Egremont	–	–	–	–
Enfield	–	–	–	–
Erving	–	–	–	–
Essex	1	1	1	–
Everett	30	53	27	26
Fairhaven	14	20	12	8
Fall River	145	450	256	194
Falmouth	1	5	2	3
Fitchburg	43	86	53	33
Florida	–	–	–	–
Foxborough	6	7	4	3
Framingham	15	26	16	10
Franklin	4	8	6	2
Freetown	1	1	–	1
Gardner	13	30	15	15
Gay Head	–	–	–	–
Georgetown	–	1	–	1
Gill	–	1	1	–
Gloucester	19	35	23	12
Goshen	–	–	–	–
Gosnold	–	–	–	–
Grafton	4	8	3	5
Granby	–	–	–	–
Granville	–	–	–	–
Great Barrington	8	12	7	5

[1] Exclusive of stillbirths. [2] Includes three unknown sex. [3] Includes one unknown sex.

Table 21

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1922.			Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1922.		
		Total.	Males.	Females.			Total.	Males.	Females.
Greenfield	6	10	6	4	Mattapoisett	–	–	–	–
Greenwich	–	–	–	–	Maynard	4	5	4	1
Groton	2	2	2	–	Medfield	1	1	–	1
Groveland	1	3	1	2	Medford	23	38	20	18
Hadley	–	–	–	–	Medway	1	3	–	3
Halifax	–	–	–	–	Melrose	12	16	10	6
Hamilton	3	3	1	2	Mendon	1	1	1	–
Hampden	–	2	1	1	Merrimac	2	2	1	1
Hancock	–	–	–	–	Methuen	15	34	17	17
Hanover	4	5	3	2	Middleborough	8	14	11	3
Hanson	1	2	1	1	Middlefield	–	–	–	–
Hardwick	2	5	3	2	Middleton	–	–	–	–
Harvard	–	–	–	–	Milford	9	27	17	10
Harwich	2	2	–	2	Millbury	4	5	5	–
Hatfield	5	11	5	6	Millis	–	2	–	2
Haverhill	51	81	44	37	Millville	1	2	2	–
Hawley	1	1	1	–	Milton	4	5	3	2
Heath	–	–	–	–	Monroe	–	–	–	–
Hingham	2	7	2	5	Monson	2	3	3	–
Hinsdale	–	–	–	–	Montague	17	20	10	10
Holbrook	–	2	1	1	Monterey	–	–	–	–
Holden	2	5	–	5	Montgomery	–	–	–	–
Holland	–	–	–	–	Mount Washington	–	–	–	–
Holliston	–	1	–	1	Nahant	1	3	2	1
Holyoke	66	168	102	66	Nantucket	1	3	2	1
Hopedale	–	1	–	1	Natick	13	19	13	6
Hopkinton	–	1	–	1	Needham	3	7	3	4
Hubbardston	–	–	–	–	New Ashford	–	–	–	–
Hudson	7	13	9	4	New Bedford	140	349	208	141
Hull	1	1	–	1	New Braintree	–	1	–	1
Huntington	1	2	–	2	New Marlborough	–	1	–	1
Ipswich	5	12	6	6	New Salem	–	–	–	–
Kingston	1	1	–	1	Newbury	1	2	2	–
Lakeville	–	1	1	–	Newburyport	14	18	12	6
Lancaster	1	3	–	3	Newton	24	42	27	15
Lanesborough	–	–	–	–	Norfolk	–	–	–	–
Lawrence	93	207	128	79	North Adams	31	46	31	15
Lee	4	6	3	3	North Andover	5	8	6	2
Leicester	4	8	6	2	North Attleborough	6	7	5	2
Lenox	3	4	3	1	North Brookfield	1	2	1	1
Leominster	22	43	30	13	North Reading	1	1	–	1
Leverett	2	2	1	1	Northampton	23	35	20	15
Lexington	4	5	2	3	Northborough	1	1	1	–
Leyden	1	1	1	–	Northbridge	6	11	9	2
Lincoln	1	1	–	1	Northfield	1	1	1	–
Littleton	1	2	2	–	Norton	–	1	1	–
Longmeadow	–	1	1	–	Norwell	–	–	–	–
Lowell	154	288	161	127	Norwood	9	15	9	6
Ludlow	11	45	27	18	Oak Bluffs	–	–	–	–
Lunenburg	–	–	–	–	Oakham	1	1	1	–
Lynn	93	152	89	63	Orange	1	6	5	1
Lynnfield	1	1	1	–	Orleans	1	1	1	–
Malden	28	60	37	23	Otis	–	–	–	–
Manchester	–	1	–	1	Oxford	–	3	–	3
Mansfield	2	7	2	5	Palmer	12	26	20	6
Marblehead	6	8	6	2	Paxton	–	–	–	–
Marion	3	3	3	–	Peabody	18	51	33	18
Marlborough	15	22	9	13	Pelham	–	–	–	–
Marshfield	–	–	–	–	Pembroke	1	2	2	–
Mashpee	–	–	–	–	Pepperell	–	3	1	2

[1] Exclusive of stillbirths.

Table 21

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1922.		
		Total.	Males.	Females.
Peru	–	–	–	–
Petersham	1	1	–	1
Phillipston	–	–	–	–
Pittsfield	36	66	34	32
Plainfield	–	–	–	–
Plainville	1	1	–	1
Plymouth	11	19	9	10
Plympton	–	–	–	–
Prescott	–	–	–	–
Princeton	–	2	1	1
Provincetown	–	2	2	–
Quincy	41	68	41	27
Randolph	2	5	4	1
Raynham	–	1	–	1
Reading	4	12	6	6
Rehoboth	2	4	2	2
Revere	16	26	15	11
Richmond	–	–	–	–
Rochester	1	2	1	1
Rockland	2	4	2	2
Rockport	2	3	2	1
Rowe	–	1	–	1
Rowley	1	1	–	1
Royalston	–	–	–	–
Russell	–	1	–	1
Rutland	–	1	1	–
Salem	38	85	45	40
Salisbury	–	2	–	2
Sandisfield	–	1	1	–
Sandwich	–	1	–	1
Saugus	3	8	5	3
Savoy	–	–	–	–
Scituate	1	1	1	–
Seekonk	6	9	6	3
Sharon	–	1	–	1
Sheffield	1	1	1	–
Shelburne	–	–	–	–
Sherborn	1	4	2	2
Shirley	1	3	2	1
Shrewsbury	3	6	3	3
Shutesbury	–	–	–	–
Somerset	1	7	3	4
Somerville	59	118[2]	74	42
South Hadley	2	9	5	4
Southampton	–	–	–	–
Southborough	–	1	–	1
Southbridge	12	30	17	13
Southwick	–	2	1	1
Spencer	6	10	7	3
Springfield	117	226	133	93
Sterling	2	2	2	–
Stockbridge	–	1	–	1
Stoneham	2	6	5	1
Stoughton	4	9	4	5
Stow	2	5	3	2
Sturbridge	4	5	4	1
Sudbury	1	1	1	–
Sunderland	2	4	2	2
Sutton	5	5	3	2
Swampscott	3	5	1	4

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1922.		
		Total.	Males.	Females.
Swansea	1	1	1	–
Taunton	32	74	46	28
Templeton	–	5	2	3
Tewksbury	–	3	1	2
State Infirmary	9	48	28	20
Tisbury	1	2	1	1
Tolland	–	–	–	–
Topsfield	1	2	2	–
Townsend	–	1	–	1
Truro	1	1	1	–
Tyngsborough	–	–	–	–
Tyringham	–	–	–	–
Upton	1	1	1	–
Uxbridge	5	11	5	6
Wakefield	7	13	7	6
Wales	–	–	–	–
Walpole	7	9	5	4
Waltham	28	45	28	17
Ware	4	8	4	4
Wareham	7	13	8	5
Warren	2	5	4	1
Warwick	–	–	–	–
Washington	–	–	–	–
Watertown	11	27	14	13
Wayland	–	–	–	–
Webster	15	22	14	8
Wellesley	1	4	3	1
Wellfleet	1	1	–	1
Wendell	–	–	–	–
Wenham	1	1	1	–
West Boylston	–	1	1	–
West Bridgewater	1	3	1	2
West Brookfield	2	3	3	–
West Newbury	–	–	–	–
West Springfield	10	25	14	11
West Stockbridge	2	3	1	2
West Tisbury	–	–	–	–
Westborough	3	3	3	–
Westfield	20	40	23	17
Westford	4	10	3	7
Westhampton	1	1	–	1
Westminster	1	2	1	1
Weston	–	–	–	–
Westport	–	5	3	2
Westwood	1	1	1	–
Weymouth	11	15	7	8
Whately	3	5	2	3
Whitman	2	9	3	6
Wilbraham	1	3	2	1
Williamsburg	1	1	1	–
Williamstown	3	5	3	2
Wilmington	2	3	3	–
Winchendon	10	13	6	7
Winchester	15	20	15	5
Windsor	–	1	1	–
Winthrop	11	14	5	9
Woburn	12	20	11	9
Worcester	181	349	193	156
Worthington	–	–	–	–
Wrentham	–	–	–	–
Yarmouth	–	–	–	–

[1] Exclusive of stillbirths.

[2] Includes two unknown sex.

Table 22

Years.	Infant Mortality: 1900 to 1922.			
	Live births.	Deaths[1] under 1 year.		
		Number.	Per 1,000 live births.	Per cent of total deaths.
1900	73,386	11,500	156.7	22.5
1901	71,976	9,952	138.3	20.6
1902	72,219	10,075	139.5	21.2
1903	73,584	10,269	138.3	20.9
1904	75,014	9,992	133.2	20.6
1905	75,022	10,519	140.2	20.8
1906	80,237	11,106	138.4	21.9
1907	85,001	11,293	132.9	20.9
1908	86,911	11,606	133.5	22.4
1909	84,039	10,693	127.2	20.9
1910	86,539	11,499	132.9	21.1
1911	88,327	10,543	119.4	19.9
1912	89,882	10,472	116.5	20.0
1913	91,644	10,086	110.1	18.9
1914	93,399	9,894	105.9	18.7
1915	93,155	9,490	101.9	17.9
1916	93,487	9,334	99.8	16.6
1917	95,731	9,325	97.4	16.5
1918	95,607	10,820	113.2	13.7
1919	87,827	7,769	88.5	14.8
1920	91,859	8,382	91.2	15.6
1921	92,245	7,005	75.9	14.7
1922	87,636	7,129	81.3	13.9

[1] Exclusive of stillbirths.

Table 23

Municipalities (Grouped in order of population).	Infant Deaths[1] per 1,000 Live Births in Municipalities having over 15,000 Inhabitants in 1920: 1915 to 1922.							
	1922.	1921.	1920.	1919.	1918.	1917.	1916.	1915.
The State.	**81**	**76**	**91**	**88**	**113**	**97**	**100**	**102**
Over 100,000.								
Boston	92	77	100	96	115	98	104	104
Worcester	80	77	86	93	97	95	100	93
Springfield	73	72	85	84	108	90	94	89
New Bedford	104	95	123	122	194	135	139	143
Fall River	127	114	130	120	181	158	174	168
Lowell	99	91	135	123	160	140	150	156
Cambridge	75	64	96	70	109	74	89	93
50,000 to 100,000.								
Lynn	74	76	82	66	83	79	85	80
Lawrence	88	78	105	103	143	122	116	138
Somerville	62	70	80	63	96	66	67	74
Brockton	70	64	70	78	95	65	92	102
Holyoke	119	92	117	119	145	195	198	169
Haverhill	71	73	92	86	78	95	89	80
25,000 to 50,000.								
Malden	55	62	54	71	79	65	66	54
Quincy	73	55	66	64	90	71	72	76
Newton	53	50	63	69	73	90	62	77
Chelsea	53	61	63	66	76	81	78	68
Salem	85	77	86	69	119	88	102	79
Pittsfield	66	69	65	63	82	102	74	89
Fitchburg	80	78	68	69	99	75	79	29
Everett	64	63	83	61	83	54	63	70
Medford	50	60	88	68	60	70	56	74
Brookline (town)	75	41	66	56	61	62	39	52
Taunton	81	91	96	124	130	115	156	158
Chicopee	106	105	115	120	124	111	126	138
Waltham	55	65	63	63	103	68	37	62
Revere	47	65	51	66	81	70	39	54
15,000 to 25,000.								
Gloucester	71	70	76	89	94	67	109	75
Beverly	37	50	54	48	70	92	71	84
North Adams	83	67	70	88	114	80	65	69
Northampton	71	66	88	64	110	86	73	90
Watertown (town)	79	50	76	77	75	72	75	52
Leominster	91	51	66	86	82	51	67	84
Attleboro	61	59	65	81	88	84	96	78
Peabody	97	65	85	81	100	89	82	81
Arlington (town)	50	63	67	–	–	–	–	–
Westfield	86	53	86	86	106	113	80	91
Melrose	45	54	56	57	80	62	65	74
Framingham (town)	41	49	64	72	97	70	87	108
Gardner (town)	78	77	102	89	123	101	87	88
Woburn	56	66	77	73	97	79	79	90
Newburyport	50	62	85	77	101	49	113	78
Greenfield (town)	32	55	87	–	–	–	–	–
Winthrop (town)	84	66	40	–	–	–	–	–
Methuen (town)	92	73	88	78	90	–	–	–
Weymouth (town)	51	53	69	–	–	–	–	–
Marlborough	59	68	69	67	90	66	70	97

[1] Exclusive of stillbirths.

Table 24

BIRTH RATES, DEATH RATES, NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1920: **1922.**

MUNICIPALITIES (Grouped in order of population).	Births[1] per 1,000 population.	Deaths[1] per 1,000 population.	Natural increase per 1,000 population.	Deaths[1] under 1 year per 1,000 births.[1]	SURVIVORS AT END OF FIRST YEAR OF LIFE.	
					Number.	Per 1,000 births.[1]
The State.	**22.3**	**13.0**	**9.3**	**81.3**	**80,507**	**919**
OVER 100,000.						
Boston	24.7	15.2	9.5	92.3	16,825	908
Worcester	23.1	12.9	10.2	80.1	4,008	920
Springfield	21.5	11.1	10.4	73.2	2,863	927
New Bedford	26.3	12.3	14.0	104.4	2,995	896
Fall River	29.4	16.1	13.3	127.2	3,087	873
Lowell	25.4	13.3	12.1	98.5	2,635	901
Cambridge	27.3	13.3	14.0	75.4	2,780	925
50,000 TO 100,000.						
Lynn	20.4	11.9	8.5	73.9	1,905	926
Lawrence	24.4	11.7	12.7	87.9	2,148	912
Somerville	19.9	10.6	9.3	61.6	1,799	938
Brockton	21.9	10.8	11.1	70.3	1,389	930
Holyoke	23.4	14.3	9.1	119.2	1,241	881
Haverhill	20.2	11.8	8.4	71.4	1,054	929
25,000 TO 50,000.						
Malden	22.1	11.8	10.3	55.2	1,026	945
Quincy	18.0	8.8	9.2	73.0	864	927
Newton	16.6	11.3	5.3	53.2	748	947
Chelsea	30.4	13.5	16.9	53.4	1,241	947
Salem	22.1	13.0	9.1	84.9	916	915
Pittsfield	23.4	12.8	10.6	65.6	939	934
Fitchburg	25.8	11.0	14.8	79.8	992	920
Everett	19.9	8.6	11.3	64.2	772	936
Medford	17.3	7.9	9.4	50.4	716	950
Brookline (town)	7.7	11.5	3.8[2]	74.9	284	925
Taunton	24.3	17.0	7.3	80.8	842	919
Chicopee	21.2	8.5	12.7	106.3	748	894
Waltham	26.3	12.7	13.6	54.7	777	923
Revere	18.1	6.5	11.6	46.8	529	953
15,000 TO 25,000.						
Gloucester	21.6	13.5	8.1	70.6	461	929
Beverly	19.3	10.2	9.1	36.7	420	963
North Adams	24.6	12.4	12.2	83.5	505	917
Northampton	22.4	19.4	3.0	70.7	460	929
Watertown (town)	14.2	6.6	7.6	78.9	315	921
Leominster	22.7	11.5	11.2	90.9	430	909
Attleboro	22.7	10.8	11.9	60.7	434	939
Peabody	26.2	11.5	14.7	97.1	474	903
Arlington (town)	19.2	11.4	7.8	50.4	377	950
Westfield	24.8	13.4	11.4	86.4	423	914
Melrose	18.6	12.3	6.3	45.5	336	954
Framingham (town)	36.2	14.1	22.1	40.6	614	959
Gardner (town)	22.3	13.8	8.5	77.7	356	922
Woburn	21.4	10.6	10.8	56.0	337	944
Newburyport	22.6	13.1	9.5	50.4	339	950
Greenfield (town)	18.4	8.1	10.3	32.1	302	968
Winthrop (town)	9.8	7.6	2.2	84.3	152	916
Methuen (town)	23.3	12.8	10.5	92.1	335	908
Weymouth (town)	18.7	11.6	7.1	51.3	277	949
Marlborough	25.0	13.9	11.1	58.5	354	941

[1] Exclusive of stillbirths.

[2] Decrease.

Table 25

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE BOSTON: **1910** TO **1922**.

Years.	Massachusetts.			Boston.			Remainder of State outside Boston.		
	Live births.	Deaths under 1 year.		Live births.	Deaths under 1 year.		Live births.	Deaths under 1 year.	
		Number.	Per 1,000 live births.		Number.	Per 1,000 live births.		Number.	Per 1,000 live births.
1910	86,539	11,499	132.9	17,672	2,252	127.4	68,867	9,247	134.3
1911	88,327	10,543	119.4	17,844	2,242	125.6	70,483	8,301	117.8
1912	89,882	10,472	116.5	18,745	2,192	116.9	71,137	8,280	116.4
1913	91,644	10,086	110.1	19,109	2,109	110.4	72,535	7,977	110.0
1914	93,399	9,894	105.9	19,467	2,011	105.2	73,932	7,883	106.6
1915	93,155	9,490	101.9	19,713	2,047	103.8	73,442	7,443	101.3
1916	93,487	9,334	99.8	19,604	2,046	104.4	73,883	7,288	98.6
1917	95,731	9,325	97.4	19,950	1,965	98.5	75,781	7,360	97.1
1918	95,607	10,820	113.2	20,092	2,304	114.7	75,515	8,516	112.8
1919	87,827	7,769	88.5	18,798	1,814	96.5	69,029	5,955	86.3
1920	91,859	8,382	91.2	19,573	1,962	100.2	72,286	6,420	88.8
1921	92,245	7,005	75.9	19,397	1,497	77.2	72,848	5,508	75.6
1922	87,636	7,129	81.3	18,536	1,711	92.3	69,100	5,418	78.4

Table 26

Years.	Survivors at End of First Year of Life: **1900** to **1922**.		Years.	Survivors at End of First Year of Life: **1900** to **1922**.	
	Per 1,000 population.	Per 1,000 live births.		Per 1,000 population.	Per 1,000 live births.
1900	22.1	843	1912	22.6	883
1901	21.8	862	1913	22.8	890
1902	21.5	860	1914	22.9	894
1903	21.6	862			
1904	21.9	867	1915	22.7	898
			1916	22.3	900
1905	21.4	860	1917	22.5	903
1906	22.3	862	1918	21.7	887
1907	23.3	867	1919	20.9	911
1908	23.3	866			
1909	22.2	873	1920	21.7	909
			1921	21.9	924
1910	22.2	867	1922	20.5	919
1911	22.6	881			

Detailed Int. List No.	Table 27 Causes.	Infant Deaths per 1,000 Live Births, by Causes: 1915 to 1922.							
		1922.	1921.	1920.	1919.	1918.	1917.	1916.	1915.
	All Causes.	**81.3**	**75.9**	**91.2**	**88.5**	**113.2**	**97.4**	**99.8**	**101.9**
	Developmental and wasting diseases.*	30.0	29.3	29.7	31.1	35.0	31.5	33.1	37.6
161*a*	Premature birth*	17.9	17.6	15.5	16.3	19.2	17.5	17.9	25.5
159	Congenital malformations	7.8	7.4	7.4	7.9	7.4	6.4	6.9	7.1
160	Congenital debility, etc.*	4.3	4.3	6.8	6.9	8.4	7.6	8.3	5.0
113	Diarrhea and enteritis*	10.9	12.7	16.2	15.0	24.2	22.7	22.4	23.6
100*a*	Bronchopneumonia*	11.9	8.2	12.1	10.4	12.8	8.5	10.7	11.5
101*a*	Lobar pneumonia*	1.9	1.4	2.0	2.0	3.6	4.2	3.9	3.6
80	Convulsions	.6	.7	.9	.8	.7	.9	1.3	1.7
99*a*, 99*b*, 99*c*	Bronchitis*	1.6	1.5	2.5	3.0	3.7	2.5	2.8	2.9
9	Whooping cough*	1.9	1.1	3.1	2.2	3.5	1.6	2.2	1.8
24, 71	Meningitis	.6	.5	.8	1.0	1.2	1.0	1.2	1.4
32	Tuberculous meningitis	.6	.7	.9	.8	.8	.9	1.1	1.1
38	Syphilis	.8	.6	.7	.9	.8	1.2	1.0	1.0
101*b*	Pneumonia, undefined	.3	.1	.2	.1	.4	.3	.5	.8
22	Acute anterior poliomyelitis	–	–	.1	–	.1	.1	.5	–
	All other causes	20.2	19.1	22.0	21.2	26.4	22.0	19.1	14.6

Table 28

Months.	Deaths under 2 Years of Age from Diarrhea and Enteritis (113),* by Months: 1915 to 1922.							
	1922.	1921.	1920.	1919.	1918.	1917.	1916.	1915.
The Year.	**1,086**	**1,332**	**1,667**	**1,493**	**2,646**	**2,502**	**2,391**	**2,532**
January	52	58	68	88	92	88	91	69
February	59	43	79	65	73	83	68	74
March	72	60	75	80	91	79	84	70
April	41	57	67	68	82	90	77	78
May	50	57	60	71	95	103	101	66
June	50	47	53	82	162	108	69	90
July	103	173	137	189	506	249	261	303
August	214	303	394	305	612	633	640	629
September	199	232	353	220	472	537	511	604
October	119	176	208	155	240	301	259	326
November	73	62	115	80	143	134	130	126
December	51	64	58	90	78	97	100	97
	Per Cent Distribution.							
The Year.	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
January	4.8	4.4	4.1	5.9	3.5	3.5	3.8	2.7
February	5.4	3 2	4.7	4.3	2.8	3.3	2.8	2.9
March	6.6	4.5	4.5	5.4	3.4	3.2	3.5	2.8
April	3.8	4.3	4.0	4.5	3.1	3.6	3.2	3.1
May	4.6	4.3	3.6	4.8	3.6	4.1	4.2	2.6
June	4.6	3.5	3.2	5.5	6.1	4.3	2.9	3.5
July	9.5	13.0	8.2	12.7	19.1	9.9	10.9	12.0
August	19.7	22.7	23.6	20.4	23.1	25.3	26.8	24.8
September	18.3	17.4	21.2	14.7	17.8	21.5	21.4	23.9
October	11.0	13.2	12.5	10.4	9.1	12.0	10.8	12.9
November	6.7	4.7	6.9	5.4	5.4	5.4	5.4	5.0
December	5.0	4.8	3.5	6.0	3.0	3.9	4.2	3.8

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State.	**T**	**7,129**	**1,325**	**407**	**264**	**621**	**2,617**	**414**	**278**	**205**	**3,514**	**599**	**480**	**1,038**	**815**	**683**
		M	4,150	803	252	183	348	1,586	236	157	101	2,080	352	281	600	467	370
		F	2,976	519	155	81	273	1,028	178	121	104	1,431	247	199	438	348	313
		Unk	3	3	–	–	–	3	–	–	–	3	–	–	–	–	–
5	Measles	M	33	–	–	–	–	–	–	–	–	–	–	1	5	11	16
		F	22	–	–	–	–	–	–	–	–	–	–	–	6	8	8
6	Scarlet fever	M	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1
		F	5	–	–	–	–	–	–	–	1	1	–	–	–	–	4
7	Whooping cough	M	74	–	–	–	–	–	–	2	1	3	6	8	23	19	15
		F	92	–	1	–	–	1	1	–	2	4	12	9	21	20	26
8	Diphtheria and croup	M	27	–	–	–	–	–	–	–	–	–	1	1	5	9	11
		F	28	–	–	–	–	–	1	–	–	1	2	1	7	6	11
9	Influenza	M	28	–	–	–	–	–	1	2	–	3	2	2	6	10	5
		F	32	–	–	–	–	–	–	–	2	2	1	2	10	10	7
12	Dysentery	M	5	–	–	–	–	–	–	1	–	1	1	–	–	1	2
		F	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–
12	Erysipelas	M	23	–	–	–	–	–	1	2	3	6	7	3	2	1	4
		F	20	–	–	–	–	–	–	5	2	7	5	1	2	4	1
37	Tetanus	M	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	13	–	–	–	–	–	–	–	1	1	1	–	2	8	1
		F	11	–	–	–	–	–	–	–	–	–	–	–	2	3	6
14	Tuberculous meningitis	M	30	–	–	–	–	–	–	–	–	–	1	1	4	9	15
		F	22	–	–	–	–	–	–	1	–	1	2	–	8	3	8
15	Other forms of tuberculosis	M	15	–	–	–	–	–	–	–	–	–	–	–	5	5	5
		F	11	–	–	–	–	–	–	–	1	1	–	1	3	2	4
37	Syphilis	M	40	2	–	–	–	2	4	3	–	9	12	7	8	4	1
		F	33	2	–	–	1	3	–	1	1	5	8	7	8	4	1
17	Meningitis	M	36	–	–	–	2	2	3	1	1	7	–	2	13	5	9
		F	19	–	–	–	1	1	1	1	–	3	4	1	7	2	2
37	Convulsions	M	35	–	2	1	6	9	1	2	1	13	3	2	7	7	3
		F	20	–	1	–	1	2	3	–	–	5	–	3	5	3	4
19	Organic diseases of the heart	M	19	–	3	–	1	4	–	1	1	6	1	2	3	4	3
		F	10	–	–	–	–	–	–	–	–	–	1	1	5	2	1
20	Acute bronchitis	M	48	1	–	1	1	3	3	3	5	14	3	7	7	10	7
		F	29	–	–	–	–	–	1	1	4	6	5	3	5	6	4
22	Pneumonia	M	107	–	–	1	1	2	3	2	3	10	10	11	22	25	29
		F	81	–	–	–	1	1	2	3	–	6	7	8	20	16	24
23	Bronchopneumonia	M	615	2	3	3	2	10	24	25	13	72	70	63	162	136	112
		F	462	–	1	2	8	11	17	10	15	53	44	42	104	120	99
24	Diseases of the stomach	M	43	–	–	–	3	3	4	3	2	12	6	6	11	6	2
		F	28	–	–	1	–	1	1	2	1	5	2	6	7	3	5
25	Diarrhea and enteritis	M	556	–	–	3	2	5	10	12	13	40	83	84	178	99	72
		F	399	–	–	–	6	6	10	12	16	44	48	48	128	82	49
33	Malformations	M	411	83	37	36	98	254	41	16	14	325	33	12	20	17	4
		F	269	64	24	14	51	153	23	15	15	206	25	14	17	3	4
		Unk	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
33	Premature birth	M	911	489	128	66	81	764	55	34	17	870	31	3	4	2	–
		F	655	307	87	39	76	509	62	32	18	621	24	6	3	1	–
		Unk	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
33, 37	Congenital debility	M	211	14	10	13	25	62	21	12	7	102	33	31	37	7	1
		F	166	10	7	2	25	44	7	14	10	75	28	16	30	13	4
37	Injuries at birth	M	255	106	32	28	65	231	16	3	2	252	–	1	1	1	–
		F	136	72	11	12	28	123	7	2	–	132	1	3	–	–	–
35	External causes	M	54	4	–	1	2	7	1	3	–	11	8	4	10	6	15
		F	37	–	1	–	3	4	3	–	–	7	3	6	7	6	8
38	Diseases ill-defined or unknown.	M	25	2	–	–	1	3	1	2	2	8	4	3	4	4	2
		F	22	4	–	–	1	5	1	–	2	8	4	2	5	1	2
	All other causes	M	533	100	37	29	58	224	47	28	15	314	35	27	61	61	35
		F	364	60	22	11	71	164	38	22	14	238	21	18	26	30	31

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BOSTON.	T	1,711	276	87	65	160	588	105	66	61	820	145	115	252	195	184
		M	1,010	162	48	50	85	345	60	41	32	478	89	78	150	114	101
		F	701	114	39	15	75	243	45	25	29	342	56	37	102	81	83
5	Measles	M	9	–	–	–	–	–	–	–	–	–	–	–	1	2	6
		F	4	–	–	–	–	–	–	–	–	–	–	–	–	1	3
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3
7	Whooping cough	M	19	–	–	–	–	–	–	–	–	–	1	3	8	4	3
		F	26	–	–	–	–	–	1	–	–	1	2	2	5	6	10
8	Diphtheria and croup	M	16	–	–	–	–	–	–	–	–	–	1	1	3	6	5
		F	12	–	–	–	–	–	–	–	–	–	1	1	4	1	5
9	Influenza	M	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
12	Dysentery	M	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	12	–	–	–	–	–	–	1	3	4	3	1	1	–	3
		F	9	–	–	–	–	–	–	1	2	3	3	–	1	2	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	7	–	–	–	–	–	–	–	1	1	–	–	1	4	1
		F	4	–	–	–	–	–	–	–	–	–	–	–	2	1	1
14	Tuberculous meningitis	M	8	–	–	–	–	–	–	–	–	–	–	–	–	2	6
		F	6	–	–	–	–	–	–	–	–	–	–	–	3	–	3
15	Other forms of tuberculosis	M	7	–	–	–	–	–	–	–	–	–	–	–	3	2	2
		F	4	–	–	–	–	–	–	–	–	–	–	–	1	1	2
37	Syphilis	M	15	–	–	–	–	–	3	1	–	4	4	4	2	1	–
		F	12	2	–	–	1	3	–	1	1	5	3	2	1	–	1
17	Meningitis	M	8	–	–	–	1	1	–	–	1	2	–	1	3	–	2
		F	6	–	–	–	–	–	–	1	–	1	2	–	2	1	–
37	Convulsions	M	5	–	1	–	1	2	–	1	–	3	–	–	–	1	1
		F	4	–	1	–	1	2	–	–	–	2	–	1	–	–	1
19	Organic diseases of the heart	M	4	–	1	–	–	1	–	1	1	3	–	1	–	–	–
		F	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–
20	Acute bronchitis	M	8	–	–	–	–	–	1	1	1	3	1	1	2	–	1
		F	5	–	–	–	–	–	–	–	–	–	1	–	1	2	1
22	Pneumonia	M	34	–	–	1	–	1	–	–	1	2	1	4	4	7	16
		F	23	–	–	–	1	1	2	1	–	4	2	1	5	4	7
23	Bronchopneumonia	M	169	1	–	–	–	1	7	11	5	24	20	18	44	39	24
		F	116	–	–	–	2	2	3	5	6	16	9	10	30	30	21
24	Diseases of the stomach	M	8	–	–	–	1	1	–	1	1	3	–	1	1	3	–
		F	4	–	–	1	–	1	1	–	–	2	–	–	2	–	–
25	Diarrhea and enteritis	M	111	–	–	–	1	1	4	4	2	11	14	21	30	16	19
		F	64	–	–	–	2	2	–	–	1	3	5	8	22	15	11
33	Malformations	M	96	22	9	7	26	64	10	3	2	79	6	6	–	5	–
		F	69	15	4	1	16	36	5	3	3	47	9	3	6	2	2
33	Premature birth	M	194	86	21	22	23	152	15	9	4	180	12	–	1	1	–
		F	152	63	22	7	20	112	19	8	4	143	7	2	–	–	–
33, 37	Congenital debility	M	49	2	3	3	3	11	3	3	–	17	8	4	17	2	1
		F	33	2	2	–	5	9	2	–	6	17	6	1	8	1	–
37	Injuries at birth	M	63	23	8	5	16	52	7	–	2	61	–	1	1	–	–
		F	37	21	2	3	7	33	2	–	–	35	–	2	–	–	–
35	External causes	M	17	–	–	1	–	1	–	–	–	1	3	1	5	3	4
		F	12	–	–	–	1	1	–	–	–	1	1	1	4	1	4
38	Diseases ill-defined or unknown.	M	4	–	–	–	–	–	–	–	1	1	2	1	–	–	–
		F	3	–	–	–	1	1	–	–	1	2	1	–	–	–	–
	All other causes	M	143	28	5	11	13	57	10	5	7	79	11	9	23	15	6
		F	88	11	8	3	18	40	10	5	5	60	4	3	3	10	8

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROCKTON.	T	105	30	9	7	13	59	3	–	2	64	10	8	8	9	6
		M	65	18	5	4	5	32	2	–	1	35	5	7	7	7	4
		F	40	12	4	3	8	27	1	–	1	29	5	1	1	2	2
5	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Diphtheria and croup	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Influenza	M	4	–	–	–	–	–	1	–	–	1	–	1	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Tuberculous meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Syphilis	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
37	Convulsions	M	2	–	–	–	1	1	–	–	–	1	–	–	1	–	–
		F	2	–	–	–	–	–	1	–	–	1	–	–	–	1	–
19	Organic diseases of the heart	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Acute bronchitis	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Pneumonia	M	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
23	Bronchopneumonia	M	7	–	–	–	–	–	–	–	–	–	2	1	1	2	1
		F	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1
24	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
25	Diarrhea and enteritis	M	4	–	–	–	–	–	–	–	–	–	–	2	1	–	1
		F	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
33	Malformations	M	2	1	–	–	–	1	–	–	–	1	–	–	–	1	–
		F	3	1	–	–	1	2	–	–	–	2	1	–	–	–	–
33	Premature birth	M	20	12	3	2	2	19	–	–	–	19	–	–	1	–	–
		F	17	9	2	3	3	17	–	–	–	17	–	–	–	–	–
33	Congenital debility	M	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
37		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
37	Injuries at birth	M	6	2	1	1	1	5	1	–	–	6	–	–	–	–	–
		F	4	2	1	–	1	4	–	–	–	4	–	–	–	–	–
35	External causes	M	4	–	–	–	–	–	–	–	–	–	1	–	2	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
38	Diseases ill-defined or unknown.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	7	2	1	1	–	4	–	–	1	5	–	2	–	–	–
		F	4	–	1	–	2	3	–	–	–	3	–	–	1	–	–

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	CAMBRIDGE.	T	227	51	11	8	26	96	14	10	7	127	14	14	34	20	18
		M	126	26	7	4	16	53	6	6	4	69	6	9	20	12	10
		F	101	25	4	4	10	43	8	4	3	58	8	5	14	8	8
5	Measles	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
8	Diphtheria and croup	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Tuberculous meningitis	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Meningitis	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
37	Convulsions	M	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Organic diseases of the heart	M	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Acute bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
22	Pneumonia	M	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1
		F	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–
23	Bronchopneumonia	M	21	–	–	–	–	–	–	–	1	1	1	4	6	5	4
		F	18	–	–	–	–	–	1	1	–	2	1	2	6	2	5
24	Diseases of the stomach	M	2	–	–	–	1	1	1	–	–	2	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1
25	Diarrhea and enteritis	M	9	–	–	–	–	–	–	–	–	–	–	3	3	1	2
		F	12	–	–	–	–	–	–	–	–	–	2	2	5	2	1
33	Malformations	M	11	–	–	1	4	5	1	2	2	10	–	–	1	–	–
		F	7	–	1	2	–	3	1	–	–	4	3	–	–	–	–
33	Premature birth	M	34	19	4	2	4	29	1	1	1	32	2	–	–	–	–
		F	27	15	2	2	–	19	3	2	2	26	1	–	–	–	–
33, 37	Congenital debility	M	8	–	–	–	1	1	2	2	–	5	1	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Injuries at birth	M	10	4	–	1	4	9	–	1	–	10	–	–	–	–	–
		F	6	3	1	–	1	5	1	–	–	6	–	–	–	–	2
35	External causes	M	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
38	Diseases ill-defined or unknown.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	14	3	2	–	2	7	1	–	–	8	–	–	3	3	–
		F	18	7	–	–	8	15	2	1	–	18	–	–	–	–	–

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	FALL RIVER.	T	450	61	16	14	22	113	17	7	8	145	33	33	91	81	67
		M	256	43	8	8	9	68	11	4	4	87	18	20	55	39	37
		F	194	18	8	6	13	45	6	3	4	58	15	13	36	42	30
5	Measles	M	5	–	–	–	–	–	–	–	–	–	–	1	–	2	2
		F	9	–	–	–	–	–	–	–	–	–	–	–	2	5	2
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	5	–	–	–	–	–	–	–	–	–	–	1	3	–	1
		F	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3
8	Diphtheria and croup	M	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
9	Influenza	M	4	–	–	–	–	–	–	–	–	–	1	–	1	1	1
		F	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
12	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
14	Tuberculous meningitis	M	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis	M	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Syphilis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	4	–	–	–	–	–	–	–	–	–	–	–	3	1	–
17	Meningitis	M	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Convulsions	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
19	Organic diseases of the heart	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
20	Acute bronchitis	M	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2
		F	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1
22	Pneumonia	M	6	–	–	–	–	–	–	1	–	1	–	1	1	1	2
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
23	Bronchopneumonia	M	42	–	–	–	–	–	2	–	1	3	3	6	10	11	9
		F	28	–	–	–	–	–	1	–	–	1	1	4	5	11	6
24	Diseases of the stomach	M	4	–	–	–	–	–	–	1	–	1	–	1	1	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
25	Diarrhea and enteritis	M	65	–	–	–	–	–	1	1	1	3	10	6	21	15	10
		F	58	–	–	–	–	–	1	1	4	6	8	2	17	17	8
33	Malformations	M	14	4	1	2	1	8	1	–	1	10	1	–	1	1	1
		F	10	2	1	2	2	7	1	–	–	8	1	–	1	–	–
33	Premature birth	M	44	28	6	3	1	38	3	1	1	43	–	–	1	–	–
		F	24	10	5	3	4	22	1	–	–	23	1	–	–	–	–
33	Congenital debility	M	6	–	–	1	2	3	–	–	–	3	1	2	–	–	–
37		F	5	–	–	–	1	1	–	1	–	2	1	–	1	–	1
37	Injuries at birth	M	12	5	1	2	3	11	–	–	–	11	–	–	–	1	–
		F	12	5	1	1	2	9	1	1	–	11	–	1	–	–	–
35	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	1	–	–	1	1	–	–	2	1	–	–	2	–
38	Diseases ill-defined or unknown.	M	2	1	–	–	–	1	–	–	–	1	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other causes	M	30	5	–	–	2	7	4	–	–	11	2	2	8	4	3
		F	17	1	–	–	4	5	–	–	–	5	2	4	1	2	3

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: 1922.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	HAVERHILL.	T	81	21	7	5	10	43	1	5	2	51	5	6	7	7	5
		M	44	12	6	3	5	26	1	3	2	32	2	2	1	4	3
		F	37	9	1	2	5	17	–	2	–	19	3	4	6	3	2
5	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Diphtheria and croup	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
14	Tuberculous meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
15	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Syphilis	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Organic diseases of the heart	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Acute bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–
23	Broncho-pneumonia	M	7	–	–	1	–	1	–	–	–	1	1	–	–	3	2
		F	4	–	–	–	–	–	–	–	–	–	–	–	2	2	–
24	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
25	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
		F	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–
33	Malformations	M	7	1	2	–	2	5	–	1	1	7	–	–	–	–	–
		F	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
33	Premature birth	M	15	8	2	2	–	12	1	–	1	14	1	–	–	–	–
		F	9	6	–	–	1	7	–	2	–	9	–	–	–	–	–
33	Congenital debility	M	3	–	1	–	1	2	–	1	–	3	–	–	–	–	–
37		F	4	–	–	–	1	1	–	–	–	1	–	–	2	–	1
37	Injuries at birth	M	3	1	1	–	1	3	–	–	–	3	–	–	–	–	–
		F	4	2	1	1	–	4	–	–	–	4	–	–	–	–	–
35	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Diseases ill-defined or unknown.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other causes	M	5	2	–	–	1	3	–	1	–	4	–	–	–	–	1
		F	4	–	–	1	2	3	–	–	–	3	–	–	1	–	–

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	HOLYOKE.	T	168	32	4	4	10	50	8	8	–	66	17	11	30	26	18
		M	102	18	2	4	8	32	5	4	–	41	12	7	18	13	11
		F	66	14	2	–	2	18	3	4	–	25	5	4	12	13	7
5	Measles	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1
		F	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–
8	Diphtheria and croup	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Influenza	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
12	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Tuberculous meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
15	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Convulsions	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Organic diseases of the heart	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Acute bronchitis	M	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Pneumonia	M	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
23	Bronchopneumonia	M	21	–	–	–	–	–	–	1	–	1	3	3	2	7	5
		F	11	–	–	–	–	–	–	1	–	1	1	1	2	4	2
24	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Diarrhea and enteritis	M	22	–	–	–	–	–	1	–	–	1	4	2	11	2	2
		F	17	–	–	–	–	–	–	1	–	1	3	1	6	3	3
33	Malformations	M	10	1	–	1	3	5	–	1	–	6	2	–	2	–	–
		F	3	–	1	–	–	1	1	–	–	2	–	–	1	–	–
33	Premature birth	M	15	13	1	–	1	15	–	–	–	15	–	–	–	–	–
		F	14	12	–	–	1	13	1	–	–	14	–	–	–	–	–
33, 37	Congenital debility	M	2	–	–	–	1	1	1	–	–	2	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
37	Injuries at birth	M	8	3	1	2	2	8	–	–	–	8	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
35	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
38	Diseases ill-defined or unknown.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	10	1	–	1	1	3	2	2	–	7	2	1	–	–	–
		F	9	1	1	–	1	3	1	2	–	6	1	–	–	1	1

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LAWRENCE.	T	207	22	13	11	11	57	20	9	7	93	17	15	32	16	34
		M	128	15	12	7	9	43	8	2	2	55	11	12	21	6	23
		F	79	7	1	4	2	14	12	7	5	38	6	3	11	10	11
5	Measles	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
8	Diphtheria and croup	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the lungs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculous meningitis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
15	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Meningitis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Convulsions	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
19	Organic diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	2	-	-	1	-	1	-	-	1	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
22	Pneumonia	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Bronchopneumonia	M	32	-	-	1	-	1	3	-	1	5	3	4	9	1	10
		F	16	-	-	-	-	-	1	-	-	1	1	-	3	4	7
24	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
25	Diarrhea and enteritis	M	29	-	-	1	-	1	1	1	-	3	5	4	9	3	5
		F	20	-	-	-	-	-	4	3	1	8	4	1	4	1	2
33	Malformations	M	16	1	2	3	6	12	1	-	-	13	1	1	1	-	-
		F	6	-	1	2	-	3	1	1	-	5	-	1	-	-	-
33	Premature birth	M	23	11	7	-	1	19	2	-	-	21	1	1	-	-	-
		F	15	6	-	1	-	7	4	1	2	14	1	-	-	-	-
33 37	Congenital debility	M	3	1	-	-	-	1	1	-	-	2	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
37	Injuries at birth	M	5	1	3	-	1	5	-	-	-	5	-	-	-	-	-
		F	3	1	-	1	1	3	-	-	-	3	-	-	-	-	-
35	External causes	M	2	-	-	-	1	1	-	-	-	1	-	-	-	-	1
		F	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
38	Diseases ill-defined or unknown.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1
	All other causes	M	6	1	-	1	-	2	-	1	-	3	1	-	-	1	1
		F	7	-	-	-	-	-	2	2	1	5	-	-	1	-	1

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LOWELL.	T	288	58	33	6	25	122	12	12	8	154	20	22	40	30	22
		M	161	36	18	3	14	71	7	2	4	84	12	11	25	20	9
		F	127	22	15	3	11	51	5	10	4	70	8	11	15	10	13
5	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Diphtheria and croup	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
9	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
14	Tuberculous meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Syphilis	M	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Meningitis	M	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
37	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Organic diseases of the heart	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Acute bronchitis	M	5	–	–	–	–	–	1	–	–	1	1	1	1	1	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
22	Pneumonia	M	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
23	Bronchopneumonia	M	11	–	–	–	–	–	–	–	–	–	1	1	2	6	1
		F	11	–	–	–	–	–	–	–	1	1	2	1	2	2	3
24	Diseases of the stomach	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Diarrhea and enteritis	M	34	–	–	–	–	–	–	–	1	1	2	4	17	7	3
		F	28	–	–	–	–	–	–	3	–	3	–	6	9	4	6
33	Malformations	M	9	3	2	–	2	7	–	–	–	7	–	–	1	1	–
		F	8	3	–	1	1	5	–	–	1	6	1	–	–	1	–
33	Premature birth	M	42	22	9	2	7	40	1	1	–	42	–	–	–	–	–
		F	30	13	9	1	2	25	1	2	1	29	1	–	–	–	–
33, 37	Congenital debility	M	16	2	1	–	2	5	2	–	3	10	4	2	–	–	–
		F	19	–	2	–	5	7	2	3	–	12	2	3	1	1	–
37	Injuries at birth	M	13	5	5	–	2	12	–	1	–	13	–	–	–	–	–
		F	5	3	1	–	1	5	–	–	–	5	–	–	–	–	–
35	External causes	M	2	–	–	–	–	–	1	–	–	1	–	–	–	1	–
		F	2	–	–	–	–	–	1	–	–	1	–	1	–	–	–
38	Diseases ill-defined or unknown.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	17	4	1	1	1	7	2	–	–	9	1	2	2	2	1
		F	15	3	3	1	2	9	1	2	1	13	–	–	–	–	2

[1] Exclusive of stillbirths.

Table 29 — Deaths[1] from Important Causes, for Certain Subdivisions of the First Year of Life, for the State and for Cities having 50,000 Inhabitants or More in 1920: 1922.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	Lynn.	T	152	32	11	10	17	70	10	7	6	93	15	10	15	14	5
		M	89	18	10	9	9	46	3	4	4	57	9	4	7	8	4
		F	63	14	1	1	8	24	7	3	2	36	6	6	8	6	1
5	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Diphtheria and croup	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the lungs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculous meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Convulsions	M	2	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
19	Organic diseases of the heart	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
20	Acute bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Pneumonia	M	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	2	3	-
23	Bronchopneumonia	M	9	-	-	-	-	-	-	-	-	-	-	-	3	3	3
		F	10	-	-	-	1	1	2	-	-	3	2	2	1	2	-
24	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Diarrhea and enteritis	M	7	-	-	-	-	-	1	-	1	2	1	2	1	1	-
		F	5	-	-	-	-	-	-	1	1	2	1	1	1	-	-
33	Malformations	M	5	1	-	-	2	3	-	1	-	4	-	-	1	-	-
		F	5	3	-	-	-	3	1	-	-	4	1	-	-	-	-
33	Premature birth	M	21	7	6	-	3	16	1	-	2	19	2	-	-	-	-
		F	16	9	1	1	2	13	2	-	-	15	-	-	1	-	-
33, 37	Congenital debility	M	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-
37	Injuries at birth	M	15	5	-	7	3	15	-	-	-	15	-	-	-	-	-
		F	6	1	-	-	4	5	1	-	-	6	-	-	-	-	-
35	External causes	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
38	Diseases ill-defined or unknown.	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	19	3	4	2	1	10	1	2	1	14	1	1	1	2	-
		F	7	1	-	-	1	2	1	2	1	6	-	-	-	-	1

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEW BEDFORD.	T	349	57	19	11	13	100	21	11	8	140	26	22	57	62	42
		M	208	34	13	8	8	63	11	6	4	84	18	14	31	42	19
		F	141	23	6	3	5	37	10	5	4	56	8	8	26	20	23
5	Measles	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Whooping cough	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
8	Diphtheria and croup	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
12	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
12	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
37	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the lungs	M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculous meningitis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
15	Other forms of tuberculosis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-
17	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
37	Convulsions	M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
19	Organic diseases of the heart	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Acute bronchitis	M	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
22	Pneumonia	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
23	Bronchopneumonia	M	38	-	-	-	-	-	-	2	-	2	1	1	7	15	12
		F	36	-	-	-	-	-	1	-	1	2	2	1	10	8	13
24	Diseases of the stomach	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
25	Diarrhea and enteritis	M	48	-	-	-	-	-	-	-	3	3	7	8	16	13	1
		F	29	-	-	-	-	-	3	-	1	4	-	5	11	8	1
33	Malformations	M	15	3	-	2	3	8	2	-	-	10	2	3	-	-	-
		F	7	3	-	-	1	4	2	-	-	6	-	-	1	-	-
33	Premature birth	M	35	20	6	2	1	29	2	1	-	32	2	-	1	-	-
		F	18	11	1	1	1	14	3	-	1	18	-	-	-	-	-
33	Congenital debility	M	6	-	-	2	-	2	1	1	1	5	1	-	-	-	-
37		F	6	1	-	1	-	2	-	1	-	3	2	-	1	-	-
37	Injuries at birth	M	9	4	2	2	-	8	1	-	-	9	-	-	-	-	-
		F	6	4	2	-	-	6	-	-	-	6	-	-	-	-	-
35	External causes	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
38	Diseases ill-defined or unknown.	M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1
		F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	1
	All other causes	M	35	7	5	-	4	16	5	2	-	23	3	-	2	5	2
		F	18	4	3	1	3	11	-	3	1	15	-	1	1	-	1

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SOMERVILLE.	T	118	22	7	3	11	43	11	2	3	59	11	9	16	11	12
		M	74	16	5	3	7	31	6	–	1	38	5	5	15	5	6
		F	42	4	2	–	4	10	5	2	2	19	6	4	1	6	6
		Unk	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
5	Measles	M	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	1	1	2	1	–	–	1
8	Diphtheria and croup	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Tuberculous meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Syphilis	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	Meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	3	–	–	–	–	–	1	–	–	1	–	1	–	1	–
37	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Organic diseases of the heart	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
20	Acute bronchitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
22	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
23	Bronchopneumonia	M	20	–	–	–	–	–	1	–	1	2	1	2	11	2	2
		F	7	–	–	–	–	–	1	–	1	2	–	1	–	2	2
24	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
25	Diarrhea and enteritis	M	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–
		F	5	–	–	–	–	–	–	–	–	–	–	–	1	2	2
33	Malformations	M	13	1	1	2	3	7	1	–	–	8	1	2	1	–	1
		F	6	1	1	–	1	3	–	2	–	5	1	–	–	–	–
33	Premature birth	M	20	11	4	–	3	18	2	–	–	20	–	–	–	–	–
		F	5	2	1	–	1	4	–	–	–	4	1	–	–	–	–
		Unk	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
33	Congenital debility	M	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
37		F	3	–	–	–	–	–	2	–	–	2	–	–	–	1	–
37	Injuries at birth	M	5	3	–	–	1	4	1	–	–	5	–	–	–	–	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
35	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Diseases ill-defined or unknown.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	5	1	–	1	–	2	1	–	–	3	–	–	1	–	1
		F	3	1	–	–	1	2	–	–	–	2	1	–	–	–	–

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922.**

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SPRINGFIELD.	T	226	51	6	7	28	92	11	6	8	117	16	9	39	19	26
		M	133	27	2	5	19	53	8	4	6	71	10	5	22	11	14
		F	93	24	4	2	9	39	3	2	2	46	6	4	17	8	12
5	Measles	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
6	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
8	Diphtheria and croup	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
9	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
12	Dysentery	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Tuberculous meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
15	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
37	Syphilis	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
17	Meningitis	M	2	–	–	–	–	–	1	–	–	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
19	Organic diseases of the heart	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
20	Acute bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
22	Pneumonia	M	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
23	Bronchopneumonia	M	11	–	–	–	–	–	–	–	1	1	1	1	4	1	3
		F	13	–	–	–	1	1	–	–	–	1	2	1	2	3	4
24	Diseases of the stomach	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Diarrhea and enteritis	M	18	–	–	–	–	–	–	–	1	1	1	1	10	3	2
		F	9	–	–	–	–	–	–	–	–	–	1	–	4	3	1
33	Malformations	M	18	2	–	1	7	10	2	–	–	12	2	1	1	2	–
		F	10	3	2	1	–	6	–	1	–	7	–	1	1	–	1
33	Premature birth	M	32	15	2	2	7	26	1	2	3	32	–	–	–	–	–
		F	21	15	1	1	2	19	1	1	–	21	–	–	–	–	–
33, 37	Congenital debility	M	7	–	–	2	1	3	–	–	–	3	–	2	2	–	–
		F	5	1	–	–	–	1	–	–	–	1	2	–	2	–	–
37	Injuries at birth	M	5	4	–	–	1	5	–	–	–	5	–	–	–	–	–
		F	4	2	–	–	2	4	–	–	–	4	–	–	–	–	–
35	External causes	M	4	1	–	–	–	1	–	–	–	1	2	–	–	–	1
		F	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
38	Diseases ill-defined or unknown.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	26	5	–	–	3	8	4	2	1	15	3	–	3	1	4
		F	18	3	1	–	4	8	–	–	1	9	–	1	5	2	1

[1] Exclusive of stillbirths.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1920: **1922**.

Abridged Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	WORCESTER.	T	349	70	26	9	29	134	18	20	9	181	22	24	53	35	34
		M	193	37	18	4	16	75	12	13	6	106	11	16	23	18	19
		F	156	33	8	5	13	59	6	7	3	75	11	8	30	17	15
5	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Scarlet fever	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Whooping cough	M	3	–	–	–	–	–	–	1	–	1	1	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1
8	Diphtheria and croup	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
9	Influenza	M	2	–	–	–	–	–	–	1	–	1	–	1	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
12	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
37	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the lungs	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
14	Tuberculous meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–
15	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
37	Syphilis	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–
17	Meningitis	M	4	–	–	–	–	–	1	1	–	2	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Convulsions	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Organic diseases of the heart	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Acute bronchitis	M	2	–	–	–	–	–	–	1	–	1	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
22	Pneumonia	M	5	–	–	–	–	–	–	–	–	–	–	–	2	1	2
		F	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1
23	Bronchopneumonia	M	33	–	–	–	1	1	2	4	–	7	1	4	6	6	9
		F	19	–	–	–	1	1	–	–	–	1	2	–	5	5	6
24	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Diarrhea and enteritis	M	29	–	–	–	–	–	–	1	2	3	4	6	10	4	2
		F	25	–	–	–	–	–	–	–	–	–	3	4	10	5	3
33	Malformations	M	9	1	1	–	1	3	2	1	2	8	1	–	–	–	–
		F	13	6	–	–	1	7	–	1	1	9	2	1	1	–	–
33	Premature birth	M	52	31	9	1	3	44	3	2	1	50	–	1	–	1	–
		F	39	17	5	3	5	30	2	5	–	37	2	–	–	–	–
33, 37	Congenital debility	M	10	–	1	–	–	1	2	1	–	4	2	2	2	–	–
		F	8	1	1	–	1	3	–	–	–	3	–	1	1	2	1
37	Injuries at birth	M	8	3	2	1	2	8	–	–	–	8	–	–	–	–	–
		F	6	3	–	–	3	6	–	–	–	6	–	–	–	–	–
35	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
38	Diseases ill-defined or unknown.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
	All other causes	M	32	2	5	2	9	18	2	–	1	21	1	2	2	3	3
		F	24	4	2	2	2	10	4	–	2	16	1	1	4	1	1

[1] Exclusive of stillbirths.

Maternal Mortality.

Table 30

Deaths and Death Rates per 100,000 Population from Diseases caused by Pregnancy and Confinement:* **1901** to **1922**.

Years.	Deaths.			Death rates — per 100,000 population.			Death rates — per 100,000 female population.		
	Total. **143-150**	Puerperal septicemia. **146**	All others. **143-145, 147-150**	Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia.	All others.
1901	273	57	216	9.6	2.0	7.6	18.6	3.9	14.7
1902	277	61	216	9.6	2.1	7.5	18.5	4.1	14.4
1903	310	100	219	10.6	3.4	7.2	20.4	6.6	13.8
1904	339	87	252	11.4	2.9	8.5	21.7	5.6	16.1
1905	318	60	258	10.5	2.0	8.5	20.1	3.8	16.3
1906	340	87	253	11.0	2.8	8.2	21.2	5.4	15.8
1907	386	83	303	12.2	2.6	9.6	23.6	5.1	18.5
1908	357	37	320	11.0	1.1	9.9	21.5	2.2	19.3
1909	456	89	367	13.8	2.7	11.1	27.0	5.3	21.7
1910	402	104	298	11.9	3.1	8.8	23.4	6.1	17.3
1911	506	143	363	14.7	4.2	10.6	29.0	6.0	23.0
1912	435	97	338	12.4	2.8	9.6	24.5	5.5	19.0
1913	467	101	366	13.1	2.8	10.2	25.9	5.6	20.3
1914	538	104	434	14.8	2.9	11.9	29.4	5.7	23.7
1915	462	106	356	12.5	2.9	9.6	24.9	5.7	19.2
1916	525	159	366	13.9	4.2	9.7	27.3	8.3	19.0
1917	616	194	422	16.0	5.0	11.0	31.5	9.9	21.6
1918	804	159	645	20.6	4.1	16.5	40.4	8.0	32.4
1919	622	163	459	16.2	4.2	12.0	31.8	8.3	23.5
1920	698	195	503	18.1	5.1	13.0	35.6	10.0	25.6
1921	580	178	402	14.9	4.6	10.3	29.3	9.0	20.3
1922	559	159	400	14.2	4.0	10.2	27.9	7.9	20.0

Table 31 — Death Rates per 10,000 Confinements and per 10,000 Births[1] from Diseases caused by Pregnancy and Confinement (143-150).* 1901 to 1922.

Years.	Per 10,000 confinements.[1]			Per 10,000 births.[2]			Per 10,000 live births.			Per 10,000 confinements.[1] 143-150.	
	Total. 143-150	Puerperal septicemia. 146	All others. 143-145, 147-150	Total. 143-150	Puerperal septicemia. 146	All others. 143-145, 147-150	Total. 143-150	Puerperal septicemia. 146	All others. 143-145, 147-150	Three-year averages.	Five-year averages.
1901	37	8	29	37	8	29	38	8	30		
1902	37	8	29	37	8	29	38	8	30	38	
1903	41	13	28	41	13	28	42	14	28		40
1904	44	11	33	44	11	33	45	12	33		
1905	41	8	33	41	8	33	42	8	34	42	
1906	41	11	30	41	10	31	42	11	31		
1907	44	10	34	44	9	35	45	10	35		
1908	40	4	36	40	4	36	41	4	37	45	44
1909	52	10	42	52	10	42	54	11	43		
1910	45	12	33	45	12	33	46	12	34		
1911	56	16	40	55	16	39	57	16	41	49	
1912	47	11	36	47	10	37	48	11	37		
1913	50	11	39	49	11	38	51	11	40		51
1914	56	11	45	56	11	45	58	11	47	51	
1915	48	11	37	48	11	37	48	11	37		
1916	55	17	39	54	16	38	56	17	39		
1917	63	20	43	62	19	43	64	20	44	67	
1918	82	16	66	81	16	65	84	17	67		
1919	69	18	51	68	18	50	71	19	52		69
1920	74	21	53	73	20	53	76	21	55		
1921	61	19	42	60	18	42	63	19	44	68	
1922	62	18	44	61	17	44	64	18	46		

[1] Inclusive of stillbirths and making proper deductions for plural births.
[2] Inclusive of stillbirths.

DEATHS INVESTIGATED

Line No.	Table 32 — Cause of Death.	Deaths (inclusive of Stillbirths) — The State. Number.	The State. Per Cent distribution.	Counties. Barnstable.	Berkshire.	Bristol.	Dukes.
1	**All Causes.**	**6,939**	**100.0**	**61**	**140**	**603**	**11**
2	VIOLENCE.	2,802	40.4	24	64	216	6
3	*Homicide.*	104	1.5	–	–	9	–
4	Firearms (197)	54	.8	–	–	3	–
5	Stabbing (198)	17	.2	–	–	2	–
6	Infanticide (206)	8	.1	–	–	2	–
7	Other methods (199)	25	.4	–	–	2	–
8	*Suicide.*	459	6.6	5	12	30	1
9	Firearms (170)	86	1.2	1	5	4	–
10	Asphyxia by illuminating gas (167)	131	2.0	–	–	11	–
11	Hanging (168)	93	1.3	1	2	5	–
12	Poisons (165, 166)	44	.6	–	–	6	–
13	Drowning (169)	43	.6	2	1	3	–
14	Cutting, or piercing instruments (171)	37	.5	1	3	–	1
15	Other methods	25	.4	–	1	1	–
16	*Accident or Negligence.*	2,239	32.3	19	52	177	5
17	Public travel (railroads, vehicles, etc.) (188)	689	9.9	4	20	52	–
18	Falls, blows and falling bodies (185, 202)	547	7.9	3	9	29	1
19	Burns, scalds and explosions (178, 179)	260	3.7	3	9	31	–
20	Drowning (182)	263	3.8	6	8	23	4
21	Asphyxia (other than drowning) (180, 181)	221	3.2	1	1	23	–
22	Machinery (187)	63	.9	–	1	7	–
23	Weather agencies (193–195)	14	.2	–	–	–	–
24	Poisons (177)	40	.6	–	–	3	–
25	Firearms and other weapons (183)	21	.3	1	2	1	–
26	Other accidental causes	121	1.8	1	2	8	–
27	CAUSES NOT DUE TO VIOLENCE.	4,023	58.0	37	74	342	5
28	Natural causes	2,901	41.8	32	67	308	5
29	Alcoholism	257	3.8	1	5	19	–
30	Unknown or ill-defined causes	177	2.5	3	1	13	–
31	Cremations	688	9.9	1	1	2	–
32	STILLBIRTHS.	114	1.6	–	2	45	–
33	**Autopsies.**						
34	Number	694	–	2	3	15	–

BY MEDICAL EXAMINERS.

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: **1922.**

Line No.	COUNTIES — Con.									
	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	**725**	**67**	**539**	**103**	**1,310**	**8**	**419**	**235**	**2,029**	**689**
2	347	32	213	26	474	3	114	104	891	288
3	18	–	8	–	16	–	9	2	32	10
4	9	–	4	–	8	–	6	1	17	6
5	4	–	2	–	1	–	1	–	7	–
6	–	–	1	–	1	–	2	–	1	1
7	5	–	1	–	6	–	–	1	7	3
8	79	4	32	4	82	1	12	15	139	43
9	15	1	7	1	17	–	5	3	20	7
10	23	1	10	–	17	–	1	4	58	6
11	19	–	4	2	21	1	4	1	18	15
12	6	2	5	1	4	–	–	1	17	2
13	6	–	2	–	15	–	1	3	7	3
14	7	–	2	–	6	–	–	2	9	6
15	3	–	2	–	2	–	1	1	10	4
16	250	28	173	22	376	2	93	87	720	235
17	73	14	51	9	123	–	31	27	202	83
18	48	2	51	4	109	–	22	23	200	46
19	30	4	16	1	35	–	9	6	89	27
20	40	3	23	5	46	–	17	9	51	28
21	29	1	8	–	38	2	6	12	82	18
22	4	3	6	1	5	–	4	3	17	12
23	4	–	–	–	–	–	1	1	4	4
24	2	–	2	–	5	–	1	1	23	3
25	1	–	1	–	5	–	–	1	7	2
26	19	1	15	2	10	–	2	4	45	12
27	368	35	325	74	819	5	302	128	1,114	395
28	301	20	205	66	542	2	203	89	703	358
29	30	–	11	2	31	–	5	15	117	21
30	28	10	–	5	75	3	8	8	11	12
31	9	5	109	1	171	–	86	16	283	4
32	10	–	1	3	17	–	3	3	24	6
33										
34	32	–	31	2	51	1	24	16	474	43

Detailed List No.	Table 33 — Cause of Death	Sex.	Deaths due to Violence and Other and Months, and by — All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	**6,939**	**633**	**585**	**587**	**549**	**560**	**531**	**562**	**559**	**544**	**621**	**565**	**643**
		M	4,493	395	363	363	348	376	373	397	352	364	398	366	398
		F	2,446	238	222	224	201	184	158	165	207	180	223	199	245
	All Causes (exclusive of Stillbirths).	T	**6,825**	**623**	**575**	**573**	**543**	**549**	**523**	**555**	**547**	**538**	**608**	**559**	**632**
		M	4,429	391	357	356	344	370	367	391	345	361	393	364	390
		F	2,396	232	218	217	199	179	156	164	202	177	215	195	242
	Violence.	T	2,802	208	197	204	194	251	243	278	259	241	279	216	232
		M	2,022	138	136	133	150	189	188	221	179	174	206	154	154
		F	780	70	61	71	44	62	55	57	80	67	73	62	78
	Suicide.	T	459	30	27	46	36	47	46	38	33	36	47	26	47
		M	336	22	23	33	29	37	33	28	21	21	38	20	31
		F	123	8	4	13	7	10	13	10	12	15	9	6	16
165	Suicide by solid or liquid poisons (corrosive substances excepted).	T	31	2	4	6	1	2	1	2	4	4	2	3	–
		M	22	2	3	5	–	1	1	2	4	2	1	1	–
		F	9	–	1	1	1	1	–	–	–	2	1	2	–
165*a*	Arsenic and its compounds	T	3	–	1	–	–	–	–	–	2	–	–	–	–
		M	3	–	1	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
165*b*	Opium and its preparations	T	4	–	1	1	–	–	–	–	–	1	–	1	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	–	–	–	1	–	1	–
165*c*	Carbolic acid	T	4	–	–	–	–	1	1	–	1	–	–	1	–
		M	3	–	–	–	–	–	1	–	1	–	–	1	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
165*d*	Other poisons	T	20	2	2	5	1	1	–	2	1	3	2	1	–
		M	15	2	1	5	–	1	–	2	1	2	1	–	–
		F	5	–	1	–	1	–	–	–	–	1	1	1	–
166	By corrosive substances	T	13	1	1	3	–	1	2	2	–	1	1	1	–
		M	4	–	1	1	–	–	–	1	–	–	–	1	–
		F	9	1	–	2	–	1	2	1	–	1	1	–	–
167	Suicide by poisonous gas	T	131	8	7	8	10	18	20	8	7	10	15	6	14
		M	83	5	6	6	7	13	12	6	3	4	12	2	7
		F	48	3	1	2	3	5	8	2	4	6	3	4	7
168	Suicide by hanging or strangulation	T	93	8	7	9	7	6	4	12	4	7	7	7	15
		M	78	8	6	7	6	6	3	10	3	5	6	7	11
		F	15	–	1	2	1	–	1	2	1	2	1	–	4
169	Suicide by drowning	T	43	–	–	5	4	5	7	3	6	3	5	1	4
		M	24	–	–	1	3	5	5	1	2	1	3	1	2
		F	19	–	–	4	1	–	2	2	4	2	2	–	2
170	Suicide by firearms	T	86	4	3	10	6	12	8	6	8	3	11	3	12
		M	77	3	3	9	5	11	8	4	6	3	11	3	11
		F	9	1	–	1	1	1	–	2	2	–	–	–	1
171	Suicide by cutting or piercing instruments	T	37	3	4	2	7	1	3	1	3	5	4	4	–
		M	35	3	4	1	7	1	3	1	3	5	3	4	–
		F	2	–	–	1	–	–	–	–	–	–	1	–	–
172	Suicide by jumping from high places.	T	15	3	1	2	1	1	1	3	–	1	–	–	2
		M	6	–	–	2	1	–	1	2	–	–	–	–	–
		F	9	3	1	–	–	1	–	1	–	1	–	–	2
173	Suicide by crushing	T	7	1	–	1	–	–	–	–	1	2	2	–	–
		M	5	1	–	1	–	–	–	–	–	1	2	–	–
		F	2	–	–	–	–	–	–	–	1	1	–	–	–
174	Other suicides	T	3	–	–	–	–	1	–	1	–	–	–	1	–
		M	2	–	–	–	–	–	–	1	–	–	–	1	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: **1922.**

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
	194	**318**	**336**	**256**	**139**	**144**	**431**	**660**	**831**	**1,077**	**1,149**	**890**	**497**	**17**
	116	179	191	172	110	106	303	478	584	779	743	497	224	11
	78	139	145	84	29	38	128	182	247	298	406	393	273	6
	80	**318**	**336**	**256**	**139**	**144**	**431**	**660**	**831**	**1,077**	**1,149**	**890**	**497**	**17**
	52	179	191	172	110	106	303	478	584	779	743	497	224	11
	28	139	145	84	29	38	128	182	247	298	406	393	273	6
	10	57	233	225	114	117	313	370	362	370	303	297	118	3
	7	33	136	156	95	97	243	301	285	288	208	117	54	2
	3	24	97	69	19	20	70	69	77	82	95	90	64	1
	–	–	–	–	–	6	64	84	83	97	65	50	10	–
	–	–	–	–	–	3	41	62	58	69	55	39	9	–
	–	–	–	–	–	3	23	22	25	28	10	11	1	–
165	–	–	–	–	–	2	3	7	7	7	2	3	–	–
	–	–	–	–	–	1	1	6	5	5	1	3	–	–
	–	–	–	–	–	1	2	1	2	2	1	–	–	–
165*a*	–	–	–	–	–	–	–	1	–	1	–	1	–	–
	–	–	–	–	–	–	–	1	–	1	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
165*b*	–	–	–	–	–	–	1	–	2	–	1	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	1	–	–	–
165*c*	–	–	–	–	–	–	1	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–
165*d*	–	–	–	–	–	2	1	4	4	6	1	2	–	–
	–	–	–	–	–	1	1	3	3	4	1	2	–	–
	–	–	–	–	–	1	–	1	1	2	–	–	–	–
166	–	–	–	–	–	1	2	8	1	–	1	–	–	–
	–	–	–	–	–	–	–	3	–	–	1	–	–	–
	–	–	–	–	–	1	2	5	1	–	–	–	–	–
167	–	–	–	–	–	1	21	17	28	27	23	11	3	–
	–	–	–	–	–	1	12	10	17	13	19	8	3	–
	–	–	–	–	–	–	9	7	11	14	4	3	–	–
168	–	–	–	–	–	–	6	14	22	20	19	9	3	–
	–	–	–	–	–	–	5	11	20	17	16	6	3	–
	–	–	–	–	–	–	1	3	2	3	3	3	–	–
169	–	–	–	–	–	1	5	7	10	10	3	7	–	–
	–	–	–	–	–	–	3	5	5	4	3	4	–	–
	–	–	–	–	–	1	2	2	5	6	–	3	–	–
170	–	–	–	–	–	1	23	20	7	15	8	10	2	–
	–	–	–	–	–	1	19	19	5	15	8	8	2	–
	–	–	–	–	–	–	4	1	2	–	–	2	–	–
171	–	–	–	–	–	–	2	7	5	11	5	6	1	–
	–	–	–	–	–	–	1	6	5	11	5	6	1	–
	–	–	–	–	–	–	1	1	–	–	–	–	–	–
172	–	–	–	–	–	–	1	3	1	3	4	3	–	–
	–	–	–	–	–	–	–	1	–	–	2	3	–	–
	–	–	–	–	–	–	1	2	1	3	2	–	–	–
173	–	–	–	–	–	–	1	1	1	3	–	1	–	–
	–	–	–	–	–	–	–	1	–	3	–	1	–	–
	–	–	–	–	–	–	1	–	1	–	–	–	–	–
174	–	–	–	–	–	–	–	–	1	1	–	–	1	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Detailed Int. List No.	Table 33 — Cause of Death.	Sex.	Deaths due to Violence and Other and Months, and by — All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Violence — Con.														
	Homicide.	T	104	10	13	9	4	13	12	7	7	7	6	9	7
		M	73	8	10	5	3	8	9	4	5	7	3	6	5
		F	31	2	3	4	1	5	3	3	2	–	3	3	2
197	By firearms	T	54	6	7	5	2	4	6	1	2	6	4	6	5
		M	41	5	7	3	2	2	5	1	2	6	1	3	4
		F	13	1	–	2	–	2	1	–	–	–	3	3	1
198	By cutting or piercing instruments	T	17	3	1	–	–	3	1	1	3	1	2	1	1
		M	12	3	1	–	–	1	1	–	1	1	2	1	1
		F	5	–	–	–	–	2	–	1	2	–	–	–	–
199	By other means	T	25	1	4	2	1	5	3	4	2	–	–	2	1
		M	15	–	1	–	1	5	2	2	2	–	–	2	–
		F	10	1	3	2	–	–	1	2	–	–	–	–	1
200	Infanticide (murder of infants less than one year of age).	T	8	–	1	2	1	1	2	1	–	–	–	–	–
		M	5	–	1	2	–	–	1	1	–	–	–	–	–
		F	3	–	–	–	1	1	1	–	–	–	–	–	–
	Accidental.	T	2,239	168	157	149	154	191	185	233	219	198	226	181	178
		M	1,613	108	103	95	118	144	146	189	153	146	165	128	118
		F	626	60	54	54	36	47	39	44	66	52	61	53	60
175	Poisoning by food	T	3	–	–	–	–	–	1	–	–	–	1	–	1
		M	2	–	–	–	–	–	1	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
176	Poisoning by venomous animals .	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
177	Other acute accidental poisonings (gas excepted).	T	40	3	1	5	2	5	1	3	4	4	5	3	4
		M	29	3	1	5	2	4	1	1	1	3	3	2	3
		F	11	–	–	–	–	1	–	2	3	1	2	1	1
178	Conflagration	T	38	1	4	6	2	3	1	1	8	1	4	2	5
		M	24	1	2	2	2	1	1	–	6	1	3	–	5
		F	14	–	2	4	–	2	–	1	2	–	1	2	–
179	Accidental burns (conflagration excepted).	T	222	30	24	19	15	17	9	19	14	18	19	19	19
		M	98	10	16	6	8	10	5	5	6	9	6	10	7
		F	124	20	8	13	7	7	4	14	8	9	13	9	12
180	Accidental mechanical suffocation .	T	48	7	2	2	5	3	3	2	4	3	5	5	7
		M	32	5	2	2	5	–	2	2	3	2	3	2	4
		F	16	2	–	–	–	3	1	–	1	1	2	3	3
181	Accidental absorption of irrespirable or poisonous gas.	T	173	15	12	12	19	7	11	5	7	10	18	26	31
		M	117	9	6	9	16	4	8	4	5	7	10	15	24
		F	56	6	6	3	3	3	3	1	2	3	8	11	7
182	Accidental drowning	T	263	9	7	10	18	37	37	68	41	12	8	9	7
		M	242	9	7	9	15	32	36	65	34	11	8	9	7
		F	21	–	–	1	3	5	1	3	7	1	–	–	–
183	Accidental traumatism by firearms (wounds of war excepted).	T	21	3	1	2	1	1	–	2	2	3	–	3	3
		M	18	3	1	1	1	1	–	2	1	3	–	3	2
		F	3	–	–	1	–	–	–	–	1	–	–	–	1
184	Accidental traumatism by cutting or piercing instruments.	T	14	1	3	–	1	1	1	–	3	–	1	2	1
		M	11	1	2	–	1	–	1	–	3	–	1	2	–
		F	3	–	1	–	–	1	–	–	–	–	–	–	1
185	Accidental traumatism by fall .	T	392	34	39	28	23	35	27	38	41	37	34	25	31
		M	227	21	18	14	14	23	13	29	24	22	23	13	13
		F	165	13	21	14	9	12	14	9	17	15	11	12	18
186	Accidental traumatism in mines and quarries.	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes, investigated by Medical Examiners by Causes, Sex, Causes, Sex and Age: 1922 — Con.

Detailed Int. List. No.	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
							AGE PERIODS.							
	5	2	3	1	5	5	28	28	15	7	5	–	–	–
	4	1	2	1	3	2	19	21	10	5	5	–	–	–
	1	1	1	–	2	3	9	7	5	2	–	–	–	–
197	–	–	1	–	1	3	18	16	9	4	2	–	–	–
	–	–	1	–	1	2	14	13	6	2	2	–	–	–
	–	–	–	–	–	1	4	3	3	2	–	–	–	–
198	–	–	–	–	2	1	2	4	4	2	2	–	–	–
	–	–	–	–	1	–	2	2	3	2	2	–	–	–
	–	–	–	–	1	1	–	2	1	–	–	–	–	–
199	–	–	1	1	2	1	8	8	2	1	1	–	–	–
	–	–	1	1	1	–	3	6	1	1	1	–	–	–
	–	–	–	–	1	1	5	2	1	–	–	–	–	–
200	5	2	1	–	–	–	–	–	–	–	–	–	–	–
	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	5	55	230	224	109	106	221	258	264	266	233	157	108	3
	3	32	134	155	92	92	183	218	217	214	148	78	45	2
	2	23	96	69	17	14	38	40	47	52	85	79	63	1
175	–	–	1	–	–	–	1	–	1	–	–	–	–	–
	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
177	–	2	10	1	1	1	4	9	6	4	2	–	–	–
	–	2	8	–	–	–	3	8	3	4	1	–	–	–
	–	–	2	1	1	1	1	1	3	–	1	–	–	–
178	–	1	4	2	2	–	2	2	3	9	7	5	1	–
	–	–	2	2	1	–	2	2	2	5	5	3	–	–
	–	1	2	–	1	–	–	–	1	4	2	2	1	–
179	–	8	98	26	5	1	6	5	14	21	13	17	8	–
	–	3	47	6	1	1	5	4	5	13	2	8	3	–
	–	5	51	20	4	–	1	1	9	8	11	9	5	–
180	4	24	2	3	1	–	2	5	3	3	1	–	–	–
	2	11	2	3	1	–	2	4	3	3	1	–	–	–
	2	13	–	–	–	–	–	1	–	–	–	–	–	–
181	–	1	3	1	1	6	11	25	30	24	31	21	19	–
	–	1	1	1	1	4	9	16	23	20	19	12	10	–
	–	–	2	–	–	2	2	9	7	4	12	9	9	–
182	1	1	18	40	40	38	35	29	19	22	14	4	1	1
	1	1	15	38	37	37	29	27	19	21	12	3	1	1
	–	–	3	2	3	1	6	2	–	1	2	1	–	–
183	–	–	1	1	3	4	7	4	1	–	–	–	–	–
	–	–	1	1	3	2	7	3	1	–	–	–	–	–
	–	–	–	–	–	2	–	1	–	–	–	–	–	–
184	–	–	1	1	–	–	2	2	4	–	2	2	–	–
	–	–	–	1	–	–	2	2	4	–	1	1	–	–
	–	–	1	–	–	–	–	–	–	–	1	1	–	–
185	–	9	16	11	7	6	14	29	47	70	60	63	60	–
	–	8	7	9	6	5	11	26	39	51	28	20	17	–
	–	1	9	2	1	1	3	3	8	19	32	43	43	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 33 — Cause of Death.	Sex.	All deaths investigated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths due to Violence and Other and Months, and by	Months.											
	Violence — Con.														
	Accidental — Con.														
187	Accidental traumatism by machines	T	63	7	6	2	6	5	2	8	6	3	5	7	6
		M	60	6	6	2	6	5	2	8	5	3	5	7	5
		F	3	1	–	–	–	–	–	–	1	–	–	–	1
188	Accidental traumatism by other crushing (vehicles, railways, land slides, etc.).	T	689	37	29	47	42	50	71	68	64	81	97	59	44
		M	543	26	22	34	32	46	58	56	48	62	77	47	35
		F	146	11	7	13	10	4	13	12	16	19	20	12	9
188*a*	Railroad accidents . . .	T	96	9	6	6	6	9	6	11	9	4	10	8	12
		M	86	7	6	6	6	8	6	9	9	3	9	7	10
		F	10	2	–	–	–	1	–	2	–	1	1	1	2
188*b*	Street car accidents . . .	T	43	4	1	3	2	2	1	7	4	3	8	5	3
		M	31	3	1	1	1	2	1	5	3	2	7	4	1
		F	12	1	–	2	1	–	–	2	1	1	1	1	2
188*c*	Automobile accidents . . .	T	494	15	22	35	34	34	57	40	47	66	76	42	26
		M	379	11	15	24	25	31	44	34	33	51	58	32	21
		F	115	4	7	11	9	3	13	6	14	15	18	10	5
188*d*	Aeroplane and balloon accidents .	T	1	–	–	–	–	–	–	1	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188*e*	Injuries by other vehicles . .	T	52	9	–	3	–	5	6	9	4	6	3	4	3
		M	43	5	–	3	–	5	6	7	3	4	3	4	3
		F	9	4	–	–	–	–	–	2	1	2	–	–	–
188*f*	Landslide, other crushing . .	T	3	–	–	–	–	–	1	–	–	2	–	–	–
		M	3	–	–	–	–	–	1	–	–	2	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Injuries by animals (not poisoning)	T	17	3	2	–	1	4	–	–	3	2	–	1	1
		M	15	3	2	–	1	4	–	–	1	2	–	1	1
		F	2	–	–	–	–	–	–	–	2	–	–	–	–
190	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
191	Execution of civilians by belligerent armies.	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
192	Starvation (deprivation of food or water).	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Excessive cold	T	4	2	1	1	–	–	–	–	–	–	–	–	–
		M	3	1	1	1	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
194	Excessive heat	T	6	–	–	–	–	–	1	2	2	1	–	–	–
		M	5	–	–	–	–	–	1	2	1	1	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
195	Lightning	T	4	–	–	–	–	–	2	–	–	1	1	–	–
		M	3	–	–	–	–	–	1	–	–	1	1	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
196	Other accidental electric shocks .	T	27	1	–	3	–	2	7	1	6	2	4	1	–
		M	27	1	–	3	–	2	7	1	6	2	4	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201	Fracture (cause not specified) .	T	21	1	2	–	2	3	2	3	–	–	4	2	2
		M	15	1	2	–	1	2	2	2	–	–	3	1	1
		F	6	–	–	–	1	1	–	1	–	–	1	1	1

Causes, investigated by Medical Examiners by Causes, Sex, Causes, Sex and Age: **1922** — Con.

Detailed Int. List No.	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
	AGE PERIODS.													
187	–	–	–	2	3	3	8	10	12	7	11	5	2	–
	–	–	–	2	3	3	7	10	12	7	11	4	1	–
	–	–	–	–	–	–	1	–	–	–	–	1	1	–
188	–	3	59	121	36	35	95	90	83	67	62	27	10	1
	–	2	40	81	30	29	81	82	73	54	44	18	9	–
	–	1	19	40	6	6	14	8	10	13	18	9	1	1
188*a*	–	–	2	1	2	6	18	21	17	17	8	2	1	1
	–	–	2	–	2	4	17	20	15	17	6	2	1	–
	–	–	–	1	–	2	1	1	2	–	2	–	–	1
188*b*	–	–	6	6	2	–	3	3	4	7	5	5	2	–
	–	–	4	3	2	–	2	3	4	5	3	3	2	–
	–	–	2	3	–	–	1	–	–	2	2	2	–	–
188*c*	–	3	48	107	27	26	67	56	52	38	43	20	7	–
	–	2	31	73	24	23	55	50	44	27	31	13	6	–
	–	1	17	34	3	3	12	6	8	11	12	7	1	–
188*d*	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188*e*	–	–	3	7	5	3	6	9	9	4	6	–	–	–
	–	–	3	5	2	2	6	8	9	4	4	–	–	–
	–	–	–	2	3	1	–	1	–	–	2	–	–	–
188*f*	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189	–	–	–	1	1	–	2	3	–	6	2	–	2	–
	–	–	–	1	1	–	2	2	–	6	1	–	2	–
	–	–	–	–	–	–	–	1	–	–	1	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	2	1	–	–	1	–
	–	–	–	–	–	–	–	–	1	1	–	–	1	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–
194	–	1	–	–	1	–	1	1	1	–	1	–	–	–
	–	1	–	–	1	–	1	1	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–
195	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
196	–	–	–	1	1	2	6	9	2	4	1	–	–	1
	–	–	–	1	1	2	6	9	2	4	1	–	–	1
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
201	–	–	–	–	–	1	1	3	3	4	4	2	3	–
	–	–	–	–	–	1	1	2	3	4	3	1	–	–
	–	–	–	–	–	–	–	1	–	–	1	1	3	–

Detailed Int. List No.	Table 33 — Cause of Death.	Sex.	All deaths investigated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths due to Violence and Other and Months, and by Months.												
	Violence — Con.														
	Accidental — Con.														
202	Other external violence (cause specified).	T	155	14	19	10	12	14	4	11	11	15	17	14	14
		M	118	8	13	7	10	8	4	10	7	13	16	12	10
		F	37	6	6	3	2	6	–	1	4	2	1	2	4
203	Other external violence (cause not specified).	T	39	–	5	2	5	4	5	2	3	5	3	3	2
		M	24	–	2	–	4	2	3	2	2	4	1	3	1
		F	15	–	3	2	1	2	2	–	1	1	2	–	1
	Causes not due to Violence.	T	4,023	415	378	369	349	298	280	277	288	297	329	343	400
		M	2,407	253	221	223	194	181	179	170	166	187	187	210	236
		F	1,616	162	157	146	155	117	101	107	122	110	142	133	164
	Stillbirths.	T	**114**	**10**	**10**	**14**	**6**	**11**	**8**	**7**	**12**	**6**	**13**	**6**	**11**
		M	64	4	6	7	4	6	6	6	7	3	5	2	8
		F	50	6	4	7	2	5	2	1	5	3	8	4	3

Line No.	Table 34 — Counties.	Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1913 to 1922.										
		10 years, 1913 to 1922.			1922.		1921.		1920.		1919.	
		Views.	Autopsies. Number.	Autopsies. Per cent.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**The State.**	**66,517**	**6,341**	**9.5**	**6,939**	**694**	**6,368**	**621**	**6,276**	**573**	**6,183**	**486**
2	Barnstable	542	22	4.0	61	2	53	1	48	1	53	2
3	Berkshire	1,443	44	3.1	140	3	124	8	134	4	130	5
4	Bristol	6,169	161	2.6	603	15	561	10	594	4	569	16
5	Dukes	93	6	6.5	11	–	9	1	12	1	8	–
6	Essex	6,520	268	4.1	725	32	615	27	630	31	595	13
7	Franklin	837	16	2.0	67	–	86	–	85	1	70	3
8	Hampden	4,826	222	4.6	539	31	500	22	503	20	439	28
9	Hampshire	1,112	35	3.1	103	2	115	4	127	5	103	4
10	Middlesex	12,397	713	5.8	1,310	51	1,271	52	1,243	38	1,178	45
11	Nantucket	49	5	10.0	8	1	2	1	6	–	2	–
12	Norfolk	3,349	224	6.6	419	24	341	20	336	22	328	15
13	Plymouth	2,086	162	7.7	235	16	241	20	229	20	202	18
14	Suffolk	20,059	4,082	20.3	2,029	474	1,775	427	1,664	398	1,867	315
15	Worcester	7,035	381	5.4	689	43	675	28	665	28	639	22

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1922 — Con.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
202	–	5	14	9	3	7	19	27	28	18	17	7	1	–
	–	3	9	8	3	7	11	17	22	17	15	5	1	–
	–	2	5	1	–	–	8	10	6	1	2	2	–	–
203	–	–	3	4	4	2	4	4	4	5	5	4	–	–
	–	–	1	1	3	1	3	2	3	4	3	3	–	–
	–	–	2	3	1	1	1	2	1	1	2	1	–	–
	70	261	103	31	25	27	118	290	469	707	846	683	379	14
	45	146	55	16	15	9	60	177	299	491	535	380	170	9
	25	115	48	15	10	18	58	113	170	216	311	303	209	5
	114	–	–	–	–	–	–	–	–	–	–	–	–	–
	64	–	–	–	–	–	–	–	–	–	–	–	–	–
	50	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1913 TO 1922.

Line No.	1918.		1917.		1916.		1915.		1914.		1913.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**7,227**	**553**	**7,288**	**626**	**7,028**	**791**	**6,516**	**629**	**6,296**	**479**	**6,396**	**889**
2	48	1	49	3	61	3	60	4	57	4	52	1
3	143	1	147	3	161	2	145	4	157	12	162	2
4	749	16	719	19	631	26	618	20	610	17	515	18
5	2	–	4	1	13	1	6	–	12	1	16	1
6	691	21	682	36	688	35	663	24	641	24	590	25
7	95	2	105	3	86	2	70	3	83	–	90	2
8	487	25	561	21	476	23	452	15	415	16	454	21
9	104	1	94	4	100	4	125	4	120	2	121	5
10	1,375	25	1,381	57	1,235	133	1,252	125	1,057	77	1,095	110
11	6	–	4	–	3	–	9	1	5	1	4	1
12	383	36	341	20	305	23	311	22	281	14	304	28
13	220	13	228	13	205	15	176	13	178	11	172	23
14	2,153	389	2,193	403	2,280	483	1,960	354	1,977	241	2,161	607
15	771	32	780	43	784	41	669	40	703	59	660	45

Part II. A.

BIRTH STATISTICS.

	PAGE
Introduction	142–144
Birth registration	142
Source of data	143
Live births	143
Birth rates	143
Changes in birth rate	143
Stillbirths	143
Birth rates, principal cities	143
Sex proportions at birth	144
Nativity of parents	144
Plural births	144
Natural increase	144
Statistical tables	145–156

Introduction.

Birth Registration. — The registration of births presents greater difficulties than that of either marriages or deaths, and no State or city claims 100 per cent birth registration; but the results in Massachusetts on the whole are quite satisfactory, and generally considered to be far above the average.

It is interesting to know that from 1841 to 1922, inclusive, 4,352,765 births have been reported and tabulated in this Commonwealth.

These records are not only on file in the cities and towns in which they occurred, but also at the State House.

Physicians and parents are required to report all births coming under their care, but unfortunately there are many instances where no professional attendance is employed and no certificate of birth is returned. This discrepancy, in a measure, is covered by the law requiring all parents to make a proper return of births, and by the law requiring each city and town clerk in Massachusetts annually in January to ascertain the facts required for record relative to all children born during the preceding year and resident in their city or town.

These returns are checked with those already on file, and copies of births occurring elsewhere, the parents having moved during the year, are forthwith sent to the place of birth.

This annual canvass has proved an important factor in checking up those delinquent in the reporting of births.

Since the establishment of the office of State Registrar of Vital Statistics, by act of the 1918 Legislature, a systematic campaign has been carried on to obtain prompt and absolute compliance with the birth registration laws.

Complete and authentic birth records are of the utmost importance in all questions relating to heredity, property rights, identity, etc. No child labor law is of value unless it rests on a system of birth registration, by which the child and the parent can be required to produce positive proof of the age of the child. Laws cannot be enforced where the question of age depends on the statement of interested parties rather than on official records.

The registration of births is intended to serve three purposes: (1) to identify the child and to establish its age and parentage; (2) to enable the community to guard the newly born baby against blindness and those diseases which carry off so many infants in the first year of life and leave so many crippled, maimed, and deformed; and (3) to furnish statistical data.

Source of Data. — The birth statistics presented in this report are compiled from the certified copies of the records of births recorded in each city and town and transmitted annually to the Secretary of the Commonwealth. The original information from which birth statistics are derived is obtained from physicians, superintendents of hospitals and institutions, parents, householders, and birth canvassers.

The majority of such records are secured from physicians, who are required by law to keep a record of the birth of every child in cases of which they were in charge, and, within fifteen days after the birth, mail or deliver to the clerk of the city or town in which the birth occurred a copy of this record, which shall contain the date and place, the name, if any, of the child, its sex and color, and the names, ages, places of birth, occupations and residence of the parents, giving the street name if there be any, and the number of the ward in a city, the maiden name of the mother, and whether or not the physician signing the birth return personally attended the birth.

The annual canvass is an important factor in eliminating errors from physicians' returns of births, and many local registrars in Massachusetts are guarding against such errors by sending an exact copy of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. Birth records authenticated by the signature of a parent, of course, are not subject to change by deposition at some later date.

As previously stated, many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts.

Live Births. — In the Commonwealth in 1922 there were 87,636 live births, a decrease of 4,571, or 5 per cent, as compared with the number registered in 1921. There was a decrease in 1922 of 2,852, or 7.8 per cent, in the number of infants born to foreign-born parents. The number of babies born to native parents shows a decrease of 899, or 2.3 per cent, as compared with 1921, while the births among the mixed parents, namely, one parent native, the other foreign-born, decreased by 827, or 5 per cent.

Birth Rate. — In proportion to the total population, the total live births were equivalent to a rate of 22.3 per 1,000 population. This was 1.4 per 1,000 lower than that recorded in 1921, and 1.7 per 1,000 below the average for the five years 1917 to 1921.

Changes in Birth Rate. — The birth rate for the Commonwealth attained the highest point on record, 30.2, in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

Stillbirths. — Stillbirths registered in 1922 numbered 3,268, a decrease of 160, or 4.7 per cent, as compared with 1921. The rate per 1,000 live births was 37.3 in 1922, 37.2 in 1921, 36.3 in 1920, 35.2 in 1919, 39.5 in 1918, and 34.7 in 1917.

Birth Rates, Principal Cities. — The six municipalities having 25,000 inhabitants or more showing the highest birth rates in 1922 are: Chelsea, 30.4; Fall River, 29.4; Cambridge, 27.3; New Bedford, 26.3; Waltham, 26.3; and Fitchburg, 25.8.

The city of Fall River has the largest birth rate (29.4) of any place in the State of over 100,000 population. High birth rates, however, do not necessarily indicate satisfactory increases in population, since high rates of infant and childhood mortality may nullify the effect of high birth rates.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth.

Sex Proportions at Birth. — It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. The fact remains that this phenomenon is invariably true. Births of males in 1922 numbered 45,035, and those of females, 42,595, corresponding to a ratio of 1,057 male births to 1,000 female births.

Among the stillborn, the ratio in 1922 was 1,374 males per 1,000 females. Since 1900 the extreme range of masculinity has been from 1,545 males per 1,000 females in 1902 to 1,171 males per 1,000 females in 1901.

Nativity of Parents. — The number of births where both parents were native (38,355) exceeded the number of births where both parents were foreign-born (33,701) by 4,654, or 13.8 per cent in 1922. Children born of mixed parents (one parent native and one parent foreign-born) numbered 15,551 in 1922, as compared with 16,378 in 1921.

The proportion of children born of native parents declined from 1890 until about 1910, since when the proportion has steadily increased. In 1922 the proportion was 43.8 per cent.

The proportion of children born of parents one of whom was native and the other foreign-born was 17.7 in 1922, as compared with 17.8 in 1921. The number of children born of parents whose nativity was not reported on the birth certificate was 29 in 1922. The lowest number for any year since the first compilation of birth statistics was 21 in 1920.

Plural Births. — In 1922 there were 927 plural births, 916 pairs of twins and 11 cases of triplets, or 10 pairs of twins per 1,000 live births, and 12.6 cases of triplets per 100,000 live births.

Natural Increase. — The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

In 1922 the natural increase amounted to 9.3 per 1,000 population, as compared with 11.4 in 1921, and an average of 9 for the five years 1917 to 1921.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact, coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounts to 71.4 per cent in 1922, as compared with 93 per cent in 1921, 71.3 per cent in 1920, 67.8 per cent in 1919, 21.3 per cent in 1918, and 69.1 per cent in 1917.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of the Vital Statistics of Massachusetts for the year ending Dec. 31, 1919, Public Document No. 1.

STATISTICAL TABLES.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES:[1] 1922.

COUNTIES AND MUNICIPALITIES.	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Birth rate per 1,000 population.
The State.	**87,636**	**45,035**	**42,595**	**6**	**38,355**	**33,701**	**15,551**	**29**	**22.3**
COUNTIES.									
Barnstable	545	267	278	–	322	117	106	–	20.4
Berkshire	2,488	1,328	1,160	–	1,425	704	358	1	22.0
Bristol	9,537	4,927	4,610	–	3,279	4,357	1,899	2	26.1
Dukes	92	48	44	–	45	21	26	–	21.0
Essex	10,143	5,281	4,862	–	4,478	3,860	1,802	3	20.6
Franklin	1,031	531	500	–	614	280	137	–	20.6
Hampden	6,990	3,665	3,324	1	3,050	2,770	1,168	2	21.8
Hampshire	1,568	805	762	1	710	634	224	–	22.5
Middlesex	17,473	8,873	8,600	–	8,054	6,134	3,284	1	21.8
Nantucket	47	17	30	–	29	6	12	–	16.8
Norfolk	3,681	1,847	1,834	–	1,710	1,272	699	–	16.1
Plymouth	3,010	1,508	1,502	–	1,663	870	477	–	19.2
Suffolk	20,568	10,635	9,929	4	8,314	8,723	3,515	16	24.5
Worcester	10,463	5,303	5,160	–	4,662	3,953	1,844	4	22.4
MUNICIPALITIES.[2]									
Abington	77	35	42	–	48	18	11	–	–
Acton	17	10	7	–	8	3	6	–	–
Acushnet	114	60	54	–	35	51	28	–	–
Adams	330	167	163	–	130	147	53	–	25.4
Agawam	88	43	45	–	42	35	11	–	–
Alford	–	–	–	–	–	–	–	–	–
Amesbury	140	68	72	–	68	44	28	–	12.9
Amherst	72	40	32	–	36	27	9	–	–
Andover	128	69	59	–	64	39	25	–	–
Arlington	397	200	197	–	234	97	66	–	19.2
Ashburnham	30	11	19	–	17	9	4	–	–
Ashby	5	3	2	–	4	1	–	–	–
Ashfield	11	7	4	–	7	3	1	–	–
Ashland	20	11	9	–	7	9	4	–	–
Athol	225	107	118	–	132	63	30	–	–
ATTLEBORO	462	257	205	–	247	119	96	–	22.7
Auburn	74	42	32	–	43	16	15	–	–
Avon	35	18	17	–	19	7	9	–	–
Ayer	49	26	23	–	28	10	11	–	–
Barnstable	141	76	65	–	81	28	32	–	–
Barre	91	44	47	–	28	56	7	–	–
Becket	18	10	8	–	16	–	2	–	–
Bedford	14	5	9	–	4	9	1	–	–
Belchertown	45	22	22	1	20	16	9	–	–
Bellingham	48	27	21	–	18	17	13	–	–
Belmont	134	61	73	–	58	55	21	–	11.0
Berkley	17	8	9	–	10	1	6	–	–
Berlin	18	11	7	–	12	2	4	–	–
Bernardston	9	5	4	–	7	1	1	–	–
BEVERLY	436	220	216	–	232	131	73	–	19.3
Billerica	80	46	34	–	45	19	16	–	–
Blackstone	87	50	37	–	36	36	15	–	–
Blandford	8	2	6	–	7	1	–	–	–
Bolton	6	4	2	–	5	1	–	–	–
BOSTON	18,536	9,586	8,947	3	7,723	7,647	3,153	13	24.7

[1] All birth rates are based upon the total number of live births, including births in hospitals and institutions, and the total population. No allowances have been made for differences in the sex and age distribution of the population.

[2] Cities are printed in small capitals.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES:[1] **1922.**

MUNICIPALITIES.[2]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Bourne	54	28	26	–	27	20	7	–	–
Boxborough	4	1	3	–	4	–	–	–	–
Boxford	4	3	1	–	4	–	–	–	–
Boylston	6	5	1	–	4	2	–	–	–
Braintree	213	110	103	–	95	74	44	–	19.0
Brewster	10	3	7	–	9	–	1	–	–
Bridgewater	138	64	74	–	46	73	19	–	–
Brimfield	12	6	6	–	8	2	2	–	–
BROCKTON	1,494	752	742	–	844	414	236	–	21.9
Brookfield	20	6	14	–	15	3	2	–	–
Brookline	307	167	140	–	138	106	63	–	7.7
Buckland	23	10	13	–	15	2	6	–	–
Burlington	13	7	6	–	5	6	2	–	–
CAMBRIDGE	3,007	1,512	1,495	–	1,293	1,188	526	–	27.3
Canton	87	45	42	–	45	26	16	–	–
Carlisle	6	5	1	–	4	2	–	–	–
Carver	25	17	8	–	14	6	5	–	–
Charlemont	21	14	7	–	14	2	5	–	–
Charlton	37	19	18	–	24	6	7	–	–
Chatham	20	6	14	–	17	–	3	–	–
Chelmsford	101	54	47	–	46	29	26	–	–
CHELSEA	1,311	688	622	1	348	750	210	3	30.4
Cheshire	28	17	11	–	10	15	3	–	–
Chester	20	10	10	–	10	6	4	–	–
Chesterfield	1	–	1	–	1	–	–	–	–
CHICOPEE	837	424	413	–	200	465	172	–	21.2
Chilmark	3	2	1	–	2	–	1	–	–
Clarksburg	20	10	10	–	15	4	1	–	–
Clinton	382	188	194	–	154	157	71	–	29.4
Cohasset	53	25	28	–	33	12	8	–	–
Colrain	34	19	15	–	22	5	7	–	–
Concord	170	86	84	–	99	41	30	–	–
Conway	17	7	10	–	14	2	1	–	–
Cummington	15	9	6	–	15	–	–	–	–
Dalton	54	30	24	–	44	1	9	–	–
Dana	5	3	2	–	4	–	1	–	–
Danvers	111	55	56	–	60	29	22	–	10.0
Dartmouth	143	68	75	–	37	88	18	–	–
Dedham	219	115	104	–	90	93	36	–	20.3
Deerfield	63	39	24	–	14	45	4	–	–
Dennis	19	4	15	–	14	–	5	–	–
Dighton	100	54	46	–	56	28	16	–	–
Douglas	56	23	33	–	20	29	7	–	–
Dover	6	5	1	–	5	–	1	–	–
Dracut	159	85	74	–	63	59	37	–	–
Dudley	120	66	54	–	36	69	15	–	–
Dunstable	5	2	3	–	4	–	1	–	–
Duxbury	24	14	10	–	12	6	6	–	–
East Bridgewater	46	23	23	–	29	12	5	–	–
East Brookfield	21	12	9	–	10	4	7	–	–
East Longmeadow	31	24	7	–	15	13	3	–	–
Eastham	12	4	8	–	10	–	2	–	–
Easthampton	315	152	163	–	91	175	49	–	26.2
Easton	73	34	39	–	30	34	9	–	–
Edgartown	12	5	7	–	9	–	3	–	–
Egremont	4	2	2	–	4	–	–	–	–
Enfield	9	4	5	–	6	1	2	–	–
Erving	19	13	6	–	12	5	2	–	–
Essex	11	5	6	–	7	3	1	–	–
EVERETT	825	415	410	–	305	357	163	–	19.9

See footnotes on page 145.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES:[1] 1922.

MUNICIPALITIES.[2]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Birth rate per 1,000 population.
Fairhaven	183	99	89	–	64	82	42	–	–
FALL RIVER	3,537	1,825	1,712	–	1,270	1,564	703	–	29.4
Falmouth	82	48	34	–	30	33	19	–	–
FITCHBURG	1,078	539	539	–	407	431	240	–	25.8
Florida	2	1	1	–	1	–	1	–	–
Foxborough	50	23	27	–	27	10	13	–	–
Framingham	640	306	334	–	335	202	103	–	36.2
Franklin	145	81	64	–	48	61	36	–	–
Freetown	31	20	11	–	15	12	3	1	–
Gardner	386	183	203	–	156	151	77	2	22.3
Gay Head	4	2	2	–	4	–	–	–	–
Georgetown	25	12	13	–	21	1	3	–	–
Gill	10	6	4	–	6	3	1	–	–
GLOUCESTER	496	263	233	–	266	136	94	–	21.6
Goshen	3	1	2	–	3	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	124	60	64	–	55	38	31	–	–
Granby	10	6	4	–	5	3	2	–	–
Granville	6	4	2	–	4	2	–	–	–
Great Barrington	162	86	76	–	104	41	16	1	–
Greenfield	312	151	161	–	210	60	42	–	18.4
Greenwich	1	1	–	–	1	–	–	–	–
Groton	34	18	16	–	19	7	8	–	–
Groveland	33	21	12	–	30	1	2	–	–
Hadley	75	47	28	–	8	63	4	–	–
Halifax	4	3	1	–	3	1	–	–	–
Hamilton	18	8	10	–	14	2	2	–	–
Hampden	7	3	4	–	4	2	1	–	–
Hancock	4	2	2	–	4	–	–	–	–
Hanover	40	24	16	–	21	15	4	–	–
Hanson	35	17	18	–	25	5	5	–	–
Hardwick	42	31	11	–	11	24	7	–	–
Harvard	11	8	3	–	6	3	2	–	–
Harwich	42	17	25	–	26	7	9	–	–
Hatfield	72	32	40	–	15	51	6	–	–
HAVERHILL	1,135	588	547	–	587	369	179	–	29.2
Hawley	5	3	2	–	5	–	–	–	–
Heath	5	4	1	–	5	–	–	–	–
Hingham	91	44	47	–	54	20	17	–	–
Hinsdale	13	4	9	–	10	3	–	–	–
Holbrook	44	20	24	–	30	6	8	–	–
Holden	76	47	29	–	43	20	13	–	–
Holland	2	1	1	–	1	1	–	–	–
Holliston	24	12	12	–	14	5	5	–	–
HOLYOKE	1,409	749	660	–	581	542	286	–	23.4
Hopedale	31	14	17	–	15	9	7	–	–
Hopkinton	20	12	8	–	14	1	5	–	–
Hubbardston	14	9	5	–	8	4	2	–	–
Hudson	133	70	63	–	39	79	15	–	–
Hull	41	24	17	–	19	13	9	–	–
Huntington	31	13	18	–	25	3	3	–	–
Ipswich	197	109	88	–	66	95	35	1	–
Kingston	15	4	11	–	5	8	2	–	–
Lakeville	20	12	8	–	14	4	2	–	–
Lancaster	14	8	6	–	11	1	2	–	–
Lanesborough	12	4	8	–	11	–	1	–	–
LAWRENCE	2,355	1,243	1,112	–	632	1,298	425	–	24.4
Lee	70	33	37	–	29	32	9	–	–
Leicester	63	40	23	–	36	11	16	–	–
Lenox	25	16	9	–	15	8	2	–	–

See footnotes on page 145.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES:[1] **1922.**

MUNICIPALITIES.[2]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
LEOMINSTER	473	236	237	–	196	169	108	–	22.7
Leverett	12	7	5	–	12	–	–	–	–
Lexington	87	47	40	–	40	32	15	–	–
Leyden	9	7	2	–	6	3	–	–	–
Lincoln	16	7	9	–	7	7	2	–	–
Littleton	15	13	2	–	8	3	4	–	–
Longmeadow	17	5	12	–	9	6	2	–	–
LOWELL	2,923	1,491	1,432	–	1,113	1,167	643	–	25.4
Ludlow	284	144	139	1	72	172	38	2	–
Lunenburg	31	12	19	–	17	7	7	–	–
LYNN	2,057	1,052	1,005	–	964	718	373	2	20.4
Lynnfield	10	6	4	–	5	2	3	–	–
MALDEN	1,086	576	510	–	520	370	196	–	22.1
Manchester	30	18	12	–	6	20	4	–	–
Mansfield	108	57	51	–	46	46	16	–	–
Marblehead	87	45	42	–	64	6	17	–	–
Marion	34	20	14	–	19	14	1	–	–
MARLBOROUGH	376	172	204	–	216	97	63	–	25.0
Marshfield	13	7	6	–	11	–	2	–	–
Mashpee	8	4	4	–	6	–	2	–	–
Mattapoisett	28	15	13	–	12	13	3	–	–
Maynard	108	59	49	–	17	79	12	–	–
Medfield	12	7	5	–	4	6	2	–	–
MEDFORD	754	381	373	–	405	180	169	–	17.3
Medway	31	13	18	–	13	13	5	–	–
MELROSE	352	186	166	–	233	51	67	1	18.6
Mendon	15	8	7	–	8	4	3	–	–
Merrimac	28	16	12	–	20	4	4	–	–
Methuen	369	175	194	–	141	150	78	–	23.3
Middleborough	160	75	85	–	107	28	25	–	–
Middlefield	5	5	–	–	2	1	2	–	–
Middleton	12	5	7	–	7	2	3	–	–
Milford	435	237	198	–	170	207	57	1	32.3
Millbury	84	48	36	–	41	27	16	–	–
Millis	14	6	8	–	4	8	2	–	–
Millville	47	18	29	–	16	24	7	–	–
Milton	177	82	95	–	128	26	23	–	–
Monroe	2	–	2	–	2	–	–	–	–
Monson	51	31	20	–	26	15	10	–	–
Montague	246	128	118	–	124	82	40	–	–
Monterey	3	1	2	–	2	1	–	–	–
Montgomery	4	3	1	–	4	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	14	7	7	–	7	3	4	–	–
Nantucket	47	17	30	–	29	6	12	–	–
Natick	261	153	108	–	153	70	38	–	23.9
Needham	120	52	68	–	49	45	26	–	–
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	3,344	1,702	1,642	–	869	1,798	676	1	26.3
New Braintree	8	5	3	–	1	7	–	–	–
New Marlborough	19	8	11	–	19	–	–	–	–
New Salem	3	–	3	–	2	1	–	–	–
Newbury	15	11	4	–	13	–	2	–	–
NEWBURYPORT	357	179	178	–	223	80	54	–	22.6
NEWTON	790	413	377	–	383	275	132	–	16.6
Norfolk	13	5	8	–	9	3	1	–	–
NORTH ADAMS	551	303	248	–	313	129	109	–	24.6
North Andover	82	49	33	–	33	27	22	–	–
North Attleborough	146	80	66	–	73	39	34	–	–
North Brookfield	49	21	28	–	35	10	4	–	–

See footnotes on page 145.

Table 35

Municipalities.[2]	Live Births, by Sex and Parent Nativity, in Each County and Municipality; and Birth Rates:[1] 1922.								
	Total number.	Sex.			Parent nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
North Reading	13	8	5	–	6	4	3	–	–
Northampton	495	260	235	–	291	130	74	–	22.4
Northborough	17	7	10	–	10	4	3	–	–
Northbridge	281	139	142	–	96	114	71	–	26.4
Northfield	36	18	18	–	28	7	1	–	–
Norton	39	24	15	–	18	10	11	–	–
Norwell	13	7	6	–	12	–	1	–	–
Norwood	402	293	199	–	171	168	63	–	29.8
Oak Bluffs	43	32	11	–	20	6	17	–	–
Oakham	13	8	5	–	8	4	1	–	–
Orange	84	37	47	–	64	10	10	–	–
Orleans	17	8	9	–	13	4	–	–	–
Otis	–	–	–	–	–	–	–	–	–
Oxford	74	42	32	–	44	18	12	–	–
Palmer	333	199	134	–	134	150	49	–	–
Paxton	8	5	3	–	4	4	–	–	–
Peabody	525	277	248	–	200	271	54	–	26.2
Pelham	42	19	23	–	32	5	5	–	–
Pembroke	25	16	9	–	13	8	4	–	–
Pepperell	48	23	25	–	32	4	12	–	–
Peru	3	2	1	–	2	–	1	–	–
Petersham	8	7	1	–	7	1	–	–	–
Phillipston	5	3	2	–	3	–	1	1	–
Pittsfield	1,005	545	460	–	592	273	140	–	23.4
Plainfield	4	3	1	–	4	–	–	–	–
Plainville	16	6	10	–	11	2	3	–	–
Plymouth	292	138	154	–	116	122	54	–	22.3
Plympton	4	4	–	–	2	1	1	–	–
Prescott	2	2	–	–	1	1	–	–	–
Princeton	10	5	5	–	4	3	3	–	–
Provincetown	78	41	37	–	43	17	18	–	–
Quincy	932	463	469	–	377	365	190	–	18.0
Randolph	71	37	34	–	44	14	13	–	–
Raynham	35	14	21	–	16	17	2	–	–
Reading	99	45	54	–	47	26	26	–	–
Rehoboth	35	16	19	–	16	11	8	–	–
Revere	555	271	284	–	147	293	115	–	18.1
Richmond	5	2	3	–	1	3	1	–	–
Rochester	18	12	6	–	10	7	1	–	–
Rockland	102	53	49	–	70	14	18	–	–
Rockport	49	28	21	–	32	11	6	–	–
Rowe	2	1	1	–	1	1	–	–	–
Rowley	23	13	10	–	18	–	5	–	–
Royalston	6	–	6	–	5	1	–	–	–
Russell	26	12	14	–	17	8	1	–	–
Rutland	12	7	5	–	6	3	3	–	–
Salem	1,001	520	481	–	469	312	220	–	22.1
Salisbury	24	9	15	–	21	2	1	–	–
Sandisfield	9	5	4	–	5	4	–	–	–
Sandwich	23	7	16	–	15	5	3	–	–
Saugus	185	107	78	–	82	63	40	–	16.5
Savoy	3	1	2	–	2	1	–	–	–
Scituate	38	19	19	–	23	5	10	–	–
Seekonk	46	22	24	–	22	14	10	–	–
Sharon	31	10	21	–	19	9	3	–	–
Sheffield	33	19	14	–	25	8	–	–	–
Shelburne	15	8	7	–	14	–	1	–	–
Sherborn	18	6	12	–	9	8	1	–	–
Shirley	53	25	28	–	18	25	10	–	–
Shrewsbury	82	37	45	–	30	42	10	–	–

See footnotes on page 145.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES:[1] **1922.**

MUNICIPALITIES.[2]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Shutesbury	8	4	4	–	4	4	–	–	–
Somerset	78	32	46	–	21	35	22	–	–
SOMERVILLE	1,917	984	933	–	899	658	360	–	19.9
South Hadley	74	43	31	–	24	35	15	–	–
Southampton	20	12	8	–	6	13	1	–	–
Southborough	13	8	5	–	6	5	2	–	–
Southbridge	372	179	193	–	152	142	78	–	26.1
Southwick	24	13	11	–	10	11	3	–	–
Spencer	110	54	56	–	79	15	16	–	–
SPRINGFIELD	3,089	1,601	1,488	–	1,620	957	512	–	21.5
Sterling	19	11	8	–	9	7	3	–	–
Stockbridge	20	11	9	–	15	2	3	–	–
Stoneham	156	80	76	–	101	30	25	–	–
Stoughton	124	67	57	–	62	46	16	–	–
Stow	19	8	11	–	11	5	3	–	–
Sturbridge	39	21	18	–	29	4	6	–	–
Sudbury	11	7	4	–	5	3	3	–	–
Sunderland	43	23	20	–	13	21	9	–	–
Sutton	51	18	33	–	20	20	11	–	–
Swampscott	150	76	74	–	96	33	21	–	–
Swansea	48	32	16	–	27	13	8	–	–
TAUNTON	916	478	438	–	369	372	175	–	24.3
Templeton	71	42	29	–	38	25	8	–	–
Tewksbury	35	13	22	–	18	11	6	–	–
State Infirmary	119	57	62	–	75	37	7	–	–
Tisbury	27	6	21	–	8	15	4	–	–
Tolland	1	–	1	–	–	–	1	–	–
Topsfield	12	8	4	–	5	6	1	–	–
Townsend	24	10	14	–	15	2	7	–	–
Truro	7	4	3	–	6	–	1	–	–
Tyngsborough	14	7	7	–	11	2	1	–	–
Tyringham	3	3	–	–	1	2	–	–	–
Upton	11	3	8	–	6	1	4	–	–
Uxbridge	119	65	54	–	57	34	28	–	–
Wakefield	264	119	145	–	108	110	46	–	20.1
Wales	8	5	3	–	6	–	2	–	–
Walpole	97	42	55	–	39	44	14	–	–
WALTHAM	822	429	393	–	364	300	158	–	26.3
Ware	238	117	121	–	100	97	41	–	–
Wareham	93	44	49	–	38	41	14	–	–
Warren	71	31	40	–	25	31	15	–	–
Warwick	7	3	4	–	5	2	–	–	–
Washington	–	–	–	–	–	–	–	–	–
Watertown	342	173	169	–	106	177	59	–	14.2
Wayland	25	14	11	–	17	1	7	–	–
Webster	281	142	139	–	110	117	54	–	20.6
Wellesley	97	45	52	–	41	39	17	–	–
Wellfleet	11	6	5	–	8	1	2	–	–
Wendell	7	4	3	–	6	1	–	–	–
Wenham	7	7	–	–	6	1	–	–	–
West Boylston	23	12	11	–	11	11	1	–	–
West Bridgewater	47	18	29	–	31	7	9	–	–
West Brookfield	21	15	6	–	16	2	3	–	–
West Newbury	17	9	8	–	15	1	1	–	–
West Springfield	187	96	91	–	88	74	25	–	12.8
West Stockbridge	26	14	12	–	4	19	3	–	–
West Tisbury	3	1	2	–	2	–	1	–	–
Westborough	61	34	27	–	45	9	7	–	–
WESTFIELD	463	250	213	–	181	241	41	–	24.8
Westford	86	34	52	–	15	52	19	–	–
Westhampton	3	–	3	–	3	–	–	–	–

See footnotes on page 145.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES:[1] 1922.

MUNICIPALITIES.[2]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Westminster	22	12	10	–	10	10	2	–	–
Weston	22	12	10	–	17	4	1	–	–
Westport	77	45	32	–	38	23	16	–	–
Westwood	17	10	7	–	10	5	2	–	–
Weymouth	292	153	139	–	161	66	65	–	18.7
Whately	28	13	15	–	2	20	6	–	–
Whitman	93	47	46	–	65	15	13	–	–
Wilbraham	83	40	43	–	11	67	5	–	–
Williamsburg	29	14	15	–	14	13	2	–	–
Williamstown	58	26	32	–	45	9	4	–	–
Wilmington	53	22	31	–	37	8	8	–	–
Winchendon	147	74	73	–	88	35	24	–	–
Winchester	351	169	182	–	206	78	67	–	32.7
Windsor	8	6	2	–	6	2	–	–	–
Winthrop	166	90	76	–	96	33	37	–	9.8
WOBURN	357	183	174	–	210	79	68	–	21.4
WORCESTER	4,357	2,207	2,150	–	1,972	1,691	694	–	23.1
Worthington	7	3	4	–	7	–	–	–	–
Wrentham	28	10	18	–	20	1	7	–	–
Yarmouth	21	11	10	–	17	2	2	–	–

See footnotes on page 145.

Table 36

Counties and Cities having over 50,000 Inhabitants in **1920.** (Grouped in order of population.)

Live Births, by Month of Birth, in Counties and in Cities having over 50,000 Inhabitants: **1922.**

	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**87,636**	**7,558**	**7,074**	**7,662**	**6,936**	**7,228**	**7,147**	**7,582**	**7,888**	**7,420**	**7,372**	**6,901**	**6,868**
Average daily number of births	240	244	253	247	231	233	238	245	254	247	238	230	222
Counties.													
Suffolk	20,568	1,773	1,610	1,907	1,652	1,709	1,728	1,744	1,879	1,674	1,711	1,598	1,583
Middlesex	17,473	1,494	1,409	1,419	1,387	1,405	1,404	1,582	1,530	1,493	1,509	1,408	1,433
Essex	10,143	878	822	896	813	835	858	864	961	882	756	824	754
Worcester	10,463	946	844	903	814	864	819	955	942	865	893	826	792
Bristol	9,537	791	760	859	739	766	745	820	864	825	838	749	781
Hampden	6,990	638	591	617	554	548	553	586	613	626	585	529	550
Norfolk	3,681	316	322	306	293	308	274	291	321	313	325	297	315
Plymouth	3,010	270	237	253	248	277	259	246	252	248	260	230	230
Berkshire	2,488	197	202	212	183	210	230	227	226	219	184	214	184
Hampshire	1,568	132	124	140	121	147	129	103	159	128	145	108	132
Franklin	1,031	80	104	75	82	95	89	91	87	86	101	66	75
Barnstable	545	33	38	61	45	53	50	57	43	46	50	39	30
Dukes	92	8	5	12	1	7	5	13	8	12	8	6	7
Nantucket	47	2	6	2	4	4	4	3	3	3	7	7	2
Cities over 100,000.													
Boston	18,536	1,590	1,460	1,698	1,483	1,532	1,555	1,567	1,702	1,517	1,575	1,452	1,405
Worcester	4,357	392	342	386	343	345	335	393	414	364	349	370	324
Springfield	3,089	254	268	270	257	257	266	239	279	265	250	238	246
New Bedford	3,344	298	243	309	271	278	276	260	309	281	291	263	265
Fall River	3,537	277	312	307	274	293	270	318	308	302	310	271	295
Lowell	2,923	260	249	241	244	269	198	245	266	229	267	225	230
Cambridge	3,007	249	246	228	259	214	225	292	291	250	258	230	265
Cities 50,000 to 100,000.													
Lynn	2,057	175	155	212	176	162	150	174	196	191	159	154	153
Lawrence	2,355	204	173	223	165	195	214	206	233	196	175	187	184
Somerville	1,917	172	147	147	152	137	156	168	154	173	170	168	173
Brockton	1,494	129	113	124	133	145	135	124	119	112	129	114	117
Holyoke	1,409	138	105	129	102	103	102	132	124	127	126	107	114
Haverhill	1,135	101	113	102	90	85	110	101	93	95	78	85	82

Table 37

Plural Births, by Sex, and Stillbirths, by Sex and Parent Nativity, in Counties and in Cities having over 50,000 Inhabitants: **1922.**

Counties and Cities having over 50,000 Inhabitants in **1920.** (Grouped in order of Population.)	Plural births.						Stillbirths.							
	Twins.			Triplets.				Sex.			Parent nativity.			
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Unknown.	Native.	Foreign.	Mixed.	Unknown.
The State.	**1,832**	**900**	**932**	**33**	**14**	**19**	**3,268**	**1,886**	**1,373**	**9**	**1,382**	**1,343**	**525**	**18**
Counties.														
Suffolk	408	210	198	3	3	–	745	431	310	4	295	338	104	8
Middlesex	376	191	185	18	7	11	622	363	256	3	283	225	109	5
Essex	238	121	117	–	–	–	429	250	179	–	189	173	65	2
Worcester	240	103	137	6	1	5	381	213	168	–	163	147	70	1
Bristol	202	102	100	6	3	3	389	231	157	1	119	198	71	1
Hampden	132	57	75	–	–	–	273	153	120	–	121	113	39	–
Norfolk	58	29	29	–	–	–	116	60	56	–	55	42	19	–
Plymouth	62	26	36	–	–	–	106	61	44	1	48	38	20	–
Berkshire	44	24	20	–	–	–	95	59	36	–	50	30	14	1
Hampshire	32	18	14	–	–	–	49	34	15	–	20	22	7	–
Franklin	28	12	16	–	–	–	44	23	21	–	26	16	2	–
Barnstable	8	3	5	–	–	–	13	6	7	–	11	1	1	–
Dukes	2	2	–	–	–	–	4	2	2	–	1	–	3	–
Nantucket	2	2	–	–	–	–	2	–	2	–	1	–	1	–
Cities over 100,000.														
Boston	358	189	169	3	3	–	677	388	286	3	272	300	97	8
Worcester	132	52	80	6	1	5	154	89	65	–	66	65	23	–
Springfield	62	25	37	–	–	–	135	75	60	–	69	50	16	–
New Bedford	76	42	34	–	–	–	139	85	54	–	36	76	27	–
Fall River	72	33	39	3	1	2	160	99	60	1	42	85	32	1
Lowell	80	31	49	–	–	–	128	69	57	2	53	43	29	3
Cambridge	70	41	29	3	2	1	98	66	32	–	34	50	14	–
Cities 50,000 to 100,000.														
Lynn	46	20	26	–	–	–	88	47	41	–	47	32	9	–
Lawrence	44	24	20	–	–	–	104	63	41	–	29	60	15	–
Somerville	30	20	10	3	–	3	53	28	24	1	26	15	10	2
Brockton	24	6	18	–	–	–	53	34	18	1	27	19	7	–
Holyoke	22	8	14	–	–	–	66	35	31	–	26	27	13	–
Haverhill	34	18	16	–	–	–	43	23	20	–	18	17	8	–

Table 38

LIVE BIRTHS AND BIRTH RATES FOR THE STATE AND CITIES HAVING OVER 100,000 INHABITANTS IN 1920: **1900** TO **1922**.

YEARS.	The State.	Cities having over 100,000 inhabitants in 1920.						
		Boston.	Worcester.	Springfield.	New Bedford.	Fall River.	Lowell.	Cambridge.
	LIVE BIRTHS.							
1900	73,386	16,328	3,131	1,560	2,230	4,327	2,596	2,648
1901	71,976	15,561	3,291	1,449	2,440	4,054	2,794	2,525
1902	72,219	15,516	3,349	1,592	2,437	4,341	2,493	2,476
1903	73,584	15,664	3,501	1,647	2,469	4,448	2,519	2,528
1904	75,014	15,730	3,540	1,624	2,620	4,514	2,519	2,528
1905	75,022	15,661	3,510	1,810	2,765	4,092	2,500	2,453
1906	80,237	17,062	3,743	1,816	2,949	4,333	2,547	2,768
1907	85,001	18,229	3,998	2,019	3,272	4,622	2,704	2,826
1908	86,911	18,359	3,978	2,184	3,580	4,838	2,743	2,887
1909	84,039	17,584	3,645	2,258	3,836	4,692	2,648	2,643
1910	86,539	17,672	3,923	2,445	3,863	4,591	2,632	2,436
1911	88,327	17,844	4,122	2,512	4,160	4,617	2,585	2,621
1912	89,882	18,745	4,167	2,779	3,594	4,714	2,748	2,605
1913	91,644	19,109	4,520	2,866	3,647	4,664	2,794	2,713
1914	93,399	19,467	4,667	2,986	3,574	4,703	2,914	2,745
1915	93,155	19,713	4,504	3,099	3,533	3,910	2,944	2,610
1916	93,487	19,604	4,941	3,281	3,497	3,690	3,289	2,691
1917	95,731	19,950	5,276	3,614	3,664	3,807	3,289	2,764
1918	95,607	20,092	5,239	3,770	3,920	3,645	3,279	2,672
1919	87,827	18,799	4,596	3,268	3,386	3,421	3,064	2,757
1920	91,859	19,573	4,812	3,419	3,507	3,537	3,154	2,862
1921	92,207	19,397	4,838	3,392	3,649	3,710	3,157	3,048
1922	87,636	18,536	4,357	3,089	3,344	3,537	2,923	3,007
	BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS **1900** TO **1920**.							
1900	26.2	29.1	26.4	25.1	35.7	41.3	27.3	28.8
1905	24.9	26.3	27.4	24.6	37.2	26.4	38.7	25.2
1910	25.6	26.4	26.9	27.5	40.0	38.5	24.8	23.2
1915	25.2	26.4	27.7	30.1	32.2	31.3	27.3	24.0
1920	23.8	26.2	26.8	26.4	28.9	29.4	28.0	26.1

Table 39

Years.	Population.	Live Births by Sex and Parent Nativity: 1900 to 1922.								
		Total number.	Sex.				Parent nativity.			
			Males.	Females.	Unknown.	Males to 1,000 females.	Native.	Foreign.	Mixed.	Unknown.
1900	2,805,346	73,386	37,772	35,614	–	1,060	23,006	36,062	14,080	238
1901	2,849,047	71,976	37,004	34,972	–	1,058	22,516	35,370	13,847	243
1902	2,889,386	72,219	37,057	35,162	–	1,054	22,710	35,413	13,897	199
1903	2,929,725	73,584	38,210	35,374	–	1,080	22,941	36,346	14,174	123
1904	2,970,064	75,014	38,689	36,325	–	1,065	23,365	37,047	14,473	129
1905	3,015,872	75,022	38,484	36,538	–	1,080	23,785	37,085	14,021	131
1906	3,089,029	80,237	41,217	39,020	–	1,056	25,748	39,446	14,899	144
1907	3,162,186	85,001	43,486	41,515	–	1,047	26,561	43,004	15,324	112
1908	3,235,343	86,911	44,796	42,090	25	1,064	27,016	43,901	15,861	133
1909	3,308,500	84,039	43,339	40,679	21	1,061	26,525	42,596	14,785	133
1910	3,386,151	86,539	44,243	42,276	20	1,047	26,749	44,398	15,260	132
1911	3,446,079	88,327	45,352	42,961	14	1,056	27,390	45,741	15,054	142
1912	3,512,007	89,882	46,436	43,440	6	1,069	28,424	45,861	15,497	100
1913	3,577,935	91,644	47,099	44,541	4	1,057	29,387	46,737	15,430	90
1914	3,643,863	93,399	47,671	45,725	3	1,043	30,127	47,824	15,378	70
1915	3,709,792	93,155	47,786	45,363	6	1,053	31,325	46,347	15,401	82
1916	3,775,720	93,487	48,256	45,227	4	1,067	31,971	45,920	15,525	71
1917	3,841,648	95,731	49,017	46,714	–	1,049	34,129	45,753	15,786	63
1918	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222	53
1919	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302	36
1920	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207	21
1921	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378	22
1922	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551	29

Table 40

Years.	Live Births: 1900 to 1922.					Stillbirths: 1900 to 1922.					
	Birth rate per 1,000 population.	Excess of births over deaths.[1]	Excess of births over deaths per 1,000 population.	Cases of plural births.		Total number.	Per 1,000 live births.	Sex.			
				Twins.	Triplets.			Males.	Females.	Unknown.	Males to 1,000 females.
1900 . . .	26.2	22,230	8.0	814	4	2,873	–	1,694	1,128	51	1,502
1901 . . .	25.3	23,701	8.4	726	9	2,682	37	1,415	1,208	59	1,171
1902 . . .	25.0	24,728	8.6	728	7	2,836		1,696	1,098	42	1,545
1903 . . .	25.1	24,530	8.4	850	11	2,635		1,533	1,014	88	1,512
1904 . . .	25.3	26,532	9.0	834	4	2,846		1,614	1,162	70	1,389
1905 . . .	24.9	24,536	8.2	803	14	2,618		1,515	1,043	60	1,314
1906 . . .	26.0	29,613	9.6	878	10	2,760	36	1,586	1,134	40	1,452
1907 . . .	26.9	30,767	9.7	928	10	3,079		1,757	1,274	48	1,379
1908 . . .	26.9	35,123	10.9	965	6	3,179		1,863	1,278	38	1,457
1909 . . .	25.4	32,803	9.9	881	4	3,102		1,834	1,219	49	1,505
1910 . . .	25.6	32,132	9.5	940	17	3,158		1,829	1,263	66	1,448
1911 . . .	25.6	35,265	10.2	915	14	3,280	35	1,825	1,408	47	1,296
1912 . . .	25.6	37,482	10.7	996	8	3,188		1,871	1,263	29	1,456
1913 . . .	25.6	38,242	10.7	996	13	3,175		1,872	1,275	28	1,468
1914 . . .	25.6	40,426	11.1	1,008	15	3,349		1,936	1,369	44	1,414
1915 . . .	25.2	40,045	10.8	952	9	3,161		1,815	1,312	34	1,383
1916 . . .	24.8	37,121	9.9	942	13	3,300	36	1,916	1,334	50	1,436
1917 . . .	24.9	39,103	10.2	1,065	7	3,324		1,937	1,330	57	1,456
1918 . . .	24.5	16,765	4.3	1,054	10	3,779		2,173	1,570	36	1,384
1919 . . .	22.9	35,482	9.3	986	7	3,092		1,750	1,332	10	1,314
1920 . . .	23.8	38,227	9.9	1,006	6	3,336		1,948	1,374	14	1,418
1921 . . .	23.7	44,427	11.4	1,059	13	3,428	37	1,983	1,429	16	1,388
1922 . . .	22.3	36,521	9.3	916	11	3,268	37	1,886	1,373	9	1,374

[1] Exclusive of stillbirths.

PART II B.

MARRIAGE STATISTICS.

	PAGE
Introduction	157, 158
Marriage registration	157
Accuracy	157
Source of data	157, 158
Purpose, marriage requirements	158
Statistical tables	159–172

Introduction.

Marriage Registration. — It is interesting to know that from 1841 to 1922, inclusive, 1,544,282 marriages have been reported, recorded and tabulated in this Commonwealth.

These records are not only on file in the cities and towns in which they occurred and in the city or town claimed as the residence of the bride or groom at the time of marriage, but also at the State House.

Accuracy. — The registration of marriages presents fewer difficulties than either births or deaths, and the marriage statistics in this volume should be based on nearly 100 per cent registration.

Only a minimum of error should creep into the registration of marriages, as the facts required to be recorded are made under oath by one or both of the contracting parties before a city or town clerk or registrar or his representative. Copies of records transmitted to the Division of Vital Statistics at the State House are, of course, subject to error in copying, but even this source of error is minimized by a very careful examination, and, when possible, by comparison with similar records from different cities and towns by the experts employed in the Division of Vital Statistics.

Source of Data. — The marriage statistics presented in this report are compiled from the certified copies of the records of marriages recorded in each city and town and transmitted annually to the Secretary of the Commonwealth. The original information from which marriage statistics are derived is obtained as follows: Persons who desire to be married in this Commonwealth are required by law to file their intentions in the office of the city clerk or registrar of the city or town in which they respectively dwell, or, if they do not dwell within this Commonwealth, in the office of the clerk or registrar of the city or town in which they propose to have the marriage solemnized. This notice of intention must be entered in the clerk's office not less than five days before their marriage. On or after the fifth day from the date of the entry of such intention, the clerk or registrar delivers to the parties a certificate of intention signed by him, specifying all facts relative to the marriage which are required by law to be ascertained and recorded, namely, the date of the record, the date of the marriage, the place of the marriage, the names and places of birth of the parties to be married, the residence of each, the age and color of each, the number of the marriage (as the first or second), and, if previously married, whether widowed or divorced, the occupation of each, the names of their parents, and the maiden names of the mothers. If the woman is a widow or divorced, her maiden name is also given.

Such certificate of intention must be delivered to the minister or magistrate before whom the marriage is to be contracted before he proceeds to solemnize the same. Every official authorized by law to solemnize a marriage is required to

make and keep a record of each marriage solemnized by him and of all facts relative to the marriage which are required to be recorded by law.

In addition he is required, between the first and tenth days of the month following each marriage solemnized by him, to return a certificate of marriage, completely filled out, not only to the clerk or registrar of the city or town in which the marriage was solemnized, but also to the clerk or registrar of the city or town given as the domicile of each of the contracting parties.

Each certificate and copy so returned must contain a statement giving the place and date of marriage, attested by the signature of the person who solemnized the same. The clerk or registrar of each city or town is required to record marriages and transmit annually to the Secretary of the Commonwealth certified copies of the records of all marriages recorded.

Purpose. — Marriage registration is maintained largely to protect the home and the family, and to furnish reliable evidence upon which to base the legitimacy of children and the dower rights of women. Every precaution has been taken by the Commonwealth to see that all statutes relative to the solemnizing and registry of marriages are strictly enforced. In order that ministers and magistrates authorized to solemnize marriages may thoroughly understand the legal requirements both before and after solemnizing a marriage, the following pertinent facts relative to the law requirements have been condensed by the office of the Secretary of the Commonwealth, printed in circular form and distributed as widely as possible throughout the State: —

Requirements before Solemnizing a Marriage.

Certificates of intention of marriage, as follows: —

1. If both parties reside in one city or town within the State, a certificate from the clerk or registrar of such city or town;
2. If the parties reside in different places within the State, a certificate from each of the two places;
3. If one of the parties resides within the State and the other without, a certificate from such place within the State;
4. If both parties reside without the State, a certificate from the place (city or town) where the marriage is to be solemnized;
5. Any certificate of intention of marriage is void if not used within six months of date of issue, or if it contains any unauthorized erasures or corrections.

Requirements after Solemnizing a Marriage.

General Laws, chapter 207, section 40, states: "Every justice of the peace, minister, etc., shall make and keep a record of each marriage solemnized by him . . . , and of all facts relative to the marriage required to be recorded by the provisions of General Laws, chapter 46, section 1."

The marriage certificate blanks, Forms R–101, 102 and 103, supplied by the Commonwealth, copies of which can be obtained from any clerk or registrar in the State, are designed to cover the minimum requirements of General Laws, chapter 46, section 1. If a copy of the marriage intention, completely filled out, or a record book, setting forth all the information given on same, is kept, the provisions of the law will be fulfilled. No less information will answer the requirements of law.

General Laws, chapter 207, section 40, states in substance that every justice of the peace, minister, etc., shall, between the first and tenth days of the month following each marriage solemnized by him, return a certificate of marriage completely filled out, not only to the clerk or registrar of the city or town in which the marriage was solemnized but also to the clerk or registrar of the city or town given as the domicile of each of the contracting parties.

In other words, each certificate of intention of marriage must be returned, properly endorsed, by the person officiating, to the clerk or registrar issuing same, and in addition, if the marriage is solemnized in some city or town other than that issuing certificate of intention, he shall make a return to that place.

STATISTICAL TABLES.

Table 41

Counties and Municipalities.	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1922.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1922.			
	Total couples.	Nativity.				Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Bride and groom both —		Native groom and foreign bride.	Foreign groom and native bride.				
		Native.	Foreign.						
The State.	**32,683**	**18,731**	**7,029**	**3,040**	**3,883**	**18,981**	**1,716**	**7,567**	**4,419**
Counties.									
Barnstable	218	166	19	13	20	95	13	45	65
Berkshire	891	645	117	48	81	515	38	197	131
Bristol	3,473	1,723	952	311	487	2,450	91	517	415
Dukes	37	27	3	3	4	11	5	11	10
Essex	3,865	2,210	786	377	492	2,348	223	852	442
Franklin	334	255	27	21	31	132	21	90	91
Hampden	2,296	1,316	499	199	282	1,420	103	538	235
Hampshire	550	353	78	53	66	280	15	181	74
Middlesex	6,298	3,912	1,073	658	655	2,982	387	1,945	984
Nantucket	27	19	2	3	3	14	2	4	7
Norfolk	1,491	964	242	150	135	600	74	545	272
Plymouth	1,166	808	143	89	126	611	77	295	183
Suffolk	8,502	4,200	2,412	837	1,053	5,323	505	1,540	1,134
Worcester	3,535	2,133	676	278	448	2,200	162	797	376
Municipalities.[1]									
Abington	30	23	2	3	2	12	1	9	8
Acton	10	8	–	1	1	3	–	1	6
Acushnet	16	8	3	2	3	7	1	4	4
Adams	130	72	29	8	21	89	7	27	7
Agawam	26	20	1	2	3	12	–	7	7
Alford	–	–	–	–	–	–	–	–	–
Amesbury	48	34	5	7	2	27	4	11	6
Amherst	38	27	2	6	3	15	1	15	7
Andover	62	31	12	8	11	32	1	22	7
Arlington	164	117	15	18	14	52	9	75	28
Ashburnham	11	9	–	1	1	5	–	4	2
Ashby	5	3	–	1	1	2	–	–	3
Ashfield	4	3	–	–	1	1	1	1	1
Ashland	16	15	–	–	1	5	–	10	1
Athol	80	53	9	8	10	52	1	19	8
Attleboro	213	130	32	26	25	79	7	36	91
Auburn	25	21	–	–	4	12	–	11	2
Avon	13	9	2	1	1	2	–	9	2
Ayer	37	23	4	7	3	15	5	5	12
Barnstable	48	41	3	3	1	15	2	8	23
Barre	24	13	5	3	3	12	1	9	2
Becket	5	5	–	–	–	1	1	2	1
Bedford	8	2	3	2	1	5	2	1	–
Belchertown	11	4	–	2	5	2	–	3	6
Bellingham	5	2	–	2	1	2	–	2	1
Belmont	65	41	14	4	6	11	2	26	26
Berkley	1	–	1	–	–	–	–	–	1
Berlin	7	5	1	1	–	4	1	2	–
Bernardston	6	5	1	–	–	1	1	–	4
Beverly	165	112	15	17	21	76	16	53	20
Billerica	25	21	1	1	2	10	2	8	5
Blackstone	33	16	9	5	3	8	2	13	10
Blandford	3	2	–	–	1	1	–	2	–
Bolton	2	2	–	–	–	2	–	–	–
Boston	7,816	3,904	2,184	759	969	4,962	465	1,349	1,040

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1922.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1922.			
	Total couples.	Nativity.				Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Bride and groom both —		Native groom and foreign bride.	Foreign groom and native bride.				
		Native.	Foreign.						
Bourne	27	14	2	5	6	15	1	8	3
Boxborough	1	1	–	–	–	1	–	–	–
Boxford	1	1	–	–	–	–	–	1	–
Boylston	4	2	–	–	2	3	–	1	–
Braintree	60	45	5	4	6	19	5	27	9
Brewster	4	4	–	–	–	3	–	–	1
Bridgewater	53	33	14	2	4	28	1	17	7
Brimfield	4	3	–	–	1	2	–	2	–
BROCKTON	551	379	79	36	57	344	27	121	59
Brookfield	6	6	–	–	–	2	–	1	3
Brookline	340	192	87	36	25	75	16	173	76
Buckland	23	22	–	–	1	4	4	2	13
Burlington	1	1	–	–	–	–	1	–	–
CAMBRIDGE	1,070	564	268	120	118	531	69	317	153
Canton	35	25	3	3	4	17	2	11	5
Carlisle	5	3	1	–	1	3	1	–	1
Carver	4	3	1	–	–	1	–	1	2
Charlemont	12	11	–	1	–	3	2	1	6
Charlton	12	9	1	1	1	2	1	5	4
Chatham	9	7	1	–	1	3	1	–	5
Chelmsford	47	34	3	5	5	10	6	12	19
CHELSEA	394	141	166	47	40	226	23	81	64
Cheshire	5	4	–	–	1	3	–	1	1
Chester	4	3	1	–	–	3	–	1	–
Chesterfield	–	–	–	–	–	–	–	–	–
CHICOPEE	268	116	78	33	41	163	10	78	17
Chilmark	3	3	–	–	–	–	1	2	–
Clarksburg	3	3	–	–	–	1	–	2	–
Clinton	117	68	27	6	16	74	5	31	7
Cohasset	20	16	3	–	1	4	1	7	8
Colrain	11	10	1	–	–	2	1	6	2
Concord	57	41	9	3	4	20	4	12	21
Conway	1	1	–	–	–	–	–	1	–
Cummington	1	1	–	–	–	–	–	1	–
Dalton	31	27	1	3	–	16	2	12	1
Dana	7	7	–	–	–	2	1	3	1
Danvers	63	43	5	6	9	31	3	18	11
Dartmouth	15	12	–	1	2	4	1	9	1
Dedham	56	39	3	8	6	21	3	23	9
Deerfield	27	17	5	1	4	5	3	7	12
Dennis	11	8	1	1	1	3	1	3	4
Dighton	13	5	2	1	5	4	1	4	4
Douglas	17	10	4	1	2	9	1	5	2
Dover	3	3	–	–	–	1	–	–	2
Dracut	6	4	–	–	2	3	–	1	2
Dudley	4	4	–	–	–	2	1	–	1
Dunstable	3	1	–	1	1	–	–	–	3
Duxbury	7	4	–	1	2	1	–	2	4
East Bridgewater	17	13	–	2	2	6	1	9	1
East Brookfield	8	7	–	1	–	1	–	3	4
East Longmeadow	12	11	–	–	1	2	1	4	5
Eastham	–	–	–	–	–	–	–	–	–
Easthampton	98	53	21	13	11	61	2	31	4
Easton	29	22	2	5	–	11	1	14	3
Edgartown	8	6	1	–	1	3	–	3	2
Egremont	6	6	–	–	–	1	–	3	2
Enfield	2	2	–	–	–	–	–	1	1
Erving	4	2	–	1	1	2	–	–	2
Essex	20	16	2	1	1	2	1	2	15
EVERETT	299	192	41	31	35	129	15	113	42

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1922.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1922.			
	Total couples.	Nativity.				Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Bride and groom both —		Native groom and foreign bride.	Foreign groom and native bride.				
		Native.	Foreign.						
Fairhaven	70	34	16	6	14	35	3	27	5
Fall River	1,350	723	343	102	182	1,052	18	163	117
Falmouth	41	28	6	2	5	23	2	8	8
Fitchburg	376	197	86	40	53	248	17	69	42
Florida	1	1	–	–	–	1	–	–	–
Foxborough	25	19	2	1	3	9	–	7	9
Framingham	201	120	46	13	22	109	10	55	27
Franklin	50	25	11	6	8	25	3	15	7
Freetown	13	10	1	2	–	7	–	5	1
Gardner	114	65	33	3	13	77	7	16	14
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	14	14	–	–	–	7	–	4	3
Gill	2	–	1	–	1	–	–	1	1
Gloucester	165	105	21	16	23	107	5	36	17
Goshen	1	1	–	–	–	–	–	–	1
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	42	18	7	6	11	22	1	18	1
Granby	–	–	–	–	–	–	–	–	–
Granville	5	3	1	–	1	2	2	1	–
Great Barrington	42	35	3	–	4	20	1	13	8
Greenfield	112	87	11	8	6	62	2	26	22
Greenwich	2	2	–	–	–	–	–	2	–
Groton	15	11	2	–	2	6	–	3	6
Groveland	12	10	–	–	2	–	2	5	5
Hadley	17	8	4	–	5	6	–	5	6
Halifax	3	1	1	1	–	1	–	–	2
Hamilton	12	8	–	–	4	2	–	4	6
Hampden	3	3	–	–	–	–	1	–	2
Hancock	3	3	–	–	–	–	–	–	3
Hanover	13	12	–	1	–	3	2	3	5
Hanson	7	5	–	1	1	2	2	2	1
Hardwick	24	16	5	2	1	13	–	8	3
Harvard	5	3	–	–	2	1	–	4	–
Harwich	16	13	1	–	2	8	1	5	2
Hatfield	16	6	4	2	4	9	–	7	–
Haverhill	387	223	78	30	56	271	21	59	36
Hawley	–	–	–	–	–	–	–	–	–
Heath	1	1	–	–	–	–	–	1	–
Hingham	26	17	1	4	4	11	1	10	4
Hinsdale	3	3	–	–	–	1	1	–	1
Holbrook	18	14	–	2	2	4	1	8	5
Holden	17	9	1	2	5	4	–	5	8
Holland	–	–	–	–	–	–	–	–	–
Holliston	22	19	1	–	2	9	3	9	1
Holyoke	504	266	110	61	67	331	17	140	16
Hopedale	7	7	–	–	–	5	–	1	1
Hopkinton	20	16	1	2	1	11	–	7	2
Hubbardston	4	4	–	–	–	4	–	–	–
Hudson	71	48	12	7	4	32	6	29	4
Hull	18	15	2	1	–	7	1	4	6
Huntington	27	18	3	1	5	6	1	8	12
Ipswich	61	33	19	7	2	32	3	16	10
Kingston	27	20	–	–	7	5	4	7	11
Lakeville	4	4	–	–	–	1	1	2	–
Lancaster	14	11	1	1	1	3	2	8	1
Lanesborough	2	2	–	–	–	2	–	–	–
Lawrence	910	356	332	91	131	665	46	135	64
Lee	25	21	3	–	1	10	–	7	8
Leicester	32	27	2	2	1	15	1	11	5
Lenox	19	16	2	1	–	7	–	6	6

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1922.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1922.			
	Total couples.	Nativity.				Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Bride and groom both —		Native groom and foreign bride.	Foreign groom and native bride.				
		Native.	Foreign.						
LEOMINSTER	124	81	15	16	12	66	2	41	15
Leverett	6	6	–	–	–	2	–	2	2
Lexington	45	34	2	5	4	15	3	20	7
Leyden	1	1	–	–	–	1	–	–	–
Lincoln	–	–	–	–	–	–	–	–	–
Littleton	8	7	1	–	–	2	1	2	3
Longmeadow	22	18	1	1	2	2	2	14	4
LOWELL	895	456	208	120	111	646	37	141	71
Ludlow	48	24	19	3	2	29	2	15	2
Lunenburg	3	3	–	–	–	–	–	2	1
LYNN	897	538	135	106	118	592	50	167	88
Lynnfield	4	2	–	2	–	3	–	1	–
MALDEN	460	293	74	51	42	173	35	146	106
Manchester	13	8	–	5	–	5	1	6	1
Mansfield	36	22	2	6	6	16	–	11	9
Marblehead	46	42	3	–	1	22	4	16	4
Marion	11	5	4	–	2	7	–	2	2
MARLBOROUGH	154	113	11	12	18	97	5	36	16
Marshfield	18	13	–	1	4	5	2	6	5
Mashpee	2	2	–	–	–	–	2	–	–
Mattapoisett	4	4	–	–	–	2	–	2	–
Maynard	50	22	18	2	8	35	3	6	6
Medfield	29	14	7	4	4	18	1	6	4
MEDFORD	302	208	28	24	42	95	26	103	78
Medway	23	17	1	2	3	7	–	7	9
MELROSE	130	111	4	7	8	56	7	49	18
Mendon	4	3	–	–	1	1	–	2	1
Merrimac	10	9	–	–	1	2	2	4	2
Methuen	91	53	20	12	6	40	6	33	12
Middleborough	76	55	2	7	12	35	8	17	16
Middlefield	1	1	–	–	–	–	–	1	–
Middleton	2	2	–	–	–	–	1	1	–
Milford	134	67	42	10	15	79	8	28	19
Millbury	49	33	3	6	7	28	1	18	2
Millis	7	6	–	–	1	4	–	1	2
Millville	18	14	2	–	2	6	1	10	1
Milton	36	28	1	5	2	9	5	16	6
Monroe	–	–	–	–	–	–	–	–	–
Monson	28	23	–	3	2	12	3	5	8
Montague	60	35	7	5	13	23	4	20	13
Monterey	–	–	–	–	–	–	–	–	–
Montgomery	1	1	–	–	–	1	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	12	9	1	–	2	2	1	3	6
Nantucket	27	19	2	3	3	14	2	4	7
Natick	85	59	10	10	6	40	7	30	8
Needham	54	35	6	7	6	25	3	20	6
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	1,176	416	456	121	183	937	42	132	65
New Braintree	1	–	–	–	1	–	–	–	1
New Marlborough	1	1	–	–	–	–	1	–	–
New Salem	–	–	–	–	–	–	–	–	–
Newbury	9	8	1	–	–	4	1	1	3
NEWBURYPORT	119	94	9	8	8	62	8	37	12
NEWTON	373	253	52	34	34	135	28	158	52
Norfolk	3	3	–	–	–	2	–	–	1
NORTH ADAMS	192	139	14	16	23	114	10	52	16
North Andover	48	30	5	8	5	19	6	19	4
North Attleborough	99	69	5	14	11	39	2	26	32
North Brookfield	21	17	–	–	4	10	–	8	3

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1922.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1922.			
	Total couples.	Nativity.				Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Bride and groom both —		Native groom and foreign bride.	Foreign groom and native bride.				
		Native.	Foreign.						
North Reading	3	3	–	–	–	–	–	2	1
NORTHAMPTON	189	135	25	13	16	124	7	45	13
Northborough	19	16	1	–	2	9	1	8	1
Northbridge	78	42	20	7	9	43	7	24	4
Northfield	14	13	–	1	–	6	–	5	3
Norton	8	7	–	1	–	3	–	4	1
Norwell	5	4	–	–	1	2	–	1	2
Norwood	87	46	22	9	10	51	5	25	6
Oak Bluffs	13	9	–	3	1	4	1	4	4
Oakham	–	–	–	–	–	–	–	–	–
Orange	28	23	1	3	1	16	2	10	–
Orleans	7	7	–	–	–	1	1	2	3
Otis	–	–	–	–	–	–	–	–	–
Oxford	28	15	4	4	5	17	–	7	4
Palmer	59	34	11	4	10	35	1	16	7
Paxton	3	3	–	–	–	1	–	1	1
PEABODY	133	71	37	9	16	69	11	37	16
Pelham	2	1	–	–	1	–	–	1	1
Pembroke	2	2	–	–	–	1	–	–	1
Pepperell	22	20	–	1	1	8	–	7	7
Peru	–	–	–	–	–	–	–	–	–
Petersham	10	9	–	–	1	6	–	2	2
Phillipston	–	–	–	–	–	–	–	–	–
PITTSFIELD	353	248	61	17	27	232	12	56	53
Plainfield	2	2	–	–	–	2	–	–	–
Plainville	3	3	–	–	–	3	–	–	–
Plymouth	97	53	18	12	14	63	6	20	8
Plympton	2	1	1	–	–	–	–	1	1
Prescott	–	–	–	–	–	–	–	–	–
Princeton	6	6	–	–	–	5	–	1	–
Provincetown	27	20	3	2	2	16	1	7	3
QUINCY	324	199	63	32	30	184	17	80	43
Randolph	26	21	1	1	3	13	2	7	4
Raynham	7	4	1	1	1	2	1	4	–
Reading	46	30	6	7	3	25	5	9	7
Rehoboth	10	7	1	–	2	5	–	1	4
REVERE	203	98	53	20	32	91	11	84	17
Richmond	–	–	–	–	–	–	–	–	–
Rochester	2	2	–	–	–	1	–	–	1
Rockland	50	40	5	2	3	20	9	19	2
Rockport	41	29	2	5	5	11	4	17	9
Rowe	–	–	–	–	–	–	–	–	–
Rowley	6	6	–	–	–	5	–	1	–
Royalston	2	2	–	–	–	1	–	–	1
Russell	2	2	–	–	–	1	–	1	–
Rutland	5	5	–	–	–	2	1	2	–
SALEM	366	217	67	33	49	213	13	96	44
Salisbury	11	9	2	–	–	6	2	1	2
Sandisfield	4	3	–	–	1	–	2	–	2
Sandwich	16	13	1	–	2	7	1	2	6
Saugus	54	37	6	2	9	22	4	17	11
Savoy	–	–	–	–	–	–	–	–	–
Scituate	15	14	–	1	–	6	1	5	3
Seekonk	19	15	–	–	4	6	1	5	7
Sharon	19	14	3	–	2	8	1	5	5
Sheffield	11	10	–	–	1	4	–	6	1
Shelburne	8	6	–	1	1	–	–	3	5
Sherborn	5	4	–	–	1	1	–	2	2
Shirley	5	2	1	1	1	4	–	1	–
Shrewsbury	21	14	–	3	4	6	2	8	5

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1922.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1922.			
	Total couples.	Nativity.				Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Bride and groom both —		Native groom and foreign bride.	Foreign groom and native bride.				
		Native.	Foreign.						
Shutesbury	1	1	–	–	–	–	–	–	1
Somerset	19	16	2	–	1	4	2	10	3
SOMERVILLE	690	453	119	60	58	303	45	244	98
South Hadley	43	31	2	6	4	9	–	24	10
Southampton	3	3	–	–	–	1	1	–	1
Southborough	10	5	2	–	3	3	–	7	–
Southbridge	138	78	25	11	24	99	5	27	7
Southwick	4	3	–	–	1	2	–	–	2
Spencer	43	31	1	6	5	25	3	8	7
SPRINGFIELD	1,104	641	250	82	131	719	50	199	136
Sterling	7	5	–	2	–	2	1	1	3
Stockbridge	9	8	1	–	–	4	–	2	3
Stoneham	44	28	6	4	6	22	2	17	3
Stoughton	59	39	12	6	2	28	3	23	5
Stow	4	4	–	–	–	1	1	–	2
Sturbridge	9	8	–	–	1	3	–	5	1
Sudbury	6	6	–	–	–	1	1	2	2
Sunderland	4	4	–	–	–	1	1	1	1
Sutton	19	9	3	1	6	9	1	6	3
Swampscott	65	45	9	3	8	17	6	25	17
Swansea	36	29	3	–	4	10	2	9	15
TAUNTON	323	185	78	20	40	223	8	44	48
Templeton	15	12	–	–	3	6	3	–	6
Tewksbury	23	17	2	1	3	4	2	11	6
Tisbury	11	8	2	–	1	4	3	2	2
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	2	2	–	–	–	–	–	1	1
Townsend	8	8	–	–	–	1	1	5	1
Truro	2	2	–	–	–	–	–	1	1
Tyngsborough	6	6	–	–	–	1	1	1	3
Tyringham	–	–	–	–	–	–	–	–	–
Upton	11	6	1	1	3	8	–	2	1
Uxbridge	63	42	9	6	6	21	5	28	9
Wakefield	107	66	13	14	14	48	4	45	10
Wales	–	–	–	–	–	–	–	–	–
Walpole	30	24	1	3	2	10	1	12	7
WALTHAM	245	151	32	38	24	130	18	68	29
Ware	76	40	17	9	10	37	1	28	10
Wareham	57	32	11	7	7	30	3	10	14
Warren	44	30	6	2	6	18	7	11	8
Warwick	2	1	–	–	1	–	–	1	1
Washington	–	–	–	–	–	–	–	–	–
Watertown	183	100	38	23	22	63	8	61	51
Wayland	16	10	–	4	2	5	–	5	6
Webster	130	79	21	8	22	52	10	40	28
Wellesley	55	31	7	12	5	14	1	23	17
Wellfleet	5	4	1	–	–	1	–	–	4
Wendell	3	3	–	–	–	2	–	–	1
Wenham	6	3	–	1	2	–	–	3	3
West Boylston	11	9	–	1	1	5	–	2	4
West Bridgewater	13	10	–	–	3	3	1	5	4
West Brookfield	7	5	–	–	2	1	–	4	2
West Newbury	10	10	–	–	–	2	1	–	7
West Springfield	72	58	6	2	6	30	5	24	13
West Stockbridge	11	8	2	–	1	6	–	–	5
West Tisbury	2	1	–	–	1	–	–	–	2
Westborough	35	27	3	–	5	18	–	12	5
WESTFIELD	123	81	21	8	13	71	8	28	16
Westford	17	8	2	4	3	9	1	5	2
Westhampton	8	7	–	–	1	1	2	4	1

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1922.					Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1922.			
	Total couples.	Nativity.				Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Bride and groom both —		Native groom and foreign bride.	Foreign groom and native bride.				
		Native.	Foreign.						
Westminster	5	3	1	1	–	1	1	–	3
Weston	19	12	1	4	2	6	3	6	4
Westport	20	9	4	3	4	6	1	9	4
Westwood	8	8	–	–	–	4	–	4	–
Weymouth	90	74	2	6	8	38	4	30	18
Whately	4	3	–	–	1	1	–	2	1
Whitman	54	44	2	7	1	14	6	20	14
Wilbraham	4	4	–	–	–	2	1	1	–
Williamsburg	12	10	–	1	1	6	–	5	1
Williamstown	32	28	1	2	1	12	1	8	11
Wilmington	17	11	1	2	3	6	1	5	5
Winchendon	56	39	1	9	7	31	2	15	8
Winchester	63	50	6	4	3	20	3	32	8
Windsor	3	2	–	1	–	1	–	–	2
Winthrop	89	57	9	11	12	44	6	26	13
WOBURN	119	82	17	10	10	63	4	42	10
WORCESTER	1,414	826	325	101	162	1,036	59	220	99
Worthington	1	1	–	–	–	1	–	–	–
Wrentham	13	13	–	–	–	3	–	4	6
Yarmouth	3	3	–	–	–	–	–	1	2

[1] Cities are printed in small capitals.

Table 42

Age at Marriage.	Marriages by Sex, Age, and Marital Condition: 1922.										
	Both sexes.	Males.					Females.				
		Total.	Single.	Widowed.	Divorced.	Unknown.	Total.	Single.	Widowed.	Divorced.	Unknown.
The State.											
13 Years and Over.	**65,366**	**32,683**	**28,229**	**3,375**	**1,079**	**–**	**32,683**	**28,764**	**2,534**	**1,385**	**–**
Under 20 years	6,432	874	872	2	–	–	5,608	5,587	9	12	–
20 to 29 years	40,576	20,578	20,079	332	167	–	19,998	19,010	493	495	–
30 to 39 years	12,313	7,492	5,998	1,017	477	–	4,821	3,334	903	584	–
40 to 49 years	3,779	2,230	1,050	918	262	–	1,549	661	651	237	–
50 to 59 years	1,553	1,014	193	685	136	–	539	144	349	46	–
60 to 69 years	537	385	31	323	31	–	152	23	119	10	–
70 to 79 years	119	103	6	91	6	–	16	5	10	1	–
80 years and over	7	7	–	7	–	–	–	–	–	–	–

Line No.	Table 43 — Months.	Marriages by Months in Counties — The State. Total number.	Average daily number.	Counties. Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.
1	**The Year.**	**32,683**	**90**	**218**	**891**	**3,473**	**37**	**3,865**	**334**	**2,296**	**550**
2	January	2,003	65	11	56	257	1	232	19	135	32
3	February	2,227	80	7	55	271	3	287	20	167	39
4	March	993	32	10	13	82	2	121	9	55	13
5	April	2,584	86	11	73	268	4	316	18	189	36
6	May	2,125	69	19	55	270	3	256	30	188	57
7	June	4,660	155	24	112	443	–	483	48	302	67
8	July	2,417	78	13	73	312	2	268	21	163	47
9	August	2,430	78	15	87	245	2	316	31	153	38
10	September	3,883	129	34	106	420	6	429	47	275	77
11	October	3,901	126	33	117	370	6	451	41	283	67
12	November	3,398	113	24	98	359	6	431	34	266	55
13	December	2,062	67	17	46	176	2	275	16	120	22

Line No.	Table 44 — Counties and Sex.	Marriages in Each County, All ages.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.								
1	**Grooms**	**32,683**	–	–	**8**	**75**	**252**	**539**	**10,144**
2	**Brides**	**32,683**	**21**	**95**	**382**	**825**	**1,976**	**2,309**	**12,635**
	Barnstable:								
3	Grooms	218	–	–	–	1	–	7	66
4	Brides	218	2	–	3	10	15	14	77
	Berkshire:								
5	Grooms	891	–	–	1	–	8	20	270
6	Brides	891	3	2	14	30	62	59	345
	Bristol:								
7	Grooms	3,473	–	–	1	7	36	68	1,328
8	Brides	3,473	6	14	52	118	264	271	1,393
	Dukes:								
9	Grooms	37	–	–	–	–	–	–	12
10	Brides	37	–	–	2	1	3	2	8
	Essex:								
11	Grooms	3,865	–	–	1	12	41	100	1,247
12	Brides	3,865	2	12	44	109	279	278	1,490
	Franklin:								
13	Grooms	334	–	–	–	–	2	13	101
14	Brides	334	–	5	6	13	32	25	120
	Hampden:								
15	Grooms	2,296	–	–	–	4	14	29	732
16	Brides	2,296	–	4	31	53	119	195	925
	Hampshire:								
17	Grooms	550	–	–	–	4	2	18	200
18	Brides	550	–	2	9	17	35	57	220
	Middlesex:								
19	Grooms	6,298	–	–	2	20	38	99	1,953
20	Brides	6,298	3	15	55	141	321	393	2,467
	Nantucket:								
21	Grooms	27	–	–	–	–	–	–	7
22	Brides	27	–	–	1	–	1	1	10
	Norfolk:								
23	Grooms	1,491	–	–	–	2	11	15	449
24	Brides	1,491	–	1	12	24	56	103	545
	Plymouth:								
25	Grooms	1,166	–	–	–	5	19	23	403
26	Brides	1,166	–	5	26	35	83	87	436
	Suffolk:								
27	Grooms	8,502	–	–	3	7	41	79	2,245
28	Brides	8,502	4	23	77	157	452	558	3,231
	Worcester:								
29	Grooms	3,535	–	–	–	13	40	68	1,131
30	Brides	3,535	1	12	50	117	254	266	1,368

AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1920: **1922.**

Line No.	COUNTIES — Con.						CITIES HAVING OVER 100,000 INHABITANTS.						
	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	New Bedford.	Fall River.	Lowell.	Cambridge.
1	**6,298**	**27**	**1,491**	**1,166**	**8,502**	**3,535**	**7,816**	**1,414**	**1,104**	**1,176**	**1,350**	**895**	**1,070**
2	359	1	77	67	577	179	534	77	65	100	101	51	68
3	414	2	89	66	589	218	528	91	88	108	102	74	69
4	185	1	42	41	322	97	298	45	36	16	28	14	34
5	495	3	122	93	671	285	630	109	93	78	108	69	89
6	372	4	72	74	468	257	433	87	86	81	125	62	51
7	989	2	264	140	1,293	493	1,175	207	152	149	184	109	170
8	465	3	117	104	580	249	542	99	88	109	123	74	84
9	458	1	101	81	607	295	556	132	73	77	90	69	84
10	779	4	172	159	934	441	864	167	115	149	165	108	114
11	756	4	207	130	980	456	894	184	130	125	138	92	121
12	654	1	150	113	822	385	754	145	116	114	129	108	122
13	372	1	78	98	659	180	608	71	62	70	57	65	64

BY SEX AND AGE: **1922.**

Line No.	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 years and over.
1	**10,434**	**4,984**	**2,508**	**1,304**	**926**	**579**	**435**	**248**	**137**	**80**	**23**	**7**
2	**7,363**	**3,147**	**1,674**	**919**	**630**	**358**	**181**	**104**	**48**	**12**	**4**	**–**
3	56	33	16	9	10	7	3	3	2	3	2	–
4	44	19	12	6	9	3	1	–	1	2	–	–
5	290	136	56	37	30	16	10	9	3	4	–	1
6	167	100	38	31	20	10	3	6	1	–	–	–
7	994	392	281	106	98	57	46	37	13	8	1	–
8	667	301	154	88	64	34	25	15	5	2	–	–
9	9	4	6	–	2	1	2	–	–	1	–	–
10	9	6	1	3	–	1	–	1	–	–	–	–
11	1,187	578	277	154	104	51	60	19	22	10	1	1
12	800	398	182	115	71	38	22	17	7	1	–	–
13	110	42	19	15	6	13	10	1	1	–	1	–
14	68	24	9	7	15	4	4	–	1	–	1	–
15	777	355	155	84	57	37	30	11	6	4	–	1
16	533	190	112	50	44	20	14	4	1	1	–	–
17	182	68	25	14	13	7	7	7	3	–	–	–
18	119	38	23	6	11	5	1	7	–	–	–	–
19	2,034	948	490	263	170	101	78	49	32	16	4	1
20	1,508	659	299	184	125	69	29	18	8	4	–	–
21	10	5	2	1	–	–	–	1	–	1	–	–
22	5	6	1	1	–	–	–	1	–	–	–	–
23	472	238	113	71	44	31	20	15	4	6	–	–
24	396	152	92	43	34	18	11	3	–	–	1	–
25	326	165	79	42	35	31	17	8	8	1	2	2
26	239	109	66	28	22	15	5	4	5	1	–	–
27	2,812	1,465	767	398	273	182	113	60	31	18	8	–
28	2,002	842	527	288	162	103	46	13	15	1	1	–
29	1,175	555	222	110	84	45	39	28	12	8	4	1
30	806	303	158	69	53	38	20	15	4	–	1	–

Table 45

MARRIAGES, BY SEX AND AGE: 1922.

Age of Grooms.	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
	AGE OF BRIDES.														
All Ages.	**32,683**	**5,608**	**12,635**	**7,363**	**3,147**	**1,674**	**919**	**630**	**358**	**181**	**104**	**48**	**12**	**4**	–
Under 20	874	608	255	11	–	–	–	–	–	–	–	–	–	–	–
20 to 24	10,144	3,252	5,791	961	113	22	4	–	1	–	–	–	–	–	–
25 to 29	10,434	1,431	4,795	3,474	610	103	17	1	2	1	–	–	–	–	–
30 to 34	4,984	247	1,312	1,882	1,147	333	49	13	1	–	–	–	–	–	–
35 to 39	2,508	48	361	708	714	499	135	33	7	3	–	–	–	–	–
40 to 44	1,304	15	80	202	328	315	241	92	23	5	2	1	–	–	–
45 to 49	926	6	27	71	133	234	191	188	59	11	4	1	1	–	–
50 to 54	579	1	12	28	56	95	152	131	81	19	4	–	–	–	–
55 to 59	435	–	1	19	24	51	79	93	87	63	14	4	–	–	–
60 to 64	248	–	1	4	16	17	28	48	48	45	35	6	–	–	–
65 to 69	137	–	–	3	4	2	13	21	30	19	27	15	3	–	–
70 to 74	80	–	–	–	1	2	9	7	16	12	15	11	6	1	–
75 to 79	23	–	–	–	1	1	1	3	3	1	1	8	1	3	–
80 and over	7	–	–	–	–	–	–	–	–	2	2	2	1	–	–

Table 46

FIRST MARRIAGES, BY SEX AND AGE: 1922.

Age of Grooms (Bachelors).	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
	AGE OF BRIDES (MAIDS).														
All Ages.	**26,296**	**5,437**	**11,835**	**6,111**	**1,928**	**659**	**198**	**83**	**31**	**10**	**3**	**1**	–	–	–
Under 20	867	606	250	11	–	–	–	–	–	–	–	–	–	–	–
20 to 24	9,843	3,216	5,659	873	80	10	4	–	1	–	–	–	–	–	–
25 to 29	9,546	1,358	4,540	3,138	458	46	5	1	–	–	–	–	–	–	–
30 to 34	3,798	212	1,093	1,531	782	164	12	4	–	–	–	–	–	–	–
35 to 39	1,400	36	240	441	402	235	39	6	1	–	–	–	–	–	–
40 to 44	478	5	40	84	147	109	66	20	5	1	–	1	–	–	–
45 to 49	232	3	11	24	39	76	43	29	6	1	–	–	–	–	–
50 to 54	89	1	2	5	17	15	21	17	9	2	–	–	–	–	–
55 to 59	30	–	–	4	2	3	6	5	4	5	1	–	–	–	–
60 to 64	6	–	–	–	1	1	1	–	2	1	–	–	–	–	–
65 to 69	4	–	–	–	–	–	–	1	1	–	2	–	–	–	–
70 to 74	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
75 to 79	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
80 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 47

Age of Grooms (Bachelors).	First Marriages of Grooms and Remarriages of Brides, by Age: 1922. Age of brides (widows).[1]														
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**1,933**	**20**	**248**	**472**	**469**	**349**	**183**	**110**	**49**	**22**	**8**	**3**	–	–	–
Under 20	5	1	4	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	226	11	93	82	32	8	–	–	–	–	–	–	–	–	–
25 to 29	464	5	105	194	108	39	10	–	2	1	–	–	–	–	–
30 to 34	471	3	31	119	182	105	23	7	1	–	–	–	–	–	–
35 to 39	329	–	14	61	84	104	51	11	3	1	–	–	–	–	–
40 to 44	209	–	1	12	41	59	54	32	8	1	1	–	–	–	–
45 to 49	131	–	–	3	13	27	31	39	14	3	1	–	–	–	–
50 to 54	46	–	–	–	8	4	10	9	9	5	1	–	–	–	–
55 to 59	28	–	–	1	–	2	3	8	6	6	1	1	–	–	–
60 to 64	17	–	–	–	1	1	–	3	3	4	3	2	–	–	–
65 to 69	4	–	–	–	–	–	–	1	2	–	1	–	–	–	–
70 to 74	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–
75 to 79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Includes divorced.

Table 48

Age of Grooms (Widowers).[1]	Remarriages of Grooms and First Marriages of Brides, by Age: 1922. Age of brides (maids).														
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**2,468**	**150**	**505**	**559**	**442**	**305**	**227**	**153**	**80**	**23**	**14**	**5**	**3**	**2**	–
Under 20	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	71	25	37	5	1	3	–	–	–	–	–	–	–	–	–
25 to 29	352	68	142	108	26	6	2	–	–	–	–	–	–	–	–
30 to 34	495	32	168	155	109	26	5	–	–	–	–	–	–	–	–
35 to 39	492	12	97	156	135	68	16	6	2	–	–	–	–	–	–
40 to 44	315	9	36	75	74	69	37	11	4	–	–	–	–	–	–
45 to 49	244	3	13	27	49	58	50	37	5	2	–	–	–	–	–
50 to 54	201	–	9	15	23	38	53	41	19	2	1	–	–	–	–
55 to 59	138	–	1	11	16	25	33	25	21	4	2	–	–	–	–
60 to 64	81	–	1	4	4	10	19	16	16	7	3	1	–	–	–
65 to 69	45	–	–	3	3	–	7	10	8	5	4	2	3	–	–
70 to 74	25	–	–	–	1	1	4	6	5	2	3	2	–	1	–
75 to 79	6	–	–	–	1	1	1	1	–	1	–	–	–	1	–
80 and over	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–

[1] Includes divorced.

Table 49

Age of Grooms (Widowers).[1]	Remarriages of Both Parties, by Age: 1922. Age of brides (widows).[1]														
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**1,986**	**1**	**47**	**221**	**308**	**361**	**311**	**284**	**198**	**126**	**79**	**39**	**9**	**2**	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	4	–	2	1	–	1	–	–	–	–	–	–	–	–	–
25 to 29	72	–	8	34	18	12	–	–	–	–	–	–	–	–	–
30 to 34	220	–	20	77	74	38	9	2	–	–	–	–	–	–	–
35 to 39	287	–	10	50	93	92	29	10	1	2	–	–	–	–	–
40 to 44	302	1	3	31	66	78	84	29	6	3	1	–	–	–	–
45 to 49	319	–	3	17	32	73	67	83	34	5	3	1	1	–	–
50 to 54	243	–	1	8	8	38	68	64	44	10	2	–	–	–	–
55 to 59	239	–	–	3	6	21	37	55	56	48	10	3	–	–	–
60 to 64	144	–	–	–	10	5	8	29	27	33	29	3	–	–	–
65 to 69	84	–	–	–	1	2	6	9	19	14	20	13	–	–	–
70 to 74	50	–	–	–	–	1	3	1	9	9	12	9	6	–	–
75 to 79	16	–	–	–	–	–	–	2	2	–	1	8	1	2	–
80 and over	6	–	–	–	–	–	–	–	–	2	1	2	1	–	–

[1] Includes divorced.

Table 50

Grooms.	First Marriages and Remarriages: 1922.					
	Total number of marriages.	Brides.				
		First marriage.	Second marriage.	Third marriage.	Fourth marriage.	Fifth marriage.
Total Number.	**32,683**	**28,765**	**3,689**	**221**	**7**	**1**
First marriage	28,228	26,296	1,852	77	2	1
Second marriage	4,181	2,352	1,717	108	4	–
Third marriage	257	112	113	32	–	–
Fourth marriage	15	5	5	4	1	–
Fifth marriage	1	–	1	–	–	–
Sixth marriage	1	–	1	–	–	–

Table 51

MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS MARRIED: **1900** TO **1922**.

YEARS.	Total Number.	RATES — PERSONS MARRIED PER 1,000 POPULATION.		NATIVITY — PERCENTAGES.			
		Annual.	Five-year averages.	BRIDE AND GROOM BOTH — Native.	BRIDE AND GROOM BOTH — Foreign.	Native groom and foreign bride.	Foreign groom and native bride.
1900	24,342	17.4	–	43.9	33.2	12.1	10.8
1901	24,891	17.3		43.6	32.9	12.7	10.8
1902	25,685	17.5		43.8	33.0	12.3	10.9
1903	26,940	17.9	17.5	43.5	34.6	11.6	10.3
1904	25,993	16.9		43.7	34.1	11.5	10.7
1905	27,184	18.1		44.0	34.2	11.2	10.6
1906	29,654	19.5		43.6	34.6	11.3	10.5
1907	31,055	20.1		42.4	37.0	10.7	9.9
1908	27,071	17.3	18.3	42.9	36.6	10.9	9.6
1909	29,002	16.2		43.1	35.8	10.5	10.6
1910	30,710	18.2		43.2	35.8	10.6	10.5
1911	32,051	18.6		44.5	35.1	9.8	10.6
1912	30,898	17.6		43.5	36.2	9.6	10.6
1913	31,403	17.6	17.7	43.4	36.4	9.6	10.6
1914	32,588	17.9		44.4	36.4	9.2	10.0
1915	31,301	17.0		45.3	35.0	9.1	10.6
1916	34,386	18.2		47.0	33.3	9.3	10.3
1917	37,945	19.8		50.8	28.6	9.8	10.8
1918	29,163	14.9	18.1	52.3	26.6	9.8	11.3
1919	34,329	17.9		54.8	23.9	9.9	11.6
1920	38,048	19.7		56.8	21.7	9.8	11.7
1921	33,590	17.3	–	55.5	24.0	9.1	11.4
1922	32,683	16.6	–	57.3	21.5	9.3	11.9

Table 52

PROPORTIONS OF FIRST MARRIAGES AND REMARRIAGES PER 1,000 MARRIAGES: **1900** TO **1922**.

YEARS.	MALES.		FEMALES.		BACHELORS WHO MARRIED —		WIDOWERS WHO MARRIED —	
	Bachelors.	Widowers.[1]	Maids.	Widows.[1]	Maids.	Widows.[1]	Maids.	Widows.[1]
1900	87.4	12.6	90.7	9.3	82.6	4.7	8.1	4.4
1901	87.2	12.8	90.6	9.4	82.5	4.7	8.2	4.6
1902	87.5	12.5	90.4	9.6	82.7	4.8	7.7	4.8
1903	88.0	12.0	90.6	9.4	83.2	4.8	7.4	4.6
1904	87.8	12.2	90.2	9.8	82.7	5.1	7.5	4.7
1905	88.2	11.8	91.1	8.9	83.6	4.6	7.5	4.3
1906	88.7	11.3	91.2	8.8	84.1	4.6	7.1	4.2
1907	88.9	11.1	91.2	8.8	84.3	4.5	6.8	4.3
1908	88.0	12.0	90.4	9.6	83.0	4.9	7.4	4.6
1909	88.4	11.6	90.9	9.1	83.8	4.6	7.1	4.5
1910	88.3	11.7	90.4	9.6	83.5	4.9	7.0	4.7
1911	89.0	11.0	90.5	9.5	84.0	5.0	6.5	4.5
1912	89.7	10.3	91.8	8.2	85.4	4.2	6.4	4.0
1913	89.5	10.5	91.7	8.3	85.4	4.1	6.3	4.2
1914	89.6	10.4	91.7	8.3	85.3	4.2	6.4	4.1
1915	89.6	10.4	91.7	8.3	85.3	4.2	6.4	4.1
1916	89.8	10.2	91.3	8.7	85.3	4.6	6.1	4.1
1917	89.8	10.2	90.9	9.1	84.9	4.9	6.0	4.2
1918	86.7	13.3	88.0	12.0	80.6	6.1	7.4	5.9
1919	85.9	14.1	88.0	12.0	80.2	5.7	7.9	6.2
1920	86.1	13.9	88.0	12.0	80.3	5.9	7.7	6.1
1921	85.2	14.8	87.3	12.7	79.2	6.0	8.1	6.7
1922	86.4	13.6	88.0	12.0	80.5	5.9	7.5	6.1

[1] Includes divorced.

Table 53

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1920: **1900** TO **1922**.

Years.	The State.	Cities having over 100,000 inhabitants in 1920.						
		Boston.	Worcester.	Springfield.	New Bedford.	Fall River.	Lowell.	Cambridge.
1900	24,342	6,044	1,048	549	648	1,082	1,059	714
1901	24,891	6,311	1,119	565	710	1,070	953	769
1902	25,685	6,172	1,098	596	806	1,198	1,010	792
1903	26,940	6,640	1,227	598	809	1,291	939	795
1904	25,993	6,736	1,138	593	725	1,063	998	790
1905	27,184	6,775	1,184	654	805	1,164	937	834
1906	29,654	7,374	1,330	727	872	1,342	1,033	944
1907	31,055	7,761	1,343	883	944	1,327	1,066	950
1908	27,071	6,993	1,064	720	889	1,174	872	815
1909	29,002	7,165	1,233	827	981	1,186	1,030	819
1910	30,710	7,596	1,395	904	1,092	1,241	999	934
1911	32,051	8,110	1,457	986	1,193	1,230	955	983
1912	30,898	7,896	1,404	732	1,056	1,146	997	1,003
1913	31,403	8,130	1,495	887	1,166	1,126	1,023	1,016
1914	32,588	8,522	1,411	871	1,229	1,141	1,017	1,058
1915	31,301	8,141	1,408	828	1,118	1,121	1,035	986
1916	34,386	8,552	1,687	1,062	1,207	1,163	1,166	1,113
1917	37,945	9,191	1,836	1,265	1,451	1,297	1,280	1,243
1918	29,163	7,396	1,325	1,081	1,102	973	1,091	1,111
1919	34,329	8,122	1,569	1,257	1,248	1,296	1,206	1,132
1920	38,048	8,545	1,811	1,403	1,565	1,372	1,238	1,271
1921	33,590	8,241	1,466	1,136	1,211	1,221	996	1,051
1922	32,683	7,816	1,414	1,104	1,176	1,350	895	1,070

MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION CENSUS YEARS, **1900** TO **1920**.

1900	17.4	21.6	17.7	17.7	20.8	20.6	22.3	15.5
1905	18.1	22.8	18.5	17.8	21.7	22.0	19.7	17.1
1910	18.2	22.1	19.1	20.3	22.6	20.8	18.8	17.8
1915	17.0	21.8	17.3	16.1	20.4	18.0	19.2	18.1
1920	19.8	22.8	20.1	21.7	25.8	22.8	21.9	23.2

PART II C.

DIVORCE STATISTICS.

	PAGE
Introduction	173–175
Causes for divorce	173
Source of data	173, 174
Applications for divorce	174
Contested cases	174
Number of divorces	174
Divorce rates	174
Party to which granted	174
Divorces classified by causes, 1900 to 1922	174, 175
Annulment classified as divorce	175
Duration of marriages	175
Statistical tables	176–195

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of sections 1 and 2, chapter 208, General Laws, are as follows: —

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters, and the filing of returns was in compliance with Chapter 208, Sections 46 and 47 of the General Laws. By the provisions of Chapter 465 of the Acts of 1921, it was provided in Section 2 that any divorce case in which the libelee had not filed appearance within the time limited should be transferred to the probate court of the county where such case was entered. By Chapter 532 of the Acts of 1922 the probate court was given concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner. This Act took effect on October 1, 1922.

The returns made in compliance with the above legislation resulted in some confusion as witnessed by the difference in the figures as given out in the prelimi-

nary report of the United States Census Bureau, based upon information stated to have been received from the clerks of the superior courts and the registers of probate, and the statistics returned in accordance with the statutes and compiled in this office. The figures in this report are based upon the official returns made in accordance with the statutes referred to above.

Applications for Divorce. — The courts granted about 3 petitions out of every 4 filed. This proportion fluctuated considerably during the period 1900 to 1922 the highest proportion of applications being granted in 1900 (89 per cent), and the lowest proportion in 1906 (67.1 per cent). During this entire period 80.2 per cent of all applications were granted, .9 per cent were refused, and 18.9 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-three years from 1900 to 1922, only 10.2 per cent were contested. In 1922, of the 3,733 applications for divorce, only 328 or 8.8 per cent, were contested, and of the 3,277 divorces granted, 165, or 5 per cent, were contested. The proportion of contested cases is larger for divorces granted to the husband (6.6 per cent) than for those granted to the wife (4.5 per cent).

Number of Divorces. — Divorces granted in 1922 numbered 3,277, a decrease of 526, or 13.8 per cent less than the number granted in 1921, and an increase of 283, or 9.5 per cent, over the average number granted for the five-year period 1917 to 1921.

Divorce Rates. — The number of divorces per 100,000 population was 83.3, as compared with 97.9 in 1921, 94.7 in 1920, 66.1 in 1919, 60.2 in 1918, 61 in 1915, and 57.3 in 1910.

Divorce rates based on the married population, *i.e.*, the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 58, on page 192, for the census years 1900 to 1920. In this table the number of divorces shown for the census years 1900 to 1920 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce, and makes the figures more typical of the period as a whole.

Party to which granted. — Over two-thirds (71.6 per cent) of the total number of divorces in the period 1900 to 1922 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. This difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has tangible ground for divorce more frequently than the husband, because certain well-known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, cruelty, in so far as it is physical cruelty, is not ordinarily an available ground for a husband, although men are sometimes granted divorces on this ground.

The proportion of divorces granted to the wife fluctuated between 73.8 per cent in 1905 and 68.3 in 1902, as compared with 71.6 per cent for the entire period 1900 to 1922.

Divorces classified by Causes, 1900 to 1922. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have increased nearly threefold in the twenty-three year period 1900 to 1922, while the increase in the number of divorces granted for adultery has been very slight.

The most common ground on which divorce was granted by the courts was desertion, which accounted for 48.4 per cent of all the divorces granted in the period

1900 to 1922, for 64 per cent of all those granted to the husband in this period, and for 42.2 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-three year period 1900 to 1922, are shown in Table 60, page 192.

Annulment classified as Divorce. — Among the less important classes of causes appears the term "nullity of marriage." In 372 cases, or .8 per cent of the total number of divorces granted during the period 1900 to 1922, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion, .8 per cent of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 10.5 years in 1912 and 11.4 years in 1903. The average number of years the libellants were married in 1922 was 10.9, the same as in 1921.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1922, 54 per cent made application for divorce before they had been married ten years, as compared with 54.4 per cent in 1921, and 52.4 per cent for the twenty-three year period 1900 to 1922.

STATISTICAL TABLES.

Table 54

Libels for Divorces Granted, Refused, Dismissed, Contested, and not Contested, and Number of Years Libellants were Married, by Statutory Causes and Sex of Libellant: **The State — 1922.**

Libels and Libellants.	Causes.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
The State.	**3,733**[1]	**1,694**	**1,475**	**327**	**97**	**87**	**10**	**5**	**38**
Husband	1,077	670	166	203	14	–	4	–	20
Wife	2,656	1,024	1,309	124	83	87	6	5	18
Granted	3,277	1,574	1,229	280	90	64	7	5	28
Husband	869	592	84	165	12	–	2	–	14
Wife	2,408	982	1,145	115	78	64	5	5	14
Refused	28	8	16	1	–	3	–	–	–
Husband	14	5	9	–	–	–	–	–	–
Wife	14	3	7	1	–	3	–	–	–
Dismissed	428	112	230	46	7	20	3	–	10
Husband	194	73	73	38	2	–	2	–	6
Wife	234	39	157	8	5	20	1	–	4
Contested	328	90	176	43	3	13	1	–	2
Husband	147	63	46	33	2	–	1	–	2
Wife	181	27	130	10	1	13	–	–	–
Not contested	3,405	1,604	1,299	284	94	74	9	5	36
Husband	930	607	120	170	12	–	3	–	18
Wife	2,475	997	1,179	114	82	74	6	5	18
Duration of Marriage.									
Less than 6 months	40	–	31	2	–	1	3	–	3
Husband	10	–	6	1	–	–	2	–	1
Wife	30	–	25	1	–	1	1	–	2
6 to 11 months	57	1	45	4	2	1	–	–	4
Husband	11	–	6	2	–	–	–	–	3
Wife	46	1	39	2	2	1	–	–	1
1 to 4 years	841	181	482	91	24	37	4	3	19
Husband	198	80	42	63	3	–	1	–	9
Wife	643	101	440	28	21	37	3	3	10
5 to 9 years	1,073	503	408	107	23	25	2	–	5
Husband	315	194	45	67	6	–	–	–	3
Wife	758	309	363	40	17	25	2	–	2
10 to 19 years	1,190	665	368	102	33	19	–	–	3
Husband	364	253	50	58	2	–	–	–	1
Wife	826	412	318	44	31	19	–	–	2
20 to 29 years	405	248	119	18	13	4	1	2	–
Husband	127	99	15	9	3	–	1	–	–
Wife	278	149	104	9	10	4	–	2	–
30 years and over	121	96	21	2	2	–	–	–	–
Husband	48	44	2	2	–	–	–	–	–
Wife	73	52	19	–	2	–	–	–	–
Unknown	6	–	1	1	–	–	–	–	4
Husband	4	–	–	1	–	–	–	–	3
Wife	2	–	1	–	–	–	–	–	1
Average number of years	10.9	13.3	8.8	9.1	10.9	7.3	4.6	10.8	3.1

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	11,046
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	1,461
Number of libels for divorce filed during the year 1922	5,749
Number of libels for divorce in which decrees *nisi* were etered during the year 1922	3,324
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	3,268
Number of cases finally determined in 1922	3,743

[1] Three thousand two hundred sixty libels were received from the Superior Court; four hundred seventy-nine from the Probate Court. One thousand one hundred fifty-five libels were transferred from the Superior to the Probate Court. Four petitions from Suffolk and one each from Norfolk and Worcester counties transferred to other counties. Two appeals for custody of children. One petition for appointment of guardian. One decree revoked.

Table 54a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Barnstable County—1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Barnstable County.	**47**[1]	**20**	**19**	**5**	**–**	**2**	**–**	**–**	**1**
Husband	19	10	5	3	–	–	–	–	1
Wife	28	10	14	2	–	2	–	–	–
Granted	27	13	9	4	–	–	–	–	1
Husband	11	7	1	2	–	–	–	–	1
Wife	16	6	8	2	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	20	7	10	1	–	2	–	–	–
Husband	8	3	4	1	–	–	–	–	–
Wife	12	4	6	–	–	2	–	–	–
Contested	10	1	7	–	–	2	–	–	–
Husband	5	1	4	–	–	–	–	–	–
Wife	5	–	3	–	–	2	–	–	–
Not contested	37	19	12	5	–	–	–	–	1
Husband	14	9	1	3	–	–	–	–	1
Wife	23	10	11	2	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	2	1	–	–	–	1	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	1	–	–	–	1	–	–	–
1 to 4 years	7	1	6	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	7	1	6	–	–	–	–	–	–
5 to 9 years	11	5	3	1	–	1	–	–	1
Husband	6	4	–	1	–	–	–	–	1
Wife	5	1	3	–	–	1	–	–	–
10 to 19 years	17	8	6	3	–	–	–	–	–
Husband	9	3	4	2	–	–	–	–	–
Wife	8	5	2	1	–	–	–	–	–
20 to 29 years	6	3	2	1	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	4	2	1	1	–	–	–	–	–
30 years and over	4	2	2	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	12.7	14.6	11.8	14.4	–	5.0	–	–	1.0

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	63
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	11
Number of libels for divorce filed during the year 1922	55
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	27
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	27
Number of cases finally determined in 1922	47

[1] Forty libels were received from the Superior Court; seven from the Probate Court. Sixteen libels were transferred from the Superior to the Probate Court.

Table 54b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Berkshire County—1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Berkshire County.	**111**[1]	**46**	**48**	**9**	**2**	**3**	**1**	**–**	**2**
Husband	29	22	2	5	–	–	–	–	–
Wife	82	24	46	4	2	3	1	–	2
Granted	99	41	44	7	2	3	1	–	1
Husband	21	18	–	3	–	–	–	–	–
Wife	78	23	44	4	2	3	1	–	1
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	12	5	4	2	–	–	–	–	1
Husband	8	4	2	2	–	–	–	–	–
Wife	4	1	2	–	–	–	–	–	1
Contested	8	5	–	3	–	–	–	–	–
Husband	8	5	–	3	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	103	41	48	6	2	3	1	–	2
Husband	21	17	2	2	–	–	–	–	–
Wife	82	24	46	4	2	3	1	–	2
DURATION OF MARRIAGE.									
Less than 6 months	1	–	–	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	–	–	–	–	–	–	1
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	24	5	13	4	–	–	1	–	1
Husband	3	1	–	2	–	–	–	–	–
Wife	21	4	13	2	–	–	1	–	1
5 to 9 years	27	6	17	1	2	1	–	–	–
Husband	4	2	1	1	–	–	–	–	–
Wife	23	4	16	–	2	1	–	–	–
10 to 19 years	37	18	14	3	–	2	–	–	–
Husband	11	9	1	1	–	–	–	–	–
Wife	26	9	13	2	–	2	–	–	–
20 to 29 years	19	16	3	–	–	–	–	–	–
Husband	10	10	–	–	–	–	–	–	–
Wife	9	6	3	–	–	–	–	–	–
30 years and over	1	1	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
Unknown	1	–	–	1	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.5	16.2	8.7	7.4	8.5	9.3	1.0	–	1.0

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not) . . . 216
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date . . . 39
Number of libels for divorce filed during the year 1922 . . . 174
Number of libels for divorce in which decrees *nisi* were entered during the year 1922 . . . 131
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922 . . . 100
Number of cases finally determined in 1922 . . . 111

[1] Eighty-three libels were received from the Superior Court; twenty-eight from the Probate Court. Fifty libels were transferred from the Superior to the Probate Court.

Table 54c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Bristol County — 1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Bristol County.	**255**[1]	**136**	**84**	**20**	**6**	**9**	–	–	–
Husband	88	64	10	13	1	–	–	–	–
Wife	167	72	74	7	5	9	–	–	–
Granted	236	129	74	18	6	9	–	–	–
Husband	77	59	6	11	1	–	–	–	–
Wife	159	70	68	7	5	9	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	19	7	10	2	–	–	–	–	–
Husband	11	5	4	2	–	–	–	–	–
Wife	8	2	6	–	–	–	–	–	–
Contested	26	11	10	4	–	1	–	–	–
Husband	17	9	4	4	–	–	–	–	–
Wife	9	2	6	–	–	1	–	–	–
Not contested	229	125	74	16	6	8	–	–	–
Husband	71	55	6	9	1	–	–	–	–
Wife	158	70	68	7	5	8	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	62	12	36	9	1	4	–	–	–
Husband	19	7	4	7	1	–	–	–	–
Wife	43	5	32	2	–	4	–	–	–
5 to 9 years	73	45	19	4	3	2	–	–	–
Husband	24	19	3	2	–	–	–	–	–
Wife	49	26	16	2	3	2	–	–	–
10 to 19 years	80	50	21	6	1	2	–	–	–
Husband	25	20	1	4	–	–	–	–	–
Wife	55	30	20	2	1	2	–	–	–
20 to 29 years	26	18	6	1	–	1	–	–	–
Husband	12	11	1	–	–	–	–	–	–
Wife	14	7	5	1	–	1	–	–	–
30 years and over	12	11	–	–	1	–	–	–	–
Husband	7	7	–	–	–	–	–	–	–
Wife	5	4	–	–	1	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.0	13.7	7.9	7.8	12.5	9.3	–	–	–

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not) . . . 674
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date . . . 84
Number of libels for divorce filed during the year 1922 . . . 529
Number of libels for divorce in which decrees *nisi* were entered during the year 1922 . . . 299
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922 . . . 236
Number of cases finally determined in 1922 . . . 255

[1] Two hundred ten libels were received from the Superior Court; forty-five from the Probate Court. One hundred fifty-four libels were transferred from the Superior to the Probate Court.

Table 54d

Libels for Divorces Granted, Refused, Dismissed, Contested, and not Contested, and Number of Years Libellants were Married, by Statutory Causes and Sex of Libellant: **Dukes County — 1922.**

Libels and Libellants.	Causes.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Dukes County.	4[1]	3	1	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	3	2	1	–	–	–	–	–	–
Granted	3	2	1	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	2	1	1	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	1	1	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
Contested	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	4	3	1	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	3	2	1	–	–	–	–	–	–
Duration of Marriage.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
5 to 9 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
10 to 19 years	2	2	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
20 to 29 years	2	1	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	1	1	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	17.5	14.0	22.0	–	–	–	–	–	–

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	5
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	–
Number of libels for divorce filed during the year 1922	10
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	1
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	2
Number of cases finally determined in 1922	4

[1] Four libels were received from the Superior Court.

Table 54e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Essex County — 1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Essex County.	**479**[1]	**252**	**162**	**48**	**8**	**9**	–	–	–
Husband	133	97	6	28	2	–	–	–	–
Wife	346	155	156	20	6	9	–	–	–
Granted	442	239	143	44	7	9	–	–	–
Husband	121	92	3	25	1	–	–	–	–
Wife	321	147	140	19	6	9	–	–	–
Refused	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Dismissed	34	13	16	4	1	–	–	–	–
Husband	11	5	2	3	1	–	–	–	–
Wife	23	8	14	1	–	–	–	–	–
Contested	80	30	34	12	2	2	–	–	–
Husband	25	16	–	7	2	–	–	–	–
Wife	55	14	34	5	–	2	–	–	–
Not contested	399	222	128	36	6	7	–	–	–
Husband	108	81	6	21	–	–	–	–	–
Wife	291	141	122	15	6	7	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	4	–	3	1	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	4	–	3	1	–	–	–	–	–
6 to 11 months	6	–	5	1	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	6	–	5	1	–	–	–	–	–
1 to 4 years	101	27	50	16	2	6	–	–	–
Husband	25	11	1	13	–	–	–	–	–
Wife	76	16	49	3	2	6	–	–	–
5 to 9 years	125	65	43	15	1	1	–	–	–
Husband	33	21	3	8	1	–	–	–	–
Wife	92	44	40	7	–	1	–	–	–
10 to 19 years	164	104	43	13	3	1	–	–	–
Husband	51	44	1	6	–	–	–	–	–
Wife	113	60	42	7	3	1	–	–	–
20 to 29 years	57	37	15	2	2	1	–	–	–
Husband	18	15	1	1	1	–	–	–	–
Wife	39	22	14	1	1	1	–	–	–
30 years and over	21	19	2	–	–	–	–	–	–
Husband	6	6	–	–	–	–	–	–	–
Wife	15	13	2	–	–	–	–	–	–
Unknown	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Average number of years	11.4	13.9	8.8	7.8	13.3	6.7	–	–	–

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	902
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	154
Number of libels for divorce filed during the year 1922	996
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	488
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	448
Number of cases finally determined in 1922	480

[1] Three hundred nineteen libels were received from the Superior Court; one hundred sixty-one from the Probate Court. Three hundred sixty-eight libels were transferred from the Superior to the Probate Court. One decree revoked.

Table 54f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Franklin County — 1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Franklin County.	**48**[1]	**21**	**17**	**5**	**4**	–	–	**1**	–
Husband	18	11	2	3	2	–	–	–	–
Wife	30	10	15	2	2	–	–	1	–
Granted	43	21	14	4	3	–	–	1	–
Husband	15	11	–	2	2	–	–	–	–
Wife	28	10	14	2	1	–	–	1	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	5	–	3	1	1	–	–	–	–
Husband	3	–	2	1	–	–	–	–	–
Wife	2	–	1	–	1	–	–	–	–
Contested	11	3	7	1	–	–	–	–	–
Husband	5	2	2	1	–	–	–	–	–
Wife	6	1	5	–	–	–	–	–	–
Not contested	37	18	10	4	4	–	–	1	–
Husband	13	9	–	2	2	–	–	–	–
Wife	24	9	10	2	2	–	–	1	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	10	2	5	2	1	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	9	1	5	2	1	–	–	–	–
5 to 9 years	16	8	5	2	1	–	–	–	–
Husband	7	5	–	2	–	–	–	–	–
Wife	9	3	5	–	1	–	–	–	–
10 to 19 years	14	7	5	–	2	–	–	–	–
Husband	7	3	2	–	2	–	–	–	–
Wife	7	4	3	–	–	–	–	–	–
20 to 29 years	6	3	2	–	–	–	–	1	–
Husband	1	1	–	–	–	–	–	–	–
Wife	5	2	2	–	–	–	–	1	–
30 years and over	2	1	–	1	–	–	–	–	–
Husband	2	1	–	1	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.7	13.0	10.1	10.0	11.2	–	–	21.0	–

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	148
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	21
Number of libels for divorce filed during the year 1922	71
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	59
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	43
Number of cases finally determined in 1922	48

[1] Forty-two libels were received from the Superior Court; six from the Probate Court.

Table 54g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Hampden County—1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Nonsupport.	Impotency.	Imprisonment.	Nullity of marriage.
Hampden County.	**321**[1]	**137**	**133**	**30**	**15**	**6**	–	–	–
Husband	76	52	4	19	1	–	–	–	–
Wife	245	85	129	11	14	6	–	–	–
Granted	295	131	117	27	15	5	–	–	–
Husband	68	48	3	16	1	–	–	–	–
Wife	227	83	114	11	14	5	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	26	6	16	3	–	1	–	–	–
Husband	8	4	1	3	–	–	–	–	–
Wife	18	2	15	–	–	1	–	–	–
Contested	9	3	6	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	8	2	6	–	–	–	–	–	–
Not contested	312	134	127	30	15	6	–	–	–
Husband	75	51	4	19	1	–	–	–	–
Wife	237	83	123	11	14	6	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	6	–	6	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	6	–	6	–	–	–	–	–	–
6 to 11 months	5	–	4	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	5	–	4	–	1	–	–	–	–
1 to 4 years	74	13	46	8	5	2	–	–	–
Husband	11	5	1	5	–	–	–	–	–
Wife	63	8	45	3	5	2	–	–	–
5 to 9 years	105	48	40	10	4	3	–	–	–
Husband	29	19	1	8	1	–	–	–	–
Wife	76	29	39	2	3	3	–	–	–
10 to 19 years	88	42	30	12	4	–	–	–	–
Husband	22	14	2	6	–	–	–	–	–
Wife	66	28	28	6	4	–	–	–	–
20 to 29 years	31	22	7	–	1	1	–	–	–
Husband	8	8	–	–	–	–	–	–	–
Wife	23	14	7	–	1	1	–	–	–
30 years and over	12	12	–	–	–	–	–	–	–
Husband	6	6	–	–	–	–	–	–	–
Wife	6	6	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.7	14.4	7.9	8.6	8.7	7.3	–	–	–

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	737
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	166
Number of libels for divorce filed during the year 1922	311
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	241
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	298
Number of cases finally determined in 1922	321

[1] Three hundred nineteen libels were received from the Superior Court; two from the Probate Court. Three libels were transferred from the Superior to the Probate Court.

Table 54h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Hampshire County—1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Hampshire County.	**29**[1]	**15**	**9**	**1**	–	**4**	–	–	–
Husband	11	8	2	1	–	–	–	–	–
Wife	18	7	7	–	–	4	–	–	–
Granted	23	15	6	1	–	1	–	–	–
Husband	9	8	–	1	–	–	–	–	–
Wife	14	7	6	–	–	1	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	6	–	3	–	–	3	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	4	–	1	–	–	3	–	–	–
Contested	9	2	4	1	–	2	–	–	–
Husband	4	1	2	1	–	–	–	–	–
Wife	5	1	2	–	–	2	–	–	–
Not contested	20	13	5	–	–	2	–	–	–
Husband	7	7	–	–	–	–	–	–	–
Wife	13	6	5	–	–	2	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	5	–	2	–	–	3	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	5	–	2	–	–	3	–	–	–
5 to 9 years	12	10	2	–	–	–	–	–	–
Husband	3	3	–	–	–	–	–	–	–
Wife	9	7	2	–	–	–	–	–	–
10 to 19 years	7	1	4	1	–	1	–	–	–
Husband	4	1	2	1	–	–	–	–	–
Wife	3	–	2	–	–	1	–	–	–
20 to 29 years	3	3	–	–	–	–	–	–	–
Husband	3	3	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	2	1	1	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	12.2	13.8	11.5	12.0	–	5.5	–	–	–

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	114
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	15
Number of libels for divorce filed during the year 1922	62
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	19
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	23
Number of cases finally determined in 1922	29

[1] Twenty-six libels were received from the Superior Court; three from the Probate Court. Sixteen libels were transferred from the Superior to the Probate Court.

Table 54i

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Middlesex County — 1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Middlesex County.	**670**[1]	**325**	**254**	**56**	**17**	**17**	–	**1**	–
Husband	174	103	34	35	2	–	–	–	–
Wife	496	222	220	21	15	17	–	1	–
Granted	569	296	201	47	16	8	–	1	–
Husband	134	86	16	30	2	–	–	–	–
Wife	435	210	185	17	14	8	–	1	–
Refused	24	7	13	1	–	3	–	–	–
Husband	12	4	8	–	–	–	–	–	–
Wife	12	3	5	1	–	3	–	–	–
Dismissed	77	22	40	8	1	6	–	–	–
Husband	28	13	10	5	–	–	–	–	–
Wife	49	9	30	3	1	6	–	–	–
Contested	21	2	12	4	1	2	–	–	–
Husband	10	2	5	3	–	–	–	–	–
Wife	11	–	7	1	1	2	–	–	–
Not contested	649	323	242	52	16	15	–	1	–
Husband	164	101	29	32	2	–	–	–	–
Wife	485	222	213	20	14	15	–	1	–
DURATION OF MARRIAGE.									
Less than 6 months	4	–	3	–	–	1	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	2	–	1	–	–	1	–	–	–
6 to 11 months	8	–	8	–	–	–	–	–	–
Husband	3	–	3	–	–	–	–	–	–
Wife	5	–	5	–	–	–	–	–	–
1 to 4 years	145	36	84	15	3	6	–	1	–
Husband	35	13	12	10	–	–	–	–	–
Wife	110	23	72	5	3	6	–	1	–
5 to 9 years	196	97	66	23	5	5	–	–	–
Husband	51	30	8	12	1	–	–	–	–
Wife	145	67	58	11	4	5	–	–	–
10 to 19 years	217	128	65	15	5	4	–	–	–
Husband	62	44	8	10	–	–	–	–	–
Wife	155	84	57	5	5	4	–	–	–
20 to 29 years	78	47	23	3	4	1	–	–	–
Husband	15	10	1	3	1	–	–	–	–
Wife	63	37	22	–	3	1	–	–	–
30 years and over	22	17	5	–	–	–	–	–	–
Husband	6	6	–	–	–	–	–	–	–
Wife	16	11	5	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.0	12.6	9.5	9.2	11.5	7.4	–	2.0	–

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	2,584
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	258
Number of libels for divorce filed during the year 1922	1,056
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	550
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	567
Number of cases finally determined in 1922	670

[1] Five hundred thirty-four libels were received from the Superior Court; one hundred thirty-six from the Probate Court. Two hundred seventy-four libels were transferred from the Superior to the Probate Court.

Table 54j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Nantucket County — 1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Nantucket County.	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Granted	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
5 to 9 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
10 to 19 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
20 to 29 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	–	–	–	–	–	–	–	–	–

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	5
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	1
Number of libels for divorce filed during the year 1922	5
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	1
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	–
Number of cases finally determined in 1922	–

Table 54k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Norfolk County — 1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Norfolk County.	**110**[1]	**43**	**48**	**15**	**3**	**1**	–	–	–
Husband	31	15	5	10	1	–	–	–	–
Wife	79	28	43	5	2	1	–	–	–
Granted	103	41	43	15	3	1	–	–	–
Husband	27	13	3	10	1	–	–	–	–
Wife	76	28	40	5	2	1	–	–	–
Refused	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	6	1	5	–	–	–	–	–	–
Husband	3	1	2	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
Contested	10	3	6	1	–	–	–	–	–
Husband	4	2	2	–	–	–	–	–	–
Wife	6	1	4	1	–	–	–	–	–
Not contested	100	40	42	14	3	1	–	–	–
Husband	27	13	3	10	1	–	–	–	–
Wife	73	27	39	4	2	1	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	3	–	3	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
6 to 11 months	4	–	2	2	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	3	–	2	1	–	–	–	–	–
1 to 4 years	23	7	11	4	1	–	–	–	–
Husband	5	1	–	4	–	–	–	–	–
Wife	18	6	11	–	1	–	–	–	–
5 to 9 years	31	11	14	4	2	–	–	–	–
Husband	12	6	3	2	1	–	–	–	–
Wife	19	5	11	2	1	–	–	–	–
10 to 19 years	38	20	13	4	–	1	–	–	–
Husband	9	6	1	2	–	–	–	–	–
Wife	29	14	12	2	–	1	–	–	–
20 to 29 years	4	3	–	1	–	–	–	–	–
Husband	2	1	–	1	–	–	–	–	–
Wife	2	2	–	–	–	–	–	–	–
30 years and over	7	2	5	–	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	5	1	4	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.8	12.2	10.6	8.4	4.7	18.0	–	–	–

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	310
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	69
Number of libels for divorce filed during the year 1922	236
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	100
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	104
Number of cases finally determined in 1922	111

[1] Ninety libels were received from the Superior Court; twenty-one from the Probate Court. Fifty-seven libels were transferred from the Superior to the Probate Court and one to Essex county.

Table 541

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Plymouth County — 1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Plymouth County.	**187**[1]	**74**	**86**	**14**	**5**	**8**	-	-	-
Husband	51	33	7	11	-	-	-	-	-
Wife	136	41	79	3	5	8	-	-	-
Granted	167	71	72	13	4	7	-	-	-
Husband	45	32	3	10	-	-	-	-	-
Wife	122	39	69	3	4	7	-	-	-
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	20	3	14	1	1	1	-	-	-
Husband	6	1	4	1	-	-	-	-	-
Wife	14	2	10	-	1	1	-	-	-
Contested	51	8	38	2	-	3	-	-	-
Husband	11	5	4	2	-	-	-	-	-
Wife	40	3	34	-	-	3	-	-	-
Not contested	136	66	48	12	5	5	-	-	-
Husband	40	28	3	9	-	-	-	-	-
Wife	96	38	45	3	5	5	-	-	-
DURATION OF MARRIAGE.									
Less than 6 months	1	-	1	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	-
6 to 11 months	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
1 to 4 years	32	6	17	5	3	1	-	-	-
Husband	8	3	1	4	-	-	-	-	-
Wife	24	3	16	1	3	1	-	-	-
5 to 9 years	51	17	25	4	-	5	-	-	-
Husband	16	10	3	3	-	-	-	-	-
Wife	35	7	22	1	-	5	-	-	-
10 to 19 years	80	41	32	4	1	2	-	-	-
Husband	21	15	3	3	-	-	-	-	-
Wife	59	26	29	1	1	2	-	-	-
20 to 29 years	17	7	8	1	1	-	-	-	-
Husband	4	3	-	1	-	-	-	-	-
Wife	13	4	8	-	1	-	-	-	-
30 years and over	6	3	3	-	-	-	-	-	-
Husband	2	2	-	-	-	-	-	-	-
Wife	4	1	3	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	11.1	12.6	10.8	8.4	7.2	7.8	-	-	-

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	281
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	69
Number of libels for divorce filed during the year 1922	203
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	147
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	177
Number of cases finally determined in 1922	187

[1] One hundred seventy libels were received from the Superior Court; seventeen from the Probate Court. Nineteen libels were transferred from the Superior to the Probate Court.

Table 54m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Suffolk County — 1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Suffolk County.	**1,176**[1]	**476**	**495**	**102**	**34**	**25**	**7**	**2**	**35**
Husband	353	194	70	62	5	–	3	–	19
Wife	823	282	425	40	29	25	4	2	16
Granted	1,009	439	406	82	31	18	5	2	26
Husband	268	166	38	45	4	–	2	–	13
Wife	741	273	368	37	27	18	3	2	13
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	167	37	89	20	3	7	2	–	9
Husband	85	28	32	17	1	–	1	–	6
Wife	82	9	57	3	2	7	1	–	3
Contested	56	14	29	10	–	1	–	–	2
Husband	37	12	15	8	–	–	–	–	2
Wife	19	2	14	2	–	1	–	–	–
Not contested	1,120	462	466	92	34	24	7	2	33
Husband	316	182	55	54	5	–	3	–	17
Wife	804	280	411	38	29	24	4	2	16
DURATION OF MARRIAGE.									
Less than 6 months	17	–	12	1	–	–	2	–	2
Husband	7	–	3	1	–	–	2	–	1
Wife	10	–	9	–	–	–	–	–	1
6 to 11 months	23	–	18	1	–	–	–	–	4
Husband	5	–	1	1	–	–	–	–	3
Wife	18	–	17	–	–	–	–	–	1
1 to 4 years	297	51	177	25	7	14	3	2	18
Husband	74	28	18	16	2	–	1	–	9
Wife	223	23	159	9	5	14	2	2	9
5 to 9 years	342	145	146	35	4	6	2	–	4
Husband	106	58	21	23	2	–	–	–	2
Wife	236	87	125	12	2	6	2	–	2
10 to 19 years	353	193	103	32	17	5	–	–	3
Husband	112	73	19	19	–	–	–	–	1
Wife	241	120	84	13	17	5	–	–	2
20 to 29 years	112	62	38	7	5	–	–	–	–
Husband	34	24	8	1	1	–	–	–	–
Wife	78	38	30	6	4	–	–	–	–
30 years and over	28	25	1	1	1	–	–	–	–
Husband	12	11	–	1	–	–	–	–	–
Wife	16	14	1	–	1	–	–	–	–
Unknown	4	–	–	–	–	–	–	–	4
Husband	3	–	–	–	–	–	–	–	3
Wife	1	–	–	–	–	–	–	–	1
Average number of years	10.2	13.2	7.9	9.9	12.7	6.3	3.1	4.5	3.3

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	4,397
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	455
Number of libels for divorce filed during the year 1922	1,524
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	976
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	982
Number of cases finally determined in 1922	1,183

[1] One thousand one hundred fifty-two libels were received from the Superior Court; thirty-one from the Probate Court. One hundred eleven libels were transferred from the Superior to the Probate Court, four to other counties. One petition for appointment of guardian. Two appeals for custody of children.

Table 54n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES AND SEX OF LIBELLANT: **Worcester County — 1922.**

LIBELS AND LIBELLANTS.	CAUSES.								
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	Nullity of marriage.
Worcester County.	**296**[1]	**146**	**119**	**22**	**3**	**3**	**2**	**1**	-
Husband	93	60	19	13	-	-	1	-	-
Wife	203	86	100	9	3	3	1	1	-
Granted	261	136	99	18	3	3	1	1	-
Husband	72	51	11	10	-	-	-	-	-
Wife	189	85	88	8	3	3	1	1	-
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	35	10	20	4	-	-	1	-	-
Husband	21	9	8	3	-	-	1	-	-
Wife	14	1	12	1	-	-	-	-	-
Contested	37	8	23	5	-	-	1	-	-
Husband	20	7	8	4	-	-	1	-	-
Wife	17	1	15	1	-	-	-	-	-
Not contested	259	138	96	17	3	3	1	1	-
Husband	73	53	11	9	-	-	-	-	-
Wife	186	85	85	8	3	3	1	1	-
DURATION OF MARRIAGE.									
Less than 6 months	4	-	3	-	-	-	1	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	3	-	2	-	-	-	1	-	-
6 to 11 months	6	-	5	-	1	-	-	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	5	-	4	-	1	-	-	-	-
1 to 4 years	61	21	35	3	1	1	-	-	-
Husband	17	10	5	2	-	-	-	-	-
Wife	44	11	30	1	1	1	-	-	-
5 to 9 years	84	46	28	8	1	1	-	-	-
Husband	24	17	2	5	-	-	-	-	-
Wife	60	29	26	3	1	1	-	-	-
10 to 19 years	93	51	32	9	-	1	-	-	-
Husband	30	20	6	4	-	-	-	-	-
Wife	63	31	26	5	-	1	-	-	-
20 to 29 years	44	26	14	2	-	-	1	1	-
Husband	18	12	3	2	-	-	1	-	-
Wife	26	14	11	-	-	-	-	1	-
30 years and over	4	2	2	-	-	-	-	-	-
Husband	2	1	1	-	-	-	-	-	-
Wife	2	1	1	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	11.1	13.6	9.7	10.5	2.3	7.6	11.5	22.0	-

Number of libels for divorce pending January 1, 1922 (including all cases, whether decrees *nisi* had been entered or not)	610
Number of libels for divorce pending January 1, 1922, in which decrees *nisi* had been entered at that date	119
Number of libels for divorce filed during the year 1922	517
Number of libels for divorce in which decrees *nisi* were entered during the year 1922	285
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1922	261
Number of cases finally determined in 1922	297

[1] Two hundred seventy-five libels were received from the Superior Court; twenty-two from the Probate Court. Eighty-seven libels were transferred from the Superior to the Probate Court; one to Middlesex county.

Table 55

Years.	Divorces: 1900 to 1922.				
	Total number.	Granted to husband.		Granted to wife.	
		Number.	Per cent.	Number.	Per cent.
1900 to 1922.	**45,594**	**12,967**	**28.4**	**32,625**	**71.6**
1900	1,258	376	29.9	882	70.1
1901	1,376	408	29.7	968	70.3
1902	1,480	469	31.7	1,010	68.3
1903	1,721	464	27.0	1,256	73.0
1904	1,698	471	27.7	1,227	72.3
1905	1,554	407	26.2	1,147	73.8
1906	1,752	486	27.7	1,266	72.3
1907	1,932	556	28.8	1,376	71.2
1908	1,766	497	28.1	1,269	71.9
1909	1,739	477	27.4	1,262	72.6
1910	1,929	517	26.8	1,412	73.2
1911	2,137	597	27.9	1,540	72.1
1912	1,927	557	28.9	1,370	71.1
1913	2,126	653	30.7	1,473	69.3
1914	2,200	591	26.9	1,609	73.1
1915	2,252	632	28.1	1,620	71.9
1916	2,301	650	28.2	1,651	71.8
1917	2,635	771	29.3	1,864	70.7
1918	2,351	704	29.9	1,647	70.1
1919	2,536	754	29.7	1,782	70.3
1920	3,647	1,061	29.1	2,586	70.9
1921	3,803	1,081	28.4	2,722	71.6
1922	3,277	869	26.5	2,408	73.5

Table 56

Periods of Years.	Divorces Granted: 1900 to 1922.			Per cent increase in total population over preceding census.
	Total number.	Increase over preceding period.		
		Number.	Per cent.	
1900 to 1904	7,531	1,878	33.2	7.1
1905 to 1909	8,743	1,212	16.1	12.1
1910 to 1914	10,319	1,576	18.0	8.2
1915 to 1919	12,075	1,756	17.0	3.9
1920	3,647	1,111[1]	43.8[1]	4.3
1921	3,803	156[2]	4.3[2]	.9[2]
1922	3,277	526[3]	13.8[3]	2.1[2]

[1] Increase over 1919. [2] Increase over 1920. [3] Decrease from 1921.

Table 57

Census Years.	Comparison of Increase in Divorce with Increase in Population: 1900 to 1920.							
	Divorces.			Population.			Population to one divorce.	Divorces per 100,000 population.
	Total number.	Increase over preceding census year.		Total.	Increase over preceding census year.			
		Number.	Per cent.		Number.	Per cent.		
1900	1,258	304	31.9	2,805,346	305,163	12.2	2,230	44.8
1905	1,554	296	23.5	3,003,680	198,334	7.1	1,933	51.7
1910	1,929	375	24.1	3,366,416	362,736	12.1	1,745	57.3
1915	2,252	323	16.7	3,693,310	326,894	9.7	1,640	61.0
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7

Table 58

Census Years.	Divorce Rates based on Total Population and on Married Population: Census Years, 1900 to 1920.					
	Population.		Divorce: Annual Average.[1]		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married.	Number.	Per 100,000 population.		
1900	2,805,346	1,053,898	1,292	47	816	123
1905	3,003,680	1,134,320	1,731	58	655	153
1910	3,366,416	1,300,271	1,900	56	684	146
1915	3,693,310	1,474,590	2,303	62	640	156
1920	3,852,356	1,534,584	3,123	81	491	204

[1] For the five-year period of which the census year is the median year.

Table 59

Counties.	Annual Average[1] Number of Divorces in the State and in Each County: Census Years 1900 to 1920.				
	Number.				
	1920.	1915.	1910.	1905.	1900.
The State.	**3,123**	**2,303**	**1,900**	**1,731**	**1,292**
Barnstable	22	22	16	14	11
Berkshire	84	65	57	56	41
Bristol	262	184	140	139	99
Dukes	5	3	2	1	2
Essex	416	304	268	230	183
Franklin	39	28	27	26	20
Hampden	247	172	130	107	78
Hampshire	29	22	22	22	16
Middlesex	491	388	311	313	231
Nantucket	2	1	1	–	2
Norfolk	118	86	75	52	39
Plymouth	150	122	108	94	66
Suffolk	974	696	544	499	379
Worcester	284	209	200	176	140

[1] For the five-year period of which the census year is the median year.

Table 60

Statutory Causes.	Divorces Granted for Specified Causes for 23 Years: 1900 to 1922.								
	Total.			Granted to husband.			Granted to wife.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	**49,397**	**100.0**	**100.0**	**14,048**	**28.4**	**100.0**	**35,349**	**71.6**	**100.0**
Desertion	23,904	100.0	48.4	8,995	37.6	64.0	14,909	62.4	42.2
Adultery	6,242	100.0	12.6	3,524	56.5	25.1	2,718	43.5	7.7
Cruel and abusive treatment	12,502	100.0	25.3	608	4.9	4.3	11,894	95.1	33.6
Intoxication	4,734	100.0	9.6	724	15.3	5.2	4,010	84.7	11.3
Non-support	1,406	100.0	2.8	–	–	–	1,406	100.0	4.0
Nullity of marriage	372	100.0	.8	162	43.5	1.2	210	56.5	.6
Imprisonment	109	100.0	.2	–	–	–	109	100.0	.3
Impotency	128	100.0	.3	35	27.3	.2	93	72.7	.3

Table 61

Years Divorces were Granted.	Statutory Causes of Divorce: 1900 to 1922.								
	All causes.	Desertion.	Adultery.	Cruel and abusive treatment.	Intoxication.	Non-support.	Nullity of marriage.	Imprisonment.	Impotency.
1900 to 1922.	**49,397**	**23,904**	**6,242**	**12,502**	**4,734**	**1,406**	**372**	**109**	**128**
1900	1,258	591	229	227	152	51	2	5	1
1901	1,376	649	256	225	181	50	11	2	2
1902	1,480	687	273	244	199	62	8	5	2
1903	1,721	768	299	343	220	68	9	5	9
1904	1,698	801	290	340	193	52	10	7	5
1905	1,554	718	245	327	194	49	13	6	2
1906	1,752	802	291	337	240	66	7	5	4
1907	1,932	859	303	395	297	54	15	4	5
1908	1,766	815	259	382	232	53	16	3	6
1909	1,739	782	246	426	212	49	8	8	8
1910	1,929	849	282	445	255	76	13	4	5
1911	2,137	964	323	478	282	74	8	3	5
1912	1,927	946	219	474	214	44	20	6	4
1913	2,126	1,002	259	501	260	79	17	4	4
1914	2,200	1,095	224	525	244	83	20	5	4
1915	2,252	1,124	235	571	214	72	21	4	11
1916	2,301	1,157	234	644	193	43	16	9	5
1917	2,635	1,345	268	687	236	68	21	5	5
1918	2,351	1,191	249	619	195	65	23	2	7
1919	2,536	1,328	228	748	158	45	21	3	5
1920	3,647	1,887	394	1,093	156	68	33	5	11
1921	3,803	1,970	356	1,242	117	71	32	4	11
1922	3,277	1,574	280	1,229	90	64	28	5	7

Table 62

Years of Application.	Applications for Divorce: 1900 to 1922.										
	Total.	Granted.		Refused.		Dismissed.		Contested.		Not contested.	
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
1900 to 1922.	**61,641**	**49,397**	**80.2**	**574**	**.9**	**11,670**	**18.9**	**6,263**	**10.2**	**55,378**	**89.8**
1900	1,413	1,258	89.0	10	.7	145	10.3	167	11.8	1,246	88.2
1901	1,637	1,376	84.1	9	.5	252	15.4	202	12.3	1,435	87.7
1902	1,863	1,480	79.4	12	.6	371	19.9	260	14.0	1,603	86.0
1903	2,233	1,721	77.1	33	1.5	479	21.5	338	15.1	1,895	84.9
1904	2,184	1,698	77.7	98	4.5	388	17.8	436	20.0	1,748	80.0
1905	1,822	1,554	85.3	30	1.6	238	13.1	292	16.0	1,530	84.0
1906	2,610	1,752	67.1	19	.7	839	32.1	153	6.0	2,457	94.1
1907	2,259	1,932	85.5	24	1.1	303	13.4	184	8.1	2,075	91.9
1908	2,135	1,766	82.7	12	.6	357	16.7	162	7.6	1,973	92.4
1909	2,366	1,739	73.5	37	1.6	590	24.9	248	10.5	2,118	89.5
1910	2,473	1,929	78.0	13	.5	531	21.5	238	9.6	2,235	90.4
1911	2,909	2,137	73.5	–	–	772	26.5	290	10.0	2,619	90.0
1912	2,532	1,927	76.1	12	.5	593	23.4	259	10.2	2,273	90.0
1913	2,640	2,126	80.5	30	1.1	484	18.3	237	9.0	2,403	91.0
1914	2,964	2,200	74.2	25	.8	739	24.9	267	9.0	2,697	91.0
1915	2,728	2,252	82.6	–	–	476	17.4	203	7.4	2,525	92.6
1916	2,789	2,301	82.5	23	.8	465	16.7	193	6.9	2,596	93.1
1917	3,221	2,635	81.8	24	.7	562	17.5	258	8.0	2,963	92.0
1918	3,077	2,351	76.4	31	1.0	695	22.6	366	11.9	2,711	88.1
1919	3,121	2,536	81.2	33	1.1	552	17.7	388	12.4	2,733	87.6
1920	4,376	3,647	83.3	33	.8	696	15.9	392	9.0	3,984	91.0
1921	4,556	3,803	83.5	38	.8	715	15.7	402	8.8	4,154	91.2
1922	3,733	3,277	87.8	28	.7	428	11.5	328	8.8	3,405	91.2

Table 63

DIVORCES GRANTED CLASSIFIED BY STATUTORY CAUSE AND PARTY TO WHICH GRANTED: **1922.**

STATUTORY CAUSE AND PARTY TO WHICH GRANTED.	Total number.	CASES CONTESTED.		CASES NOT CONTESTED.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	**3,277**	**165**	**5.0**	**3,112**	**95.0**
Husband	**869**	**57**	**6.6**	**812**	**93.4**
Wife	**2,408**	**108**	**4.5**	**2,300**	**95.5**
Desertion	1,574	53	3.4	1,521	96.6
Husband	592	33	5.6	559	94.4
Wife	982	20	2.0	962	98.0
Cruel and abusive treatment	1,229	80	6.5	1,149	93.5
Husband	84	4	–[1]	80	–[1]
Wife	1,145	76	6.6	1,069	93.4
Adultery	280	25	8.9	255	91.1
Husband	165	19	11.5	146	88.5
Wife	115	6	5.2	109	94.8
Intoxication	90	2	–[1]	88	–[1]
Husband	12	1	–[1]	11	–[1]
Wife	78	1	–[1]	77	–[1]
Non-support	64	5	–[1]	59	–[1]
Husband	–	–	–[1]	–	–[1]
Wife	64	5	–[1]	59	–[1]
Impotency	7	–	–[1]	7	–[1]
Husband	2	–	–[1]	2	–[1]
Wife	5	–	–[1]	5	–[1]
Imprisonment	5	–	–[1]	5	–[1]
Husband	–	–	–[1]	–	–[1]
Wife	5	–	–[1]	5	–[1]
Nullity of marriage	28	–	–[1]	28	–[1]
Husband	14	–	–[1]	14	–[1]
Wife	14	–	–[1]	14	–[1]

[1] Per cent not shown where base is less than 100.

Table 64

LIBELS FOR DIVORCE GRANTED AND NOT GRANTED, CONTESTED AND NOT CONTESTED, CLASSIFIED BY PARTY TO WHICH GRANTED: **1922.**

PARTY TO WHICH GRANTED.	TOTAL.		GRANTED.		REFUSED.		DISMISSED.	
	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.
Total.	**328**	**3,405**	**165**	**3,112**	**13**	**15**	**150**	**278**
Husband	147	930	57	812	7	7	83	111
Wife	181	2,475	108	2,300	6	8	67	167

Table 65

Years of Application.	Number of Years Libellants were Married at Time of Application for Divorce: 1900 to 1922.								
	Total.	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
1900 to 1922.	**61,622**[1]	**501**	**580**	**12,160**	**19,027**	**20,695**	**6,967**	**1,692**	**–**
1900	1,413	4	2	247	444	534	138	44	11.3
1901	1,637	9	2	299	514	599	175	39	11.0
1902	1,863	13	3	355	545	691	202	54	11.2
1903	2,233	17	28	333	673	858	251	73	11.4
1904	2,184	25	31	413	634	781	234	66	10.9
1905	1,819	9	23	361	572	621	184	49	11.0
1906	2,610	41	2	485	820	890	303	69	10.7
1907	2,259	22	5	411	715	776	269	61	11.2
1908	2,135	8	12	556	613	665	235	46	11.0
1909	2,366	21	32	406	726	822	283	76	11.2
1910	2,473	30	–	526	740	829	285	63	10.8
1911	2,909	20	29	543	880	974	406	57	11.2
1912	2,532	3	21	501	820	823	304	60	10.5
1913	2,640	23	23	479	835	891	318	71	11.2
1914	2,963	20	1	809	910	850	307	66	10.9
1915	2,728	20	23	437	946	940	280	82	10.7
1916	2,789	20	32	548	917	887	316	69	10.6
1917	3,220	13	49	585	1,026	1,079	375	93	10.9
1918	3,077	26	41	567	937	1,035	382	89	11.1
1919	3,117	35	37	551	925	1,104	374	91	10.9
1920	4,373	43	48	939	1,370	1,431	430	112	10.7
1921	4,555	39	79	968	1,392	1,425	511	141	10.9
1922	3,727	40	57	841	1,073	1,190	405	121	10.9

[1] Exclusive of those for which duration of marriage was unknown.

PART II D.

POPULATION STATISTICS.

	PAGE
Introductory	196
Estimated population	196, 197
Statistical table	197

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces, and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The last census in this Commonwealth was taken by the United States as of Jan. 1, 1920.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

The unexpected result of the national census of 1920, in which the State of Massachusetts shows a gain in population of only 159,046 in the five-year period 1916 to 1920, has made the estimated population for the years 1916, 1917, and 1918 based on the censuses of the years 1910 and 1915 appear almost absurd. In fact, the 1918 statistics on births, marriages, divorces, and deaths were based on a higher estimated population (3,907,576) than the estimated population for 1919 (3,835,614) obtained from the censuses of 1915 and 1920.

Estimated Population. — The decennial census of the Commonwealth for 1915 shows that the total population of Massachusetts on April 1, 1915, was 3,693,310. This was an increase of 9.7 per cent over 1910, and of nearly 23 per cent over 1905. The estimated population as of July 1, 1919, was 3,835,614, a gain of 142,304, or 3.8 per cent over 1915, the lowest percentage of gain since the Civil War period of 1861 to 1865. The estimated population of the city of Boston for July 1, 1919, was 747,784, a gain of only 2,345 for the 51 months (April 1, 1915, to July 1, 1919).

The method of calculating estimates of population for the intercensal years is shown in the following example: —

Massachusetts had a population of 3,852,356 at the Federal census of 1920 (January 1), and of 3,693,310 at the State census of 1915 (April 1). The increase during the intercensal period (57 months) was 159,046, and the monthly increase, according to the arithmetical method of estimating population, was —

$$\frac{3{,}852{,}356 - 3{,}693{,}310}{57} = 2{,}790.$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for July 1, 1922, is estimated by adding to the population as it existed at the preceding census (Jan. 1, 1920), 2,790 for each month intervening

between the date of enumeration and the date for which the estimate is desired (July 1, 1922). There being 30 months between these dates, the calculation would be —

$$3{,}852{,}356+(30\times 2{,}790)=3{,}936{,}056.$$

The census population for each municipality in the Commonwealth for the years 1910, 1915 and 1920 is shown in the Annual Report on Births, Marriages, and Deaths, 1920, pages 216 to 221.

Table 66

Municipalities.	Census Population of Municipalities having Over 15,000 Inhabitants in 1920: 1900 to 1920.				
	Jan. 1, 1920.	April 1, 1915.	April 15, 1910.	May 1, 1905.	June 1, 1900.
The State.	**3,852,356**	**3,693,310**	**3,366,416**	**3,003,680**	**2,805,846**
Cities over 100,000.					
Boston[1]	748,060	745,439	670,585	595,380	560,892
Worcester	179,754	162,697	145,986	128,135	118,421
Springfield	129,614	102,971	88,926	73,540	62,059
New Bedford	121,217	109,568	96,652	74,362	62,442
Fall River	120,485	124,791	119,295	105,762	104,863
Lowell	112,759	107,978	106,294	94,889	94,969
Cambridge	109,694	108,822	104,839	97,434	91,886
50,000 to 100,000.					
Lynn	99,148	95,803	89,336	77,042	68,513
Lawrence	94,270	90,259	85,892	70,050	62,559
Somerville	93,091	86,854	77,236	69,272	61,643
Brockton	66,254	62,288	56,878	47,794	40,063
Holyoke	60,203	60,816	57,730	49,934	45,712
Haverhill	53,884	49,450	44,115	37,830	37,175
25,000 to 50,000.					
Malden	49,103	48,907	44,404	38,037	33,664
Quincy	47,876	40,674	32,642	28,076	23,899
Newton	46,054	43,113	39,806	36,827	33,587
Chelsea	43,184	43,426	32,585	37,289	34,072
Salem	42,529	37,200	43,697	37,627	35,956
Pittsfield	41,763	39,607	32,121	25,001	21,766
Fitchburg	41,029	39,656	37,826	33,021	31,531
Everett	40,120	37,718	33,484	29,111	24,336
Medford	39,038	30,509	23,150	19,686	18,244
Brookline (town)	37,748	33,490	27,792	23,436	19,935
Taunton	37,137	36,161	34,259	30,967	31,036
Chicopee	36,214	30,138	25,401	20,191	19,167
Waltham	30,915	30,154	27,834	26,282	23,481
Revere	28,823	25,178	18,219	12,659	10,395
15,000 to 25,000.					
Gloucester	22,947	24,478	24,398	26,011	26,121
Beverly	22,561	22,959	18,650	15,223	13,884
North Adams	22,282	22,035	22,019	22,150	24,200
Northampton	21,951	21,654	19,431	19,957	18,643
Watertown (town)	21,457	16,515	12,875	11,258	9,706
Leominster	19,744	17,646	17,580	14,297	12,392
Attleboro	19,731	18,480	16,215	12,702	11,335
Peabody	19,552	18,625	15,721	13,098	11,523
Arlington (town)	18,665	14,889	11,187	9,668	8,603
Westfield (town)	18,604	18,411	16,044	13,611	12,310
Melrose	18,204	16,880	15,715	14,295	12,962
Framingham (town)	17,033	15,860	12,948	11,548	11,302
Gardner (town)	16,971	16,376	14,699	12,012	10,813
Woburn	16,574	16,410	15,308	14,402	14,254
Newburyport	15,618	15,311	14,949	14,675	14,478
Greenfield (town)	15,462	12,618	10,427	9,156	7,927
Winthrop (town)	15,455	12,758	10,132	7,034	6,058
Methuen	15,189	14,007	11,448	8,676	7,512
Weymouth (town)	15,057	13,969	12,895	11,585	11,324
Marlborough	15,028	15,250	14,579	14,073	13,609

[1] Hyde Park (in Norfolk County), annexed to Boston (in Suffolk County) in 1911, contained 15,507 inhabitants in 1910, 14,510 in 1905, and 13,244 in 1900. No other counties have had their boundaries changed since 1874.

APPENDIX

International Classification of Causes of Death
1. Detailed International List
2. Abridged International List

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.[1]

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death: these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this the title "Other epidemic diseases" of the detailed list (title No. 25) includes only such epidemic maladies as are not classified separately in titles 1 to 24 of that list; but "Other epidemic diseases" of the abridged list includes titles 3, 4, 12, 13, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25 and 42 of the detailed list. These identical expressions, it will be noted, have two different and distinct meanings.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List: —

1. Detailed International List.

I. Epidemic, Endemic and Infectious Diseases.

1. Typhoid and paratyphoid fever.*
   (a) Typhoid fever.
   (b) Paratyphoid fever.
2. Typhus fever.*
3. Relapsing fever (*spirillum obermeieri*).[2]
4. Malta fever.
5. Malaria.[3]
6. Smallpox.*
7. Measles.*
8. Scarlet fever.*
9. Whooping cough.*
10. Diphtheria.*
11. Influenza.
    (a) With pulmonary complications specified.
    (b) Without pulmonary complications specified.

I. Epidemic, Endemic and Infectious Diseases — *Con.*

12. Miliary fever.
13. Mumps.
14. Asiatic cholera.*
15. Cholera nostras.
16. Dysentery.[4]
    (a) Amebic.
    (b) Bacillary.
    (c) Unspecified or due to other causes.
17. Plague.*
    (a) Bubonic.
    (b) Pneumonic.
    (c) Septicemic.
    (d) Unspecified.
18. Yellow fever.*
19. Spirochetal hemorrhagic jaundice.
20. Leprosy.*
21. Erysipelas.*

[1] This second decennial revision of the International Classification of Causes of Death was made at Paris, July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and is used beginning with 1921. The causes of death as given in the third revision number 205, compared with 179 in the first, and 189 in the second classification.

[2] This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor; that is, the *spirillum (spirochætal) obermeieri*, before death.

[3] Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *plasmodium malariæ*, was found in the blood before death or at autopsy.

[4] Not a reliable statement of cause of death unless the specific cause of infection has been identified.

1. Detailed International List — *Continued.*

I. Epidemic, Endemic and Infectious Diseases — *Con.*

22. Acute poliomyelitis.*
23. Lethargic encephalitis.
24. Meningococcus meningitis.
25. Other epidemic and endemic diseases.
    (*a*) Chicken-pox.
    (*b*) German measles.
    (*c*) Others under this title.
26. Glanders.[1]
27. Anthrax.[2]
28. Rabies.[3]
29. Tetanus.[4]
30. Mycoses.[5]
31. Tuberculosis of the respiratory system.*
32. Tuberculosis of the meninges and central nervous system.[6]
33. Tuberculosis of the intestines and peritoneum.[7]
34. Tuberculosis of the vertebral column.*
35. Tuberculosis of the joints.*
36. Tuberculosis of other organs.[8]
    (*a*) Tuberculosis of the skin and subcutaneous cellular tissue.
    (*b*) Tuberculosis of the bones (vertebral column excepted).
    (*c*) Tuberculosis of the lymphatic system (mesenteric and retroperitoneal glands excepted).
    (*d*) Tuberculosis of the genitourinary system.
    (*e*) Tuberculosis of organs other than the above.
37. Disseminated tuberculosis.*
    (*a*) Acute.
    (*b*) Chronic.
38. Syphilis.[9]
39. Soft chancre.
40. Gonococcus infection.[10]
41. Purulent infection, septicemia.
42. Other infectious diseases.

II. General Diseases not included above.

43. Cancer and other malignant tumors of the buccal cavity.*
44. Cancer and other malignant tumors of the stomach and liver.[11]
45. Cancer and other malignant tumors of the peritoneum, intestines and rectum.[11]
46. Cancer and other malignant tumors of the female genital organs.[11]
47. Cancer and other malignant tumors of the breast.*
48. Cancer and other malignant tumors of the skin.*
49. Cancer and other malignant tumors of other or unspecified organs.[11]
50. Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).[12]
51. Acute rheumatic fever.*
52. Chronic rheumatism, osteoarthritis, gout.
53. Scurvy.*
54. Pellagra.*
55. Beriberi.*
56. Rickets.*
57. Diabetes mellitus.*
58. Anemia, chlorosis.[13]
    (*a*) Pernicious anemia.
    (*b*) Other anemias and chlorosis.
59. Diseases of the pituitary gland.
60. Diseases of the thyroid gland.
    (*a*) Exophthalmic goiter.
    (*b*) Other diseases of the thyroid gland.
61. Diseases of the parathyroid glands.
62. Diseases of the thymus gland.
63. Diseases of the adrenals (Addison's disease).*
64. Diseases of the spleen.
65. Leukemia and Hodgkin's disease.[13]
    (*a*) Leukemia.
    (*b*) Hodgkin's disease.
66. Alcoholism (acute or chronic).*
67. Chronic poisoning by mineral substances.
    (*a*) Chronic lead poisoning.[14]
    (*b*) Others under this title.[15]
68. Chronic poisoning by organic substances.[16]
69. Other general diseases.

---

[1] Not a reliable statement of cause of death, without autopsy, unless there is an accompanying record of the finding of the etiological factor; *i.e.*, the *bacillus mallei.*

[2] Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis.*

[3] Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

[4] A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

[5] A reliable statement of cause of death, without autopsy, *only* when lesion is accessible to direct examination, or the etiological factor has been identified in the discharges before death.

[6] A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

[7] An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

[8] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

[9] Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

[10] An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

[11] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

[12] An unreliable statement of cause of death, without autopsy, unless an operation was performed.

[13] Not a reliable statement of cause of death unless verified by confirmatory blood examination.

[14] A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

[15] A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

[16] A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

1. Detailed International List — *Continued.*

III. Diseases of the Nervous System and of the Organs of Special Sense.

70. Encephalitis.
71. Meningitis (does not include meningitis specified as meningococcic, tuberculous, rheumatic, etc.).
    (*a*) Simple meningitis.
    (*b*) Non-epidemic cerebrospinal meningitis.
72. Tabes dorsalis (locomotor ataxia).*
73. Other diseases of the spinal cord.
74. Cerebral hemorrhage, apoplexy.*
    (*a*) Cerebral hemorrhage.
    (*b*) Cerebral thrombosis and embolism.
75. Paralysis without specified cause.
    (*a*) Hemiplegia.
    (*b*) Others under this title.
76. General paralysis of the insane.*
77. Other forms of mental alienation.
78. Epilepsy.[1]
79. Convulsions (non-puerperal) five years and over.
80. Infantile convulsions (under five years of age).
81. Chorea.*
82. Neuralgia and neuritis.
83. Softening of the brain.
84. Other diseases of the nervous system.
85. Diseases of the eye and annexa.*
86. Diseases of the ear and of the mastoid process.*
    (*a*) Diseases of the ear.*
    (*b*) Diseases of the mastoid process.*

IV. Diseases of the Circulatory System.

87. Pericarditis.[2]
88. Endocarditis and myocarditis (acute).*
89. Angina pectoris.*
90. Other diseases of the heart.*
91. Diseases of the arteries.
    (*a*) Aneurysm.
    (*b*) Arteriosclerosis.
    (*c*) Other diseases of the arteries.
92. Embolism and thrombosis (not cerebral).*
93. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).[3]
94. Diseases of the lymphatic system (lymphangitis, etc.).*
95. Hemorrhage without specified cause.*
96. Other diseases of the circulatory system.*

V. Diseases of the Respiratory System.

97. Diseases of the nasal fossæ and their annexa.*
    (*a*) Diseases of the nasal fossæ.
    (*b*) Others under this title.
98. Diseases of the larynx.*
99. Bronchitis.
    (*a*) Acute.
    (*b*) Chronic.*
    (*c*) Not otherwise defined (under five years of age).
    (*d*) Not otherwise defined (five years and over).

V. Diseases of the Respiratory System — *Con.*

100. Bronchopneumonia (including capillary bronchitis).*
    (*a*) Bronchopneumonia.*
    (*b*) Capillary bronchitis.*
101. Pneumonia.
    (*a*) Lobar.
    (*b*) Not otherwise defined.
102. Pleurisy.*
103. Congestion and hemorrhagic infarct of the lung.[4]
104. Gangrene of the lung.*
105. Asthma.
106. Pulmonary emphysema.*
107. Other diseases of the respiratory system (tuberculosis excepted).
    (*a*) Chronic interstitial pneumonia, including occupational diseases of the lung.
    (*b*) Diseases of the mediastinum.
    (*c*) Others under this title.*

VI. Diseases of the Digestive System.

108. Diseases of the mouth and annexa.*
109. Diseases of the pharynx and tonsils (including adenoid vegetations).*
    (*a*) Adenoid vegetations.*
    (*b*) Others under this title.*
110. Diseases of the esophagus.*
111. Ulcer of the stomach and duodenum.
    (*a*) Ulcer of the stomach.
    (*b*) Ulcer of the duodenum.
112. Other diseases of the stomach (cancer excepted).
113. Diarrhea and enteritis (under two years of age).*
114. Diarrhea and enteritis (two years and over).
115. Ankylostomiasis.[5]
116. Diseases due to other intestinal parasites.[6]
    (*a*) Cestodes (hydatids of the liver excepted).
    (*b*) Trematodes.
    (*c*) Nematodes (other than ankylostoma).
    (*d*) Coccidia.
    (*e*) Other parasites specified.
    (*f*) Parasites not specified.
117. Appendicitis and typhlitis.
118. Hernia, intestinal obstruction.
    (*a*) Hernia.[7]
    (*b*) Intestinal obstruction.[8]
119. Other diseases of the intestines.
120. Acute yellow atrophy of the liver.*
121. Hydatid tumor of the liver.
122. Cirrhosis of the liver.*
    (*a*) Specified as alcoholic.
    (*b*) Not specified as alcoholic.
123. Biliary calculi.*
124. Other diseases of the liver.
125. Diseases of the pancreas.
126. Peritonitis without specified cause.
127. Other diseases of the digestive system (cancer and tuberculosis excepted).

---

[1] An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

[2] An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

[3] A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

[4] Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

[5] A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

[6] A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

[7] A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

[8] An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

1. Detailed International List — *Concluded.*

VII. Non-Venereal Diseases of the Genito-urinary System and Annexa.

128. Acute nephritis (including unspecified under 10 years of age).
129. Chronic nephritis (including unspecified ten years and over).*
130. Chyluria.*
131. Other diseases of the kidneys and annexa (diseases of the kidneys in pregnancy excepted).
132. Calculi of the urinary passages.*
133. Diseases of the bladder.*
134. Diseases of the urethra, urinary abscess, etc.*
    (*a*) Stricture of the urethra.
    (*b*) Others under this title.
135. Diseases of the prostate.*
136. Non-venereal diseases of the male genital organs.*
137. Cysts and other benign tumors of the ovary.
138. Salpingitis and pelvic abscess.
139. Benign tumors of the uterus.*
140. Non-puerperal uterine hemorrhage.
141. Other diseases of the female genital organs.*
142. Non-puerperal diseases of the breast (cancer excepted).*

VIII. The Puerperal State.

143. Accidents of pregnancy.*
    (*a*) Abortion.
    (*b*) Ectopic gestation.
    (*c*) Others under this title.
144. Puerperal hemorrhage.*
145. Other accidents of labor.*
    (*a*) Cesarean section.
    (*b*) Other surgical operations and instrumental delivery.
    (*c*) Others under this title.
146. Puerperal septicemia.*
147. Puerperal phlegmasia alba dolens, embolus, sudden death.*
148. Puerperal albuminuria and convulsions.*
149. Following childbirth (not otherwise defined).*
150. Puerperal diseases of the breast.*

IX. Diseases of the Skin and of the Cellular Tissue.

151. Gangrene.[1]
152. Furuncle.[1]
153. Acute abscess.[1]
154. Other diseases of the skin and annexa.*

X. Diseases of the Bones and of the Organs of Locomotion.

155. Diseases of the bones (tuberculosis excepted).*
156. Diseases of the joints (tuberculosis and rheumatism excepted).*
157. Amputations.
158. Other diseases of the organs of locomotion.

XI. Malformations.

159. Congenital malformations (stillbirths not included).*
    (*a*) Hydrocephalus.*
    (*b*) Congenital malformations of the heart.*
    (*c*) Others under this title.*

XII. Early Infancy.

160. Congenital debility, icterus, and sclerema.
161. Premature birth; injury at birth.
    (*a*) Premature birth.*
    (*b*) Injury at birth.*
162. Other diseases peculiar to early infancy.
163. Lack of care.*

XIII. Old Age.

164. Senility.

XIV. External Causes.

165. Suicide by solid or liquid poisons (corrosive substances excepted).[2]
166. Suicide by corrosive substances.*
167. Suicide by poisonous gas.[3]
168. Suicide by hanging or strangulation.*
169. Suicide by drowning.*
170. Suicide by firearms.*
171. Suicide by cutting or piercing instruments.*
172. Suicide by jumping from high places.*
173. Suicide by crushing.*
174. Other suicides.*
175. Poisoning by food.[4]
176. Poisoning by venomous animals.*
177. Other acute accidental poisonings (gas excepted).
178. Conflagration.*
179. Accidental burns (conflagration excepted).*
180. Accidental mechanical suffocation.*
181. Accidental absorption of irrespirable or poisonous gas.*
182. Accidental drowning.*
183. Accidental traumatism by firearms (wounds of war excepted).[5]
184. Accidental traumatism by cutting or piercing instruments.[5]
185. Accidental traumatism by fall.*
186. Accidental traumatism in mines and quarries.*
    (*a*) Mines.*
    (*b*) Quarries.*
187. Accidental traumatism by machines.*
188. Accidental traumatism by other crushing (vehicles, railways, landslides, etc.).
    (*a*) Railroad accidents.*
    (*b*) Street car accidents.*
    (*c*) Automobile accidents.*
    (*d*) Aeroplane and balloon accidents.*
    (*e*) Injuries by other vehicles.*
    (*f*) Landslide, other crushing.*
189. Injuries by animals (not poisoning).*
190. Wounds of war.
191. Execution of civilians by belligerent armies.
192. Starvation (deprivation of food or water).*
193. Excessive cold.*
194. Excessive heat.*
195. Lightning.*
196. Other accidental electric shocks.*
197. Homicide by firearms.*
198. Homicide by cutting or piercing instruments.*
199. Homicide by other means.*
200. Infanticide (murder of infants less than one year of age).*
201. Fracture (cause not specified).
202. Other external violence (cause specified).
203. Other external violence (cause not specified).

XV. Ill-defined Diseases.

204. Sudden death.
205. Cause of death not specified or ill-defined.
    (*a*) Ill-defined.
    (*b*) Not specified or unknown.

---

[1] A reliable statement of cause of death, without autopsy, *if* there is an accompanying statement of the site and nature of the original infection.
[2] A reliable statement of cause of death, without autopsy, if the character of the solid or liquid is specified.
[3] A reliable statement of cause of death, without autopsy, if the character of the gas is specified.
[4] An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.
[5] An unreliable statement of cause of death without supporting data, such as site and extent of injury.

2. Abridged International List.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged Int. List Number.	Cause of Death.
1.	Typhoid fever (1).*
2.	Typhus fever (2).*
3.	Malaria (5).
4.	Smallpox (6).*
5.	Measles (7).*
6.	Scarlet fever (8).*
7.	Whooping cough (9).*
8.	Diphtheria and croup (10).*
9.	Influenza (11).
10.	Asiatic cholera (14).*
11.	Cholera nostras (15).
12.	Other epidemic diseases (3, 4, 12, 13, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 42).
13.	Tuberculosis of the lungs (31).
14.	Tuberculous meningitis (32).
15.	Other forms of tuberculosis (33, 34, 35, 36, 37).
16.	Cancer and other malignant tumors (43, 44, 45, 46, 47, 48, 49).
17.	Simple meningitis (71*a*).
18.	Cerebral hemorrhage and softening (74, 83).
19.	Organic diseases of the heart (90).*
20.	Acute bronchitis (99*a*).
21.	Chronic bronchitis (99*b*).*
22.	Pneumonia (101).
23.	Other diseases of the respiratory system (tuberculosis excepted) (97, 98, 99*c*, 99*d*, 100, 102, 103, 104, 105, 106, 107).
24.	Diseases of the stomach (cancer excepted) (111*a*, 112).
25.	Diarrhea and enteritis (under 2 years) (113).*
26.	Appendicitis and typhlitis (117).
27.	Hernia, intestinal obstruction (118).
28.	Cirrhosis of the liver (122).*
29.	Acute nephritis and Bright's disease (128, 129).
30.	Noncancerous tumors and other diseases of the female genital organs (137, 138, 139, 140, 141, 142).
31.	Puerperal septicemia (puerperal fever, peritonitis) (146).*
32.	Other puerperal accidents of pregnancy and labor (143, 144, 145, 147, 148, 149, 150).*
33.	Congenital debility and malformations (159, 160, 161).
34.	Senility (164).
35.	Violent deaths (suicide excepted) (175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203).
36.	Suicide (165, 166, 167, 168, 169, 170, 171, 172, 173, 174).*
37.	Other diseases (26, 27, 28, 29, 30, 38, 39, 40, 41, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61 62, 63, 64, 65, 66, 67, 68, 69, 70, 71*b*, 72, 73, 75, 76, 77, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 89, 91, 92, 93, 94, 95, 96, 108, 109, 110, 111*b*, 114, 115, 116, 119, 120, 121, 123, 124, 125, 126, 127, 130, 131, 132, 133, 134, 135, 136, 151, 152, 153, 154, 155, 156, 157, 158, 162, 163).
38.	Unknown or ill-defined diseases (204, 205).

B. H. 554.37 OCT 3 1924
Stanford 1912